

Freestanding Outdoor Shower


Installation

BR01082OD2BN


1 1 ↑ 2 ↑ 3 ↻ 2-M8x16	2 5 ↓ 4 ↓ 2-1/2 NPT	3 9 ↻ 8 ↓ 7 ↓ 6 ↓ 4-M8x80
4 Hot Cold	5 Ø4-3/4 ~ Ø5-15/16in (Ø120 ~ Ø150mm) 1-3/4 ~ 2-3/8in (45 ~ 60mm)	6 4-M6x20 10 ↻ 11 ↑ 12 ↑ After the water test and pressure test, remove screws(10), metal cover(11) and plastic cover(12)

Installation




7




8



Technische Zeichnung/Explosionszeichnung





N0.	DESCRIPTION	QTY
1	TOP HEAD SHOWER	1
2	SPOUT	1
3	BOTTOM PIPE	1
4	COVER	1
5	CONNECT BASE	1
6	SCREWS	2
7	JOINT	1
8	CONCEALED BODY	1
9	SCREWS	2
10	HAND SHOWER	1
11	SHOWER HOSE	1
12	ALLEN KEY 6MM	1
13	ALLEN KEY 5MM	1
14	ALLEN KEY 3MM	1
15	ALLEN KEY 2.5MM	1
16	SCREWS	4