

Three door wardrobe

DJ0673




Installation Video QR

DJ0673
https://vimeo.com/1103480315



IMPORTANT INFORMATION!

please read the entire manual before starting to assemble and/or using this product.follow the manual thoroughly and keep it for further reference.




AVOID SCRATCHES!

In order to avoid scratching this furnuture should be assembled on a soft layer-could be a rug.



IMPROVE EFFICIENCY !

Try to find a partner to install with you, which can speed up the installation efficiency and shorten the time.



ANTI-TOPPLE WARNING !

Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment that fit your wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.

IMPORTANT !

It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly,and once every 3 months - in order to assure stability through-out the lifespan of the product.


For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag.For glass materials, wipe with a rag dampened with water glass cleaner, and then dry with a dry rag.


Please use proper tools for assembly.Using an electric screwdriver can accelerate the assemoly speed, but please do not overtighten the screws.


SAFETY TIPS !


Static charge may cause dust on foam - clean with a dry or damp cloth. Small foam strands may be present — handle gently and dispose of properly. Do not burn or incinerate. Check local recycling guidelines.

Board Identification












PARTS LIST




1




2




3




4




5




6




7




8




9



10




11




12


PARTS LIST




⑬ x4




⑭




⑮




⑯




⑰ x2




⑱




⑲




⑳




㉑




㉒




㉓ x3




㉔ x3




㉕ x2




㉖



㉗x2




㉘




㉙ x3


PARTS LIST




30 x2




31




32




33




34




35




36




37




38






39













When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size




Tips:The number after "+" represents the spare hardware.



A x 76	B x 76	C x 59	D x 154
			
Ø15 x 9.5 mm	Ø7 x 40 mm	Ø 8 X 40 mm	Ø3.5 x 14 mm

E x 9	G x 14	H x 10	J x 76
			
	Ø 5x 40 mm	Ø 4x 25 mm	


K x 2	L x 6	M x 2	P x 90
		M - 1 M - 2 M - 3 M - 4 	
			Ø 4x 12 mm

Q x 12	S x 8	T x 1
		
Ø 4x 35 mm	Ø 8 X 20 mm	


x 3	N-1 x 12	N-2 x 6
400mm  CL CR DL DR		


R x 8	
	 +2 SPARE BAG


Please note during installation that the distance between the edges of the board is small, and it is the straight opening direction of the plastic particles. Do not install it incorrectly!



1








20 x1

21 x1


22 x1

2


Q x 12




Ø4 x 35 mm



x2







3

A x 12





Ø15 x 9.5 mm










x2









4


D x 18	DL x 3	DR x 3	
 Ø3.5 x 14 mm	 400mm	 400mm	







5


B x 6	A x 6	C x 12	G x 6	
				
Ø7 x 40 mm	Ø15 x 9.5 mm	Ø 8 X 40 mm	Ø 5x 40 mm	







6






Screw M-2 can not lock too tight







7


B x 10









Ø7 x 40 mm










8

D x 10	CL	CR	B x 14	K	
					
Ø3.5 x 14 mm	400mm	400mm	Ø7 x 40 mm		









9

D x 10	CL	CR	B x 14	K	
Ø3.5 x 14 mm	400mm	400mm	Ø7 x 40 mm		




Please pay attention to the screw holes of "CL" drawer slide accordingly.










ROTATE 180°




10

D x 8	CL	CR	
 Ø3.5 x 14 mm	 400mm	 400mm	


Please pay attention to the screw holes of "CR" drawer slide accordingly.











ROTATE 180°








11


A x12	B x 12	
		
Ø15 x 9.5mm	Ø7 x 40 mm	









12


A x 30	C x 26	
		
Ø15 x 9.5 mm	Ø 8 X40 mm	







13


A x 6	C x 14	G x 8	
			
∅15 x 9.5 mm	∅ 8 X40 mm	∅ 5 X40 mm	






14






a) the product contains non-replaceable batteries;
b) Battery type(CR2025)
c) Nomlnal vollage: (3-5V)






Remove the film before pasting, but do not remove the double-sided sticky tape together!




Stick the light strip as shown in the diagram, and ensure that the light strip is between the two pilot holes!



15


A x 10	C x 7	L x 6	
			
Ø15 x 9.5 mm	Ø 8 X40 mm		







16


S X 8	H x 10	
		
Ø 8 X 20 mm	Ø 4 x 25 mm	



17


P x 90	R x 8	
 ∅ 4 x 12 mm		

Pay attention to the installation direction of the cabinet backboard!





18


M x2



M-3 M-4














⚠ Warning: If you overturn the furniture, it may cause serious or fatal crushing injuries. We have a wall connection device attached, please use it to hold the furniture following these instructions.


1. Mark the corresponding hole positions where you want to place the furniture;
2. Use a impact drill to drill holes and pay attention to avoid wires and water pipes;
3. Knock the expansion pipes into the wall holes;
4. Place the furniture in the corresponding position and tighten the wall , and lock the M-2screw tightly.



19


N-1 x 12	N-2 x 6	E x 6	D x 36	
			 Ø3.5 x 14 mm	






20


D x 72




Ø3.5 x 14 mm





Pay attention to the installation method of N-1 and N-2 hings as shown in the figure!







Adjust this screw to fine-tune the upper and lower positions of the door.






Adjust this screw to fine-tune the position under the door






Adjust this screw to fine-tune the left and right position of the door panel.



21


J x76



Stick the ring patch J on the lock holes

22

-LED lamp with effective remote control distance of 5 meters



1.Take out the remote control gasket

Remote control mode

OFF ON	In any state press these two keys to turn on/off the light strip.
	When light is on, press these two keys to reduce-or increase+brightness there are 10 brightness levels for adiustment.
R G B W	Press relevant keys to select particular colors
	Press this key to switch static colors There are 16 kinds for chosen.

APP PROGRAM USAGE




Scan two-dimensional code download APP

① Connect LED color strip and controller, power on controller

② Scan two-dimensional code download APP:

③ Start APP, search and connect controller

④ Enjoy the Bluetooth wireless control experience



Notes:
detailed operating instructions, enter the menu "Guide":

Product Paramters:
- Bluetooth: BLEV4.2
- Input Voltage:4.5~26V
- Working Temp:-25~75℃
- Size:43*22*11mm
- Weight:30g
- Max Power:144W(24V)

LED mobile phone Bluetooth

controllerProduct Features
- LED Bluetooth controller is directly via mobilephone control remote distance can reach 20m without the need to set up, easy to connect open the software within 5 seconds you can automatically connect the controller
- Flow the rhythm of the music changes
- Group control
- Brightness, speed addition and subtraction
- Maximum can be 10 meters RGB(W) strip
- The software shows that the text is based onthe language of the mobile phone set up automatic transformation of Chinese and English

Animation Effect:
- Colorful gradient
- All kinds of monchrome, double color gradient
- All kinds of monochrome, double color,colorfull flashing
- Colorful jump
- Follow the thythm of the music chagnes