



Groove® | K-9949

60" x 32" alcove shower base, left drain

Features

- Low-threshold design for easy entry and exit
- Recessed left drain
- Single threshold for three-wall installation
- Requires Groove aluminum drain cover or Groove teak drain cover (sold separately)



Codes/Standards

CSA B45.5/IAPMO Z124
ASTM E162
ASTM E662

Technical Information

All product dimensions are nominal.

Drain Location:	Left
Drain Hole Diameter:	3-3/8" (86 mm)
Shower Ledge Minimum Flat:	2-1/2" (64 mm)
Minimum Floor Load:	20 lbs/ft ²
Weight:	65 lbs (29.5 kg)

Material

- Acrylic

Recommended Products/Accessories

K-23726 Drain treatment
K-23732 Tub & shower cleaner
K-9132 Round shower drain for use with plastic pipe, gasket included

Required Products/Accessories


- K-9330 Aluminum cover, 32"
- or
- K-9334 Teak drain cover 32" receptor

Warranty

See website for detailed warranty information.

KOHLER® Plastic Baths and Receptors Lifetime Limited
Warranty





Installation Notes

Install this product according to the installation instructions.

Measure your actual product for rough-in details.

Measure your actual product for roughing-in details.

Shimming may be required to level the fixture.

Shimming may be required between the stud frame and the fixture.

The stud opening tolerance is +1/4" (6 mm), -0" (0 mm).



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-30-2026 00:14 - US-CA