

DESIGNER COLLECTION

MICHELANGELO

6636

SIZE

66" L x 36"W x 23"D

WATER CAPACITY

95 Gallons

WEIGHT

180 Pounds

INSTALLATION




Freestanding

BACK SLOPE

22°

MATERIAL

Acrylic



MODEL

MMI6636ATO	Tub Only
MMI6636ATA	Thermal Air

COLORS

Standard Acrylic	White Biscuit Bone
Premium Acrylic	Black Sterling Silver
	Carmin Red Concrete Grey
	Distant Blue Grey Beige
	Moss Green Orange
	Brown Pastel Violet Purple
	Violet Red Orange Sapphire Blue Signal Orange
	Stone Grey Tarpaulin Grey Terra Brown
Premium Hydroluxe Colors	

FINISH

Matte Finish	MAT (must specify if desired)
Polished Finish	STANDARD

DUAL COLOR OPTION

MODEL/COLOR1 INT/COLOR2 EXT	(XXX.XXX.XXX)
-----------------------------	---------------

SURFACES (outside only)

Metallic: Polished Nickel [PN]	
MODEL/METAL/COLOR (XXX.XXX.XXX)	

COLD PLUNGE | See Website for Install Form

CLD.PL

EXPORT CRATE

FRT.EXPCRT

EXTRA HIGH DENSITY

HI.DEN

H | S

HYDRO SYSTEMS



Headquarters
29132 Avenue Paine
Valencia, CA 91355

Manufacturing Facility
385 Highway 155 South
McDonough, GA 30253

Technical Support
support@hydrosystem.com

Orders Department
orders@hydrosystem.com

General Information
info@hydrosystem.com

Phone: 661-775-0686

Website: hydrosystem.com

MODEL

GRAB BARS (Pair) Refer to price book for all available finishes

Standard Grab Bars	GRA.BAR-XXX
Universal Grab Bars	UGB.BAR-XXX

HEATED BACKREST

INCLUDED ON THERMAL AIR

HYDRO BLANKET

2 Zones | 3 Zones | 4 Zones (3 or 4 zones require two keypads)

BLA.HEA-X

HYDRO COAT

HYC.COA

HYDRO EXPRESS

69.104-HYD.EXP-FRE

HYDRO FUSION | See Website for Install Form

Hydro Fusion (Tub Only)	29.102
Hydro Fusion w/ Ozone (Tub Only)	29.103
Hydro Fusion (TA, Whirlpool, Combo)	29.107

HYDRO INDULGE | See Website for Install Form

HYD.IND

HYDRO OZONE

INCLUDED ON THERMAL AIR

ISLAND TUB DRAIN

ABS, PVC	ITD.ABS ITD.PVC
Cast Iron	ITD.CST

CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a hydro systems representative for more information.

MICHELANGELO

6636

DESCRIPTION

LED TEMP. READOUT KEYPAD

Upgrade only, must have a keypad controlled system to purchase.

LED.UPG

LIGHTING

LED Bath Light Chromotherapy System

LIG.LED

MOLDED ARMRESTSSome molded armrests add an interior detail line to the bathtub 2 Armrests (one pair)
4 Armrests (two pairs)

ARM.MOL-2

ARM.MOL-4

DESCRIPTION

REMOTE CONTROL

Must must have system to purchase

REM.CON

TOWER

Must specify size & location on tub. Can hide plumbing, fusion, or indulge.

TOW-XX

18" or 24"

25" - 30"

31" - 36"

37" - 42"

43" - 48"

49" - 54"

55" - 60"

Access Panel

INTEGRAL W/O (Std. round)

IWO.XX (INCLUDED)

Waste and overflow manufactured as part of the bath. Comes standard as a round overflow cover. Drain will be a tip-toe style and drain outlet will be a direct drain.

(WHI, BIS, PC, PB, PN, BC, BB, BN, SC, SB, SN, ORB, PE, MB)

W/O - Gold Finish Upgrade (PG, BG)

LINEAR INTEGRAL W/O

LWO-XXX (NO CHARGE UPGRADE)

Waste and overflow manufactured as part of the bath. Drain will be a tip-toe style and drain outlet will be a direct drain.

H|S

HYDRO SYSTEMS

**Headquarters**29132 Avenue Paine
Valencia, CA 91355**Manufacturing Facility**385 Highway 155 South
McDonough, GA 30253**Technical Support**

support@hydrosystem.com

Orders Department

orders@hydrosystem.com

General Information

info@hydrosystem.com

Phone: 661-775-0686

Website: hydrosystem.com

CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a hydro systems representative for more information.

MICHELANGELO

6636



STANDARD ACRYLIC COLORS PREMIUM ACRYLIC COLORS



PREMIUM HYDROLUXE COLORS



WELLNESS OPTIONS



Cold Plunge

Revitalizing cold hydrotherapy into a traditional tub



Thermal Air

Tiny bubbles into the bathwater and offers untold relaxing benefits, similar to Swedish massage




Hydro Indulge

A concentrated dose of oxygen-rich molecules cleanse and restore skin



Advanced UV system

Ozone and UV light helps to disinfect the water and keep it clean



Chromotherapy

Digitally controlled, multicolored lighting feature LED lighting system



Hydro Fusion

Totally silent operation maintains ideal temperature without adding hot water constantly




Hydro Blanket

Radiant heat emanates through the acrylic tub surface. Chose up to 2-5 panels.

OTHER OPTIONS

Additional options can be found on our website



Integral Waste and Overflow

Seamless built-in protection for bathtub



Grab Bars

Adds functionality and enhanced styling. Affords a mounting solution in virtually any position on any tub.



Tower

Ideal solution adding systems or roman tub faucet to a freestanding bathtub.



Island Tub Drain

Asymmetrical 18 Gauge Epoxy coated Metal Deck Flange makes installation in tight spaces easier.

Installation Tips:

- When adding Thermal Air, blower must be remotely located



Headquarters
29132 Avenue Paine
Valencia, CA 91355

Manufacturing Facility
385 Highway 155 South
McDonough, GA 30253

Technical Support
support@hydrosystem.com

Orders Department
orders@hydrosystem.com

General Information
info@hydrosystem.com

Phone: 661-775-0686

Website: hydrosystem.com

CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a hydro systems representative for more information.