



Barstools

Installation Manual



① PRE-INSTALLATION PREPARATION	01
1-1 Thank you for choosing our products	01
1-2 Package contents	01
1-3 Precautions	01
② INSTALLING MODULES	02
2-1 Product Assembly Diagram	02
2-2 Suggestion	02
2-3 Parts List	03
2-4 Assembly Steps	04
③ CUSTOMER SERVICE	07
④ PROBLEMS YOU MAY ENCOUNTER	07

Thank you for choosing our products

Before assembly, please read this Installation Manual first, and check according to Parts List to make sure all parts are included.

Our contact e-mail is VIPService68@outlook.com. Feel free to contact us if you have any concerns or questions about your product, we are always ready to help Your satisfaction is our first priority


Package contents

Barstools

Assembly tools

Instruction manual

Precautions



Avoid long-term direct sunlight exposure.



Keep away from sharp objects.



Keep away from corrosive substances.




Keep assembled parts away from infants/children to avoid accidental ingestion.



This product must be assembled by an adult before use.

Product Assembly Diagram



Suggestion




The installation
takes 20 minutes



Product assembly
video


Parts List

Seat cushion  1 x2	Wooden legs  2 x8	Iron ring  3 x2
Square metal plate  4 x2	Swivel plate  5 x2	


Screws  M6*30MM A x8	Screws  M6*20MM B x16	Screws  M6*18MM C x8
Allen wrench  G x2		

Assembly Steps


STEP1




Use the Allen wrench and screws (B) to connect No.4 square metal plates to four No.2 wooden legs. Tighten screws (B) to **80%** tightness; do not fully fasten.



STEP2





Use the Allen wrench and screws (A) to attach No.3 metal washers to four No.2 wooden legs. Make sure the small side holes of No.3 metal washers face upward, and tighten screws (A) to **80%** tightness.



Assembly Steps

STEP 3


Use the Allen wrench and screws (B) to attach the No.5 swivel plate to four No.2 wooden legs, then fully tighten screws (B).



x2

STEP 4

Fully tighten screws (A) and (B) from Steps 1 and 2.






x2

Assembly Steps


STEP 5

Use the Allen wrench and screws (C) to attach the No.1 seat cushion to the complete lower chair assembly; fully tighten all screws (C).



STEP 6

Adjust the height of the foot pads at the bottom of the wooden legs as needed.



PROBLEMS YOU MAY ENCOUNTER

PART	PROBLEM	SOLUTION
ALL Product	Parts are missing, defective or having wrong parts in package	You can contact us via purchasing platform or reach us via email: VIPService68@outlook.com, and we will get back to you within 24 hours.
	Having issue(s) while reading the instruction or completing the assembly.	You can contact us and we will get back to you within 24 hours. Or, you can reach us via after-sales email.
	Encountering non-human caused damage during usage.	If the product is damaged due to non-human causes, please keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide you with a satisfactory solution.
	The product is unstable after being assembled.	1.Check if the screws are tightened. 2.Read throughout the manual, check are there any parts installed incorrectly or missing assembled. 3.If your problem still can't be solved, please feel free to contact us.
	Broken,dirty or missing	You can contact us and we will get back to you within 24 hours. Or, you can reach us via after-sales email.

CUSTOMER SERVICE

Quick Response within 24 Hours



If you are still unable to resolve the issue you are experiencing, please contact us immediately via our support email. It doesn't matter if the product has been installed or not, our customer support team will respond within 24 hours and assist you quickly and efficiently. The most efficient way to confirm your problem to us is to attach a video and photograph, which illustrates your product issues.

VIPService68@outlook.com

MADE IN CHINA