


# Double Egg Chair



## Instruction Manual


Thank you for shopping with us!

If any parts is missing, broken upon receipt or you need any help from us.

For the FASTEST solutions, please FIRSTLY CONTACT US.

# **IMPORTANT**

Please follow the instruction manuals and use a pad to avoid damage during assembly.




Not intended for use by children. Please keep your children closely supervised.



Keep away from fire or other heat sources.



Do not use harsh cleaner for cleaning!



We recommend wearing protective gloves for assembly.



Identify, sort and count the parts before assembly.




It is recommended that 2 people work together to assemble the product.

## Return Policy


- (1) Contact the seller in advance for support if you choose to return the product.
- (2) Ensure that the product is in good condition and returned with the original packaging, along with all original proof of purchase, manuals, certificates, and accessories included.
- (3) Disassemble any items that required assembly before returning the product.

## Warning

Seller is responsible for the product-related issues occurred upon receipt, but will not be responsible for the personal injury, property damage or loss resulting from the incorrect assembly, improper use, inadequate maintenance or neglect of this product.



Please prepare the following tools




When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size

## Parts List

|                                     |                               |                              |                                  |
|-------------------------------------|-------------------------------|------------------------------|----------------------------------|
|                                     |                               |                              |                                  |
| <b>A</b> LEFT 1PC                   | <b>B</b> RIGHT 1PC            | <b>C</b> LEFT 1PC            | <b>D</b> RIGHT 1PC               |
|                                     |                               |                              |                                  |
| <b>E</b> FRONT LEG 2PCS             | <b>F</b> BACK LEG 2PCS        | <b>G</b> CONNECTING 1PC      | <b>H</b> TOP CONNECTING BASE 1PC |
|                                     |                               |                              |                                  |
| <b>J</b> MIDDLE CONNECTING BASE 1PC | <b>K</b> FRONT MIDDLE LEG 1PC | <b>L</b> BACK MIDDLE LEG 1PC | <b>M</b> BACK CUSHION 1PC        |
|                                     |                               |                              |                                  |
| <b>P</b> SEAT CUSHION 1PC           |                               |                              |                                  |

# Hardware List

① x 17



M6 x 45 mm

② x 16



M6 x 20 mm

③ x 50




Washer

④ x 17



Nut

⑤ x 2




Wrench





⑥ x 2



# EXPLODED VIEW




# STEP 1



|                                                                                                                                              |                                                                                                                                         |                                                                                                                                              |                                                                                                                         |                                                                                                                           |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <div><div>A x 1</div><div></div><div>LEFT</div></div>       | <div><div>B x 1</div><div></div><div>RIGHT</div></div> | <div><div>G x 1</div><div></div><div>CONNECTING</div></div> |                                                                                                                         |                                                                                                                           |
| <div><div>1 x 4</div><div></div><div>M6 x 45 mm</div></div> | <div><div>3 x 8</div><div></div></div>                 | <div><div>4 x 4</div><div></div></div>                      | <div><div>5 x 1</div><div></div></div> | <div><div>6 x 1</div><div></div></div> |

Fix part G with part A and part B with M6x45mm Screws (1) and Flat Washers (3) and nut (4). Use Allen key (6) and Wrench (5).

**DO NOT FULLY TIGHTEN.**




## STEP 2





Fix part J with part A and part B with M6x45mm Screws (1) and Flat Washers (3) and nut (4). Use Allen key (6) and Wrench (5).

After the middle backrest is assembled, it needs to have the same slope as the backrests on both the left and right sides.




**DO NOT FULLY TIGHTEN.**

## STEP 3



|                                                                                                                                       |                                                                                                               |                                                                                                               |                                                                                                                |                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <div><b>D</b> x 1</div> <div></div> <div>RIGHT</div> |                                                                                                               |                                                                                                               |                                                                                                                |                                                                                                                 |
| <div>① x 2</div> <div></div> <div>M6 x 45 mm</div>   | <div>③ x 4</div> <div></div> | <div>④ x 2</div> <div></div> | <div>⑤ x 1</div> <div></div> | <div>⑥ x 1</div> <div></div> |

Fix part D with part B with M6x45mm Screws (1)  
and Flat Washers (3) and nut (4). Use Allen key (6) and Wrench (5).


**DO NOT FULLY TIGHTEN.**




## STEP 4

|                                                                                                          |                                                                                            |                                                                                            |                                                                                             |                                                                                              |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <br>C x 1<br>LEFT       |                                                                                            |                                                                                            |                                                                                             |                                                                                              |
| <br>1 x 2<br>M6 x 45 mm | <br>3 x 4 | <br>4 x 2 | <br>5 x 1 | <br>6 x 1 |

Fix part C with part A with M6x45mm Screws (1) and Flat Washers (3) and nut (4). Use Allen key (6) and Wrench (5).




# STEP 5




|                                |               |              |              |              |
|--------------------------------|---------------|--------------|--------------|--------------|
| <p>① x 7</p> <p>M6 x 45 mm</p> | <p>③ x 14</p> | <p>④ x 7</p> | <p>⑤ x 1</p> | <p>⑥ x 1</p> |
|--------------------------------|---------------|--------------|--------------|--------------|

Fix part H with part C and part D with M6x45mm Screws (1) and Flat Washers (3) and nut (4). Use Allen key (6) and Wrench (5).




**DO NOT FULLY  
TIGHTEN.**




When you tighten it,  
please first lock this screw,  
and then lock the two sides.

Fix part H with part J with M6x45mm Screws (1) and Flat Washers (3) and nut (4). Use Allen key (7) and Wrench (6). PAGE 11/18

## STEP 6





Fix part E with part A and part B with M6x20mm Screws (2) and Flat Washers (3). Use Allen key (6).




**DO NOT FULLY TIGHTEN.**

## STEP 7




Fix part F with part A and part B with M6x20mm Screws (2) and Flat Washers (3) .Use Allen key (6).




**DO NOT FULLY TIGHTEN.**

## STEP 8




FRONT MIDDLE LEG




Fix part K with part G with M6x20mm Screws (2) and Flat Washers (3). Use Allen key (6).



**DO NOT FULLY TIGHTEN.**



The assembly direction needs to be vertical.




## STEP 9




Fix part L with part G with M6x20mm Screws (2) and Flat Washers (3) .Use Allen key (6).


**DO NOT FULLY TIGHTEN.**





The assembly direction needs to be vertical.



## STEP 10




Tie the back cushion and the seat cushion together and put it in the chair.



**Adjust alignments and NOW  
TIGHTEN ALL SCREWS  
with wrench ( 5 )with Allen key ( 6 ).**

STEP 11



Assembly Finished

## CONTACT US



Dear customer,thank you for purchasing our products!We are proud to present our customers with high quality products!



if you have any product quality or use problems,please contact our customer service by email,we will ensure your satisfaction.



If you are satisfied with our products,please share your amazing experience with us and other customers!It would be our honor to hear from you!