



User Manual

Package List

S Size



4x Buckles



1x Animal Trap Cage



1x Shim



1x Metal Wire




1x Screws




1x Door

1x Trigger Lever




1x Pedal

L Size




3x Buckles



1x Animal Trap Cage




2x Screws



2x Door

1x Trigger Lever



1x Pedal



1x Shim



1x Metal Wire

Specifications


- * Product Type: Humane Animal Trap Cage
- * Material: Galvanized Iron With Powder Coating
- * Color: Green
- * Size Option: M/L
- * Wire Thickness: 0.27cm/0.1in
- * M Size Applicable Animals: Under 5lbs
- * L Size Applicable Animals: Under 18lbs

Highlights


- * Crafted from 0.1in thickened metal wires, this heavy duty humane animal trap cage ensures durability and sturdiness for long term use.
- * Once the pedal touched slightly, the sensitive trigger will instantly be activated, leaving no chance for animal to escape.
- * An upgraded handle with a guard plate is designed to prevent animals from scratching your hands.
- * Easy to use, bait, set & release. Pre-installed trap cage can be easily set up in minutes.
- * With a folding height of 3.15 inches, the animal trap cage can be easily collapsed for convenient storage and transportation, suitable for both indoor and outdoor use.

How To Install


S Size




Step1: Take out the cage and check all the accessories.




Step2: Unfold the cage, align the door frame to the cage frame, make sure the right, left and upper grooves are stuck to the cage.



Step3: Hook up to secure the door with the cage.




Step4: Use 2 buckles to close up the rear door.



Step5: Remove the nut on pedal and install the pedal in the cage. Make sure both the rod are align with the holes.




Step6: Place the shim and insert the metal wire into the pedal rod.



Step7: Install the 2 buckles as shown. Take out the trigger lever and place it on the 2 slots of buckles.




Step8: Use one hand to hold the hook of trigger lever, use the other hand to place the cage door into the door frame. The screw on the door should be upper on the hook of trigger lever, so the door won't fall down. Repeat to set up the other door.




Step9: Clamp the tip of trigger lever with pedal rod, make sure they are secure in place that the door won't fall down once you release your hands.


L Size



Step1: Take out the cage and check all the accessories.




Step2: Unfold the cage, align the door frame to the cage frame, make sure the right, left and upper grooves are stuck to the cage.




Step3: Hook up to secure the door with the cage.




Step4: Repeat step2, 3 to install the other door.




Step5: Remove the nut on pedal and install the pedal in the cage. Make sure both the rod are align with the holes.




Step6: Place the shim and insert the metal wire into the pedal rod.



Step7: Install the 3 buckles as shown. Take out the trigger lever and place it on the 3 slots of buckles



Step8: Use one hand to hold the hook of trigger lever, use the other hand to place the cage door into the door frame. The screw on the door should be upper on the hook of trigger lever, so the door won't fall down. Repeat to set up the other door.



Step9: Clamp the tip of trigger lever with pedal rod, make sure they are secure in place that the door won't fall down once you release your hands.