



Owner Manual




Thank you for shopping with us!


We encourage you to take a few minutes to go through this booklet. It contains important information on installation and care tips to keep your furniture looking as good as new.

Hardware

NO.	Draw	QTY
A	 Screws Ø4x14mm	44
B	 Two-in-one connector	17
C	 Two-in-one connector	17
D	 Wood plug	4
E	 Plastic anchor(Ø10mm)	2
F	 Screws for fix on the wall	2
G	 Bracket (53x70x44mm)	2

NO.	Draw	QTY
H	 Bracket (19x19x35mm)	2
I	 Hinges(Internal hiding)	4
J	 Screws Ø4x25mm	6
K	 Anti-collision gasket	4
L	 Screwdriver	1


Recommended tools



Dimensions


Technical drawing showing the dimensions of the sink unit. The front view (left) indicates a total width of 750mm [29 1/2"] and a total height of 890mm [35 1/16"]. The height is composed of a base height of 270mm [10 5/8"] (labeled as the recommended installation height) and a top section height of 500mm [19 11/16"]. The top section has a depth of 120mm [4 3/4"] and a central opening of 120mm [4 3/4"] (highlighted in red). The perspective view (right) shows the unit's depth of 472mm [18 9/16"] and the top section height of 500mm [19 11/16"].

Components



This diagram shows the exploded view of the components for the 'Components' section. The components are numbered 1 through 9. Component 1 is a large rectangular panel. Component 2 is a vertical rectangular panel. Component 3 is a rectangular panel with a central circular cutout. Component 4 is a long, thin rectangular strip. Component 5 is a long, thin rectangular strip. Component 6 is a long, thin rectangular strip. Component 7 is a rectangular panel with a central circular cutout. Component 8 is a rectangular panel with a central circular cutout. Component 9 is a rectangular panel with a central circular cutout. The diagram illustrates the assembly sequence and the relative positions of the components.

Step 1




B






C



L




Attention: Cam lock arrow point to the steel rod.



Notes: Screw installation depth as shown

Step 2



B



C




D




L

Note: The D parts are used for these two holes




first step




second step




third step




Step 3



Step 4



Step 5



($\varnothing 4 \times 25\text{mm}$)


J x6

J



Tool

Step 6



x2

G



x2

H

($\varnothing 4 \times 14\text{mm}$)




x20

A




Tool

Step 7




	x4
I ($\varnothing 4 \times 14\text{mm}$)	
	x24
A	
Tool	

You can adjust the doors by tightening or loosening the screws on the hinge. →



Step 8




	x4
K	


Step 9



Tool



+




Step 10




Tool



o



Step 11




E



Tool


Step 12




F




Tool



Step 13






Finished



The specific basin type is subject to your purchase order.

Dimensions



Floor

CARE CLEANING AND MAINTENANCE

1. Dust regularly with a soft , dry cloth.
2. Avoid the use of all chemicals household cleaners, abrasives, or cleaners that contain lemon, vinegar, or other acids that may damage the finish.
3. Excessive exposure to sunlight and extreme changes in temperature and moisture can damage wood furniture.
4. The sink is fragile, please pay attention to maintaining its appearance.
5. Do not place hot appliances, such as curling irons and hot hair dryers directly on the countertop. Wipe spills immediately.