


NOTICE

- *Please make sure that you have all parts indicated and they are in good condition before you begin assembly of this item. Refer to part list and hardware list below for guidance.
- *This item should be assembled on a soft surface to prevent scratching the finish during assembly.
- *This item may require periodic tightening.
- *If you are having difficulty, our friendly Customer Care team is always here to help.

PREPARATION

- * Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- * If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time: 10 minutes.
- *Tools Required for Assembly (included): Allen Key








Product Dimensions: 59.1" W x 37.0" D x 27.4" H



CARE AND MAINTENANCE




Insert Care and Maintenance here

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
A	Back Frame		1X
B	Frame Seat		1X
C	Leg Side Frame 1		1X
D	Leg Side Frame 2		1X
E	Cross Frame Leg		1X
CSH1	Seat Cushion		1X
CSH2	Back Cushion		2X





Weight Capacity : 400 lbs
Warning : Do not stand on bench
Warning : Do not over torque bolts / screws

HW1	Allen Bolt: M6x0.5x40 mm	 M6x40	8X
HW2	Allen Bolt: M6x0.5x30 mm	 M6x30	4X
HW3	Allen key	 LG4	2X

PREPARATION


- *Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
- *If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time : 10 minutes.
- * Tools Required for Assembly (included): Allen Key
- * If you are having difficulty, our friendly Customer care team is always here to help.

<div data-bbox="107 432 152 496">1</div> 	<div data-bbox="1149 432 1193 496">2</div> 
<p>Step 1</p> <p>Attach Seat Frame (B) to Leg Side Frame 1 (C). Use Bolt (HW1) tighten with Allen Key (HW3).</p> <p>Attach Cross Frame Leg (E) to Back Leg (C) Use Bolt (HW1) tighten with Allen Key (HW3).</p>	<p>Step 2</p> <p>Attach Seat Frame (B) to Leg Side Frame 2 (D). Use Bolt (HW1) tighten with Allen Key (HW3).</p> <p>Attach Cross Frame Leg (E) to Back Leg (D) Use Bolt (HW1) tighten with Allen Key (HW3).</p>

PREPARATION

- *Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
- *If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time : 10 minutes.
- * Tools Required for Assembly (included): Allen Key
- * If you are having difficulty, our friendly Customer care team is always here to help.


3



Step 3

Follow the instructions.

4





Step 4

Continue using both (HW2) to back frame (A) With C,D, tighten with Allen Key(HW3).

PREPARATION

- *Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
- *If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time : 10 minutes.
- * Tools Required for Assembly (included): Allen Key
- * If you are having difficulty, our friendly Customer care team is always here to help.

5



Step 5

Attach Cushion seat (CSH1) and Cushion back (CSH2).Complete