



## **Product Installation Instructions**





Accessories list			
A		Two In One Screw	126pcs +6pcs
B		Two In One Nut	126pcs +6pcs
<u>C</u>		Wood Chipping (6x30mm)	40pcs +4pcs
<b>D</b>		Handle & Screw (4x18mm)	14pcs 7pcs +4pcs
E		Guide Rails & Screws (3x12mm)	50pcs +10pcs
F		Non-slip pads	8pcs +2pcs
G		Power Socket & Screw (3x10mm)	2pcs +1pcs
H		Fixing Clip & Screw (3x16mm)	14pcs +2pcs
		Magnetic Attraction Screw (3x10mm) Iron Sheet	4pcs 16pcs +2pcs 4pcs
J		Cabinet Door Hinge & Screw (3x10mm)	8pcs 4pcs +1pcs
K		Foot nail	4pcs +1pcs
		Wire Clamp	1pcs +1pcs
1 pcs Double-head screwdriver, use as required 2			


























A Step 13 x24 <u>B</u> x24 **D** х6 (E) х6 x3x12 7x3 6


Repeat the drawer installation steps



































Step 34




## Insert the board into the slot














This hole is for strengthening fixed hole customers can choose to install according to their needs.



































































































As shown, When installing the drawer, pull the guide rail out first, Slide beads are also pulled out.


61






If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap


63





Repeat the above installation method


Thread the light wire through the hole on the back panel


























Use a hammer to drive the nail into the gap of the wooden board and fix the back board



**73** 







## User's Guide

Thank you for purchasing this product.

To use this product, please plug it into a 12V DC power supply.

Please use if the product works normally after connecting to power.

## Introduction

The box is an intelligent controller. It has 1 USB output port 1 Type-c port and can distribute the current output up to 5V DC-2A. With 2 touch buttons,

it can turn. ON/OFF the light, change light colors, and adjust the light luminance.

## Operation



This touch button is used to turn on/off, change colors, and adjust brightness.

- A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off.
- B. Long touch -> adjust the luminance.



This touch button is used to turn on/off the induction function.

- A . Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.

