CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use. Remove wicker furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Part List and Hardware List

A Chair/Bench right frame 4x B Chair/Bench left frame 4x C Chair seat frame 4x D Chair back frame 4x E Chair back frame 4x F Stool seat frame 4x G Stool leg 8x H Bacing stool leg 8x I Table top 1x J Table legs are long 1x L Table legs are short 1x M Table legs are short 1x N Table glass 2x O Stool cushion 4x P Chair seat cushion 8x HW1 Allen bolt(M6x20 mm) 48x HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 2x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x				
B Chair/Bench left frame C Chair seat frame C Chair seat frame D Chair back frame E Chair back frame F Stool seat frame G Stool leg H Bacing stool leg I Table top I Table legs are long L Table legs are short M Table legs are short N Table glass O Stool cushion P Chair seat cushion HW1 Allen bolt(M6x20 mm) HW2 Allen bolt(M6x40 mm) HW3 Allen bolt(M6x70 mm) C Chair seat cusher Ax 4x 4x 4x 4x 4x 4x 4x 4x 4x	PIECE	DESCRIPTION	PICTURE	QUANTITY
C Chair seat frame	Α	Chair/Bench right frame	1	4x
Chair back frame ↓ 4x E Chair back frame ↓ 4x F Stool seat frame ↓ 4x G Stool leg ↓ 8x H Bacing stool leg ↓ 8x I Table top ↓ 1x J Table top ↓ 1x K Table legs are long ↓ 1x L Table legs are short ↓ 1x N Table legs are short ↓ 1x N Table glass ↓ 2x O Stool cushion ↓ 4x P Chair seat cushion ↓ 4x HW1 Allen bolt(M6x20 mm) ↓ 48x HW2 Allen bolt(M6x30 mm) ↓ 18x HW3 Allen bolt(M6x40 mm) ↓ 2x HW4 Allen bolt(M6x70 mm) ↓ 2x HW5 Flat washer 104x	В	Chair/Bench left frame	B	4x
E Chair back frame C Stool seat frame C Stool leg C S	С	Chair seat frame	\$	4x
F Stool seat frame	D	Chair back frame	Ø	4x
G Stool leg	E	Chair back frame	D	4x
H Bacing stool leg	F	Stool seat frame	♦	4x
I Table top 1x J Table top 1x K Table legs are long 1x L Table legs are short 1x M Table legs are short 1x N Table legs are short 4x N Table legs are short 4x P Chair seat cushion 4x P Chair seat cushion 8x HW1 Allen bolt(M6x20 mm) 48x HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	G	Stool leg	Ø	8x
J Table top 1x K Table legs are long 1x L Table legs are short 1x M Table legs are short 1x N Table glass 2x O Stool cushion 4x P Chair seat cushion 8x HW1 Allen bolt(M6x20 mm) 48x HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW4 Flat washer 104x	Н	Bacing stool leg	1	8x
K Table legs are long 1x	ı	Table top	\Diamond	1x
L Table legs are short 1x M Table legs are short 1x N Table glass 2x O Stool cushion 4x P Chair seat cushion 8x HW1 Allen bolt(M6x20 mm) 48x HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	J	Table top	\Diamond	1x
M Table legs are short 1x N Table glass 2x O Stool cushion 4x P Chair seat cushion 8x HW1 Allen bolt(M6x20 mm) 48x HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	K	Table legs are long		1x
N Table glass 2x O Stool cushion 4x P Chair seat cushion 8x HW1 Allen bolt(M6x20 mm) 48x HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	L	Table legs are short		1x
O Stool cushion	М	Table legs are short		1x
P Chair seat cushion Sx HW1 Allen bolt(M6x20 mm) 48x HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	N	Table glass	<i>⟨◇</i>	2x
HW1 Allen bolt(M6x20 mm) 48x HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	0	Stool cushion	\Q	4x
HW2 Allen bolt(M6x30 mm) 18x HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	Р	Chair seat cushion	\Q	8x
HW3 Allen bolt(M6x40 mm) 36x HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	HW1	Allen bolt(M6x20 mm)	8	48x
HW4 Allen bolt(M6x70 mm) 2x HW5 Flat washer 104x	HW2	Allen bolt(M6x30 mm)	•	18x
HW5 Flat washer 9 104x	HW3	Allen bolt(M6x40 mm)	8	36x
	HW4	Allen bolt(M6x70 mm)	•	2x
HW6 Allen key 3x	HW5	Flat washer	•	104x
	HW6	Allen key		3x

Weight Capacity: 275 Lbs (single seat)

550 Lbs (towperson seat)

Warning: Do not stand on table

Warning: Do not over torque bolts/screws








Product Dimensions:

43.3"x43.3"x28.7H (Table) 20.47"x20.47"x34.64H (Chair) 16.14"x16.14"x13.8H (Stool)



CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use. Remove wicker furniture from standing water. Dust regularly with small brush or vacuum Spills should be taken care of immediately before they harden or stain with a slightly dampened sponge.

NOTICE

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * This item may require periodic tightening

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
I	Table top	♦	1X
J	Table top	\$	1X
К	Table legs are long		1X
L	Table legs are short	D	1X
М	Table legs are short		1X
N	Table glass	<i>②</i>	2X
HW1	Allen bolt(M6x20 mm)	%	8X
HW2	Allen bolt(M6x30 mm)	6	2X
HW4	Allen bolt(M6x70 mm)	•	2X
HW5	Flat washer	9	12X
HW6	Allen key		1X

Weight Capacity: 275 Lbs (single seat)

550 Lbs (towperson seat)


Warning: Do not stand on table

Warning: Do not over torque bolts/screws










PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.


Estimated Assembly Time: 15 minutes.

Tools Required for Assembly (included): Allen Key





2




Step 1
Using bolt (HW2) and insert (HW5) to assemble top table (I), (J) together


Step 2

Using bolt (HW1) and insert (HW5) to assemble long leg of table (K)





4



Step 3
Using bolt (HW1),(HW4) and insert (HW5) to assemble short legs (L), (M)

Step 4

Putting glasses top table (N) on table