




Product Installation Instructions







A x2




B x2



C x2




D x2




E x2




F x1




G x1




H x1




I x1




J x1




K x1




L x1




Mx1




N x1



Ox1




P x1




Qx1



R x1











S x1





1


Accessories list




①		Two in one screw (6x28mm)	46pcs +4pcs
②		Two in one nut (10x12mm)	46pcs +4pcs
③		Wood chipping (6x30mm)	13pcs +4pcs
④		Guide & Screw(24cm) (3x12mm)	20pcs +4pcs 4pcs
⑤		Handle & screw (3. 5x10mm)	4pcs +1pcs 2pcs
⑥		Guide & Screw(19cm) (3x12mm)	8pcs +2pcs 2pcs
⑦		Non-slip pads (φ 20mm)	4pcs +1pcs
⑧		Fixing clip & screw (3x16mm)	10pcs +1pcs
⑨		Wire clamp	1pcs
⑩		Power Socket & Screw (3x10mm)	2pcs +1pcs 1pcs




Double-head screwdriver, use as required



Product structure decomposition




1		16pcs	2		16pcs	4		4pcs		8pcs
5		2pcs		4pcs						




Use parts ① and ②



Step1




Step2



Step3





Use a screwdriver to lock in the direction of the "+" sign




Disassemble along the direction of "-" sign


Step 1





Step 2





Step 3



Step 4




Step 5



Step 6



5




x1



x2




Drawer rail breakdown diagram




① Dismantle the schematic diagram

Step 1 : Pull the rails apart







Step 2 : Press the nylon button and pull out (d).






Drawer rail decomposition completed schematic diagram



Step 7








Step 8




x2



Completing Drawer Installation

10



1		30pcs	2		30pcs	3		12pcs				
4		6pcs		18pcs	6		2pcs		8pcs	7		4pcs
8		10pcs		10pcs	9		1pcs	10		1pcs		2pcs




Step 9




Step 10



Step 11




4



x2




x6



This hole is for strengthening fixed hole customers can choose to install according to their needs.


Step 12

Drawer rail breakdown diagram




① Dismantle the schematic diagram

Step 1 : Pull the rails apart





Step 2 : Press the nylon button and pull out ⑦.

Drawer rail decomposition completed schematic diagram





Step 13





Install a screw on the guide rail first to prevent it from blocking the hole.

Step 14





Step 15

1






Step 16

2





Step 17





This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 18



Install a screw on the guide rail first to prevent it from blocking the hole.

Step 19




Step 20

2



x4




Step 21


2




x2




Step 22




3  x4

Step 23




2  x6

Step 24




7



x4

Tear off release paper and stick the black foot pad on the board

Step 25




Step 26

3




x4

thread the wire through
the hole in the backplane.




Step 27

1



x4




Step 28


2




x4




Step 29




Lift the guide rail and install the front screw.




Step 30



First, pass the power plug through the backplate hole, and then secure the power module.







Step 30a





As shown, When installing the drawer,
pull the guide rail out first, Slide beads are also pulled out.

Step 31






If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 32




Step 33




Step 34

⑥  x2
 x4







Step 35



As shown, When installing the drawer,
 pull the guide rail out first, Slide beads are also pulled out.




Step 36




If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 37

8




Step 38





Step 39


9



x1



Step 40





User's Guide

A29

Thank you for purchasing this product.

To use this product, please connect it to a power source.

Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller. It has 1 USB output port 1 Type-c port .

With 2 touch buttons, it can turn. ON/OFF the light, change light colors, and adjust the light luminance.it can and turn ON/OFF the induction function.

Operation




This touch button is used to turn on/off, change colors, and adjust brightness.

- A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off.
- B. Long touch -> adjust the luminance. (The brightness of each color can be adjusted individually)



This touch button is used to turn on/off the induction function.

- A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If you have any questions when installing, please feel free to contact us. Thank you.