
Floating bed



AJ-DJ504991_1

AJ-DJ504991_2


AJ-DJ504991_3

Version : 1.3

Package Contents

Plates and iron components | Assembly tool kit | Instruction manual


Precautions




1.Avoid long-term direct sunlight exposure




2.Stay away from fire




3.Keep away from sharp objects




4.Keep infants/children away from assembly parts to avoid choking and suffocation.




5.Keep away from corrosive substances




6.Please use the correct screws, otherwise the plate will be damaged.



7.Prevent objects from being damaged by immersion in water



8.Prevent object collision and damage





9.**It is recommended to use an electric screwdriver for installation. Please be careful not to set the speed too high.**


Problems You May Encounter


PART	PROBLEM	SOLUTION
Whole Product	Parts are missing, defective or having wrong parts in package.	You can contact us and we will get back to you within 24 hours
	Having issue(s) while reading the instruction or completing the assembly.	Feel free to contact us and we will get back to you within 24 hours.
	Encountering non-human caused damage during usage.	If the product is damaged due to non-human causes, please keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide you with a satisfactory solution.
Product Surface	Board Surface is broken, scratched or lack of some screw holes.	Feel free to contact us and we will get back to you within 24 hours.
	The screw holes on the wooden board and other wooden boards are not aligned.	1. Please tighten the screws on the board by 70 %, do not tighten completely. 2. Adjust the wooden board and board. Until the holes are arranged neatly, then tighten all screws
	table top misalignment and unevenness	1. Please tighten the screws connecting two table boards by 70%, do not tighten them completely, so that to facilitate subsequent installation and adjustment. 2. It will be easier to adjust the gaps between the two tabletop panels after the overall installation is completed. So we advice to tighten the screws, after whole installation. 3. If your problem still can ' t be solved , please feel free to contact us .
Metal acce-- ssories	Metal accessories are damaged, rusted, bent, and broken.	Feel free to contact us and we will get back to you within 24 hours.
	unstable after being assembled.	1. Check if the screws are tightened. 2. Read throughout the manual, check if there are any parts installed incorrectly or some parts are missed to be installed. 3. If the problem still can't be solved, please feel free to contact us.
	Encountering non-human caused damage during usage.	If the product is damaged due to non-human causes, please keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide you with a satisfactory solution.

PARTS LIST A



1 x1
2 x1
3 x1
4 x1
5 x10
6 x1
7 x1
8 x1
9 x1


10 x2
11 x2
12 x4
13 x3
14 x2
15 x4
16 x1
17 x1



18 x1
19 x1
20 x1
21 x1


22 x1
23 x1
24 x4
25 x1
26 x1
27 x2

HARDWARE LIST A




A
M8*55
x1




B
M8*35
x14+1




C
M8*12
x8



D
M6*45
x8



T
M6*40
x2



E
M6*28
x34+3



F
M6*12
x20+2




G
3*12
x6




H
M5*40
x28+2



I
M8
x4




J
Ø18*8
x22+2



K

x2




L


x1




P
M4
x1



Q
M3
x1




S
M5
x1




Z4
M8
x1

HARDWARE LIST B


Additional instructions of LED light bar




x1
Row insertion




x1
Light strip(Short)




x1
Light strip(Long)




x1
Connecting wires




x1



x1



M
x2





AC
x20+2

Note:

1. Should be assembled on flat ground to keep balance.


2. Before completing the installation, do not tighten the screws.






Before starting the assembly, you must read the whole manual and follow the instructions

Assembly method




1




C M8*12	x8
M	x2
S	x1

2




D M6*45	x4
P	x1

3




D M6*45	x2
P	x1

4




E M6*28	x2
P	x1

5



B M8*35 x4			
F M6*12 x8		P x1	
J ϕ18*8 x4		S x1	





Please make sure the soundproof cotton is facing up.

x4

6


If the screw falls inside, please tilt the bed frame to take it out from the gap.






F M6*12 x8	
P x1	

7




8




D M6*45 x2	
B M8*35 x6	P x1
J ϕ18*8 x2	S x1

9




F M6*12	x4
P	x1

10




A M8*55	x1
E M6*28	x2
S x1	P x1

11




B M8*35 x4	
I M8 x4	
S x1	Z4 x1

12




E M6*28 x4
P x1

13



E M6*28	x2
P	x1


14



T M6*40	x2
P	x1


15

The magnetic component and iron plate of Assembly L can be installed at the positions shown in the diagram, or alternatively on the symmetrical side at the same time, to ensure proper adhesion.




G 3*12	x2
L	x1
P	x1

16



H M5*40	x4
Q	x1


17



H M5*40	x4
Q	x1


18

Please tighten the screw so that it is flush with the wooden board.




H M5*40	x4
Q	x1

19




H M5*40	x4
Short	x1
Q	x1

20




H M5*40	x2
Q	x1

21




H M5*40	x10
Q	x1

22




E M6*28	x8
P	x1

23




E M6*28	x4
J ϕ18*8	x4
P	x1

24



E M6*28	x12
J ϕ18*8	x12
P	x1


25



G 3*12	x2
	x1
P	x1

26


The magnetic component and iron plate of Assembly L can be installed at the positions shown in the diagram, or alternatively on the symmetrical side at the same time, to ensure proper adhesion.




G 3*12	x2
K	x2
L	x1
P	x1


27

Please pay attention to the direction of the door suction iron when assembling the door panel.





1. Press and hold the buttons on both sides and do not release them.




2. Please align the holes on the side panel and assemble the door panel.


After assembly, please flip the door leaf up and close it.


28

Stick the LED strip to the bottom of the wooden board.





Light strip(Long)







29









30





31




x1

32




x1

33

