Martha Stewart + California Closets THE EVERYDAY SYSTEM™ Product Guide



The Everyday System™ Table of Contents

The Everyday System™ Finish Options	3-5
Statement of Line	6-8
Parts Overview	9-28
Uprights	9
Basic Shelf	10
48 Wide Basic Shelf	11
Shelf Brackets	12
Closet Pole (Rod) with Mount	13
Slanted Shoe Shelf with Brackets (Mount)	14
3 Drawer Cabinet	15
3 Drawer File Cabinet	16
3 Bin Cabinet	17
2 Drawer Cabinet	18
Cabinet with Mesh Door	19
Media Cabinet	20
Desktop with Drawer	21
Drawer and Door Pull	22
Fill the Gap Hanging Pole with Bracket	23
Fill the Gap Wall Mount Shelf Bracket	24
Fill the Gap Hanging Pole with Mount	25
Fill the Gap Shelf Parts Assembly for 14" or 20" D Shelf	26
Lidded Bin	27
Hangers	28
Correction Crayons and Touch Up Paint	29
Care and Cleaning	30
Designing with Everyday	31

The Everyday System™ Finish Options

Wood Finishes





Perry Street White

Bedford Grey

Metal Finishes







Gold

Graphite White

Drawer/Door Handle/Pull Finishes







Graphite

Mesh Finishes







Martha + California closets

The Everyday System™ Finish Options



Perry Street White



Gold



Graphite



White

Perry Street White	Gold	Graphite	White	Matte Aluminum	Black
Uprights	Х				
Shelf & cabinet brackets	Х				
Closet pole (rod)	Х				
Mesh door insert	Х				
Mesh Door handle	Χ				
Drawer/Door Pulls	Х				
Slanted shoe shelf fence			Χ		
Slanted shoe shelf bracket			Χ		
Bins (metal mesh)			Х		
File drawer hanger			Х		

Perry Street White	Gold	Graphite	White	Matte Aluminum	Black
Uprights		Х			
Shelf & cabinet brackets		Х			
Closet pole (rod)		Х			
Mesh door insert		Х			
Mesh Door handle		Х			
Drawer/Door Pulls		Х			
Slanted shoe shelf fence			Χ		
Slanted shoe shelf bracket			Χ		
Bins (metal mesh)			Х		
File drawer hanger			Х		

Perry Street White	Gold	Graphite	White	Matte Aluminum	Black
Uprights			Х		
Shelf & cabinet brackets			Х		
Closet pole (rod)			Х		
Mesh door insert			Х		
Mesh Door handle				Х	
Drawer/Door Pulls				Х	
Slanted shoe shelf fence			Χ		
Slanted shoe shelf bracket			Χ		
Bins (metal mesh)			Χ		
File drawer hanger			Χ		

The Everyday System™ Finish Options



Bedford Grey



Gold



Graphite



Not available

Mesh Door handle		Х			
Drawer/Door Pulls		Х			
Slanted shoe shelf fence		Х			
Slanted shoe shelf bracket		Х			
Bins (metal mesh)		Х			
File drawer hanger					Х
Bedford Grey	Gold	C		Matte	
		Graphite	White	Aluminum	Black
Uprights		i i		Aluminum	Black
Uprights Shelf & cabinet brackets		i i		Aluminum	Black
1 0		i i	BLE	Aluminum	Black

Bedford Grey	Gold	Graphite	White	Matte Aluminum	Black
Uprights	Х				
Shelf & cabinet brackets	Х				
Closet pole (rod)	Х				
Mesh door insert	Х				
Mesh Door handle	Х				
Drawer/Door Pulls	Х				
Slanted shoe shelf fence		Х			
Slanted shoe shelf bracket		Х			
Bins (metal mesh)		Х			
File drawer hanger					X

Graphite

Χ

Х

Х

Gold

Bedford Grey

Closet pole (rod)

Mesh door insert

Shelf & cabinet brackets

Uprights

Matte


Black

White


Bedford Grey	Gold	Graphite	White	Matte Aluminum	Black
Uprights			. 6		
Shelf & cabinet brackets		VAIL	al		
Closet pole (rod)			Z		
Mesh door insert		10/2			
Mesh Door handle	- 0	'A'			
Drawer/Door Pulls	\cup_{i}				
Slanted shoe shelf fen	O				
Slanted shoe shelf bracket					
Bins (metal mesh)					
File drawer hanger					

Statement of Line

Uprights




Basic Shelf



48" Wide Basic Shelf




Shelf Bracket Set (L & R)




Statement of Line

Closet Pole (Rod) with Mount



Slanted Shoe Shelf with Brackets (Mount)



	3 Drawer Cabinet*	3 Drawer File Cabinet*	3 Bin Cabinet*	2 Drawer Cabinet*	Cabinet w/Mesh Door*	Media Cabinet*	Desktop w/Drawer*
14" Deep	24" Wide						
20" Deep							
	24" Wide	24" Wide	24" Wide	24" Wide	24" Wide	48" Wide	48" Wide
						41.1 1.1	

*Uprights separately specified

Statement of Line

Bins







Large

Hangers



Shirt Hanger



Suit Hanger



Coat Hanger



Skirt Hanger




Slack Hanger

Uprights

Description	Thickness	Nominal Depth	Actual Depth (mm)	Actual Height (mm)	Finish Options	Pack Qty.	Part Number
14" Deep Upright	0.79" (20mm)	14"	13.89" (352.81mm)	87.24" (2215.90mm)	White	1 Pack	400.00003.00020.00
					0.11	3 Pack	400.00004.00020.00
					Gold	1 Pack	400.00003.00018.00
						3 Pack	400.00004.00018.00
					Graphite	1 Pack	400.00003.00019.00
						3 Pack	400.00004.00019.00
20" Deep Upright	0.79" (20mm)	20"	19.84" (503.94mm)	87.24" (2215.90mm)	White	1 Pack	400.00001.00020.00
						3 Pack	400.00002.00020.00
					Gold	1 Pack	400.00001.00018.00
						3 Pack	400.00002.00018.00
					Graphite	1 Pack	400.00001.00019.00
					,	3 Pack	400.00002.00019.00



87.25" High x 14" Deep



87.25" High x 20" Deep

Features & Specifications:

- · Uprights are powder coated steel.
- Upright thickness is 20mm (0.79").
- Features proprietary "Hidden Track System" with 1-1/4" (32mm) adjustment increments.
- Has 1 connection point to wall at top of upright.
- Each upright comes with 2 adjustable leveling feet that must be installed, front and back, prior to attachment to the wall.
- •Leveling feet provide up to 1-1/4" of adjustment.
- Leveling feet are finish matched to upright finish selected (white, gold, or graphite).
- · Wall attachment brackets, shipped with Upright, are color matched to upright color (white, gold, or graphite).
- Uprights are 1-1/4" off the wall once installed to provide clearance for base moldings.
- Minimum ceiling clearance for upright installation is 90".
- Uprights Comply with the following standards: California Proposition 65 CARB Phase II
- · Country of Origin: China

Notes:

- •Uprights come in single or triple pack options.
- •Touchup paint is available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- •1x Installation Instructions
- •1x Installation Template

Each Upright includes (1 or 3 Uprights based on box quantity ordered).

- •2x Leveling Feet color matched to upright
- •1x Wall Attachment Bracket color matched to upright
- •2x Screw (Phillips head)
- •2x Easy Anchor (Phillips head)
- •2x Machine Screw (Allen head)
- •1x Allen Wrench







Basic Shelf

Description	Thickness	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Qty.	Part Number
14" Deep	0.71" (18mm)	14"	12.83" (325.88mm)	16"	15.16" (385.06mm)	Perry Street White	1 Pack	401.00007.00015.00
Basic Shelf						Bedford Grey	1 Pack	401.00007.00016.00
				16"	15.16" (385.06mm)	Perry Street White	3 Pack	401.00008.00015.00
						Bedford Grey	3 Pack	401.00008.00016.00
				24"	23.19" (589.03mm)	Perry Street White	1 Pack	401.00009.00015.00
						Bedford Grey	1 Pack	401.00009.00016.00
		20"		24"	23.19" (589.03mm)	Perry Street White	3 Pack	401.00010.00015.00
						Bedford Grey	3 Pack	401.00010.00016.00
				30"	29.17" (740.92mm)	Perry Street White	1 Pack	401.00011.00015.00
						Bedford Grey	1 Pack	401.00011.00016.00
				30"	29.17" (740.92mm)	Perry Street White	3 Pack	401.00012.00015.00
						Bedford Grey	3 Pack	401.00012.00016.00
20" Deep	0.71" (18mm)	14"	18.82" (378.03mm)	16"	15.16" (385.06mm)	Perry Street White	1 Pack	401.00001.00015.00
Basic Shelf						Bedford Grey	1 Pack	401.00001.00016.00
				16"	15.16" (385.06mm)	Perry Street White	3 Pack	401.00002.00015.00
						Bedford Grey	3 Pack	401.00002.00016.00
				24"	23.19" (589.03mm)	Perry Street White	1 Pack	401.00003.00015.00
						Bedford Grey	1 Pack	401.00003.00016.00
		20"		24"	23.19" (589.03mm)	Perry Street White	3 Pack	401.00004.00015.00
						Bedford Grey	3 Pack	401.00004.00016.00
				30"	29.17" (740.92mm)	Perry Street White	1 Pack	401.00005.00015.00
						Bedford Grey	1 Pack	401.00005.00016.00
				30"	29.17" (740.92mm)	Perry Street White	3 Pack	401.00006.00015.00
						Bedford Grey	3 Pack	401.00006.00016.00

14" Deep



14" Deep x 16" Wide



14" Deep x 24" Wide



14" Deep x 30" Wide

Features & Specifications:

- Shelves are 2 sided TFL with wood grain texture.
- Shelves have 2mm thick PVC edge banding on all 4 sides.
- When installed, basic shelves sit 1-1/4" away from wall.
- Shelves comply with the following standards:

CARB 2 Phase II Compliant

California Proposition 65

Comparable to a M2 Particle Board Standard

· Country of Origin: China

Notes:

- Basic Shelves come in single or triple pack options.
- Basic Shelves are mounted to uprights with separately ordered shelf brackets, reference Table of Contents on page 2.
- Maximum shelf load for all basic shelf sizes is 55 lbs
- •IN CAD: When shelves are added to a design, brackets for mounting to uprights will be included and not separately selected.
- Crayons are available and ordered separately, reference Table of Contents on page 2.

20" Deep



20" Deep x 16" Wide



20" Deep x 24" Wide



20" Deep x 30" Wide

Included in the box:

- •1x Installation instructions
- •1or 3 basic shelves based on box quantity ordered





Perry Street White

Bedford Grey

48" Wide Basic Shelf


		Nominal	Actual Depth	Nominal	Actual Width		Pack	
Description	Thickness	Depth	(mm)	Width	(mm)	Finish Options	Qty.	Part Number
20" Deep Basic Shelf	0.71" (18mm)	20"	18.82" (478.03mm)	48"	47.2" (1198.88mm)	Perry Street White	1 Pack	401.00013.00015.00
						Bedford Grey	1 Pack	401.00013.00016.00



20" Deep x 48" Wide Basic Shelf (for use with Media and Home office designs only)

Features & Specifications:

- •48" wide shelves are constructed of 2 shelf sections and a center support bracket.
- Center support bracket is powder coated steel and is required to support the 48" width shelf.
- Shelves are 2 sided TFL with wood grain texture.
- Shelves have 2mm thick PVC edge banding on all 4 sides.
- •When installed, basic shelves sit 1-1/4" away from wall.
- Shelves comply with the following standards: CARB 2 Phase II Compliant California Proposition 65
- Comparable to a M2 Particle Board Standard · Country of Origin: China



Notes:

- •48" wide Basic Shelf are mounted to uprights with separately ordered shelf brackets, reference Table of Contents on page 2.
- •When shelves are added to a design, components for mounting to uprights will be included and not separately selected in CAD. They will show as a separate line item on parts list.
- · Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- 1x Installation Instruction
- •2x Shelf Sections
- 1x Center Support Bracket

Reference the Installation Manual for detailed images.

Finish options:

Wood Metal Support Perry Street White Bedford Grey Graphite

Shelf Brackets

Description	Nominal Depth	Actual Depth (mm)	Finish Options	Pack Qty	Part Number
14" Deep Shelf Bracket Set (L & R)	14"	12.01" (305.05mm)	White	1 Pack	402.00003.00020.00
, , ,				3 Pack	402.00004.00020.00
			Gold	1 Pack	402.00003.00018.00
				3 Pack	402.00004.00018.00
			Graphite	1 Pack	402.00003.00019.00
			'	3 Pack	402.00004.00019.00
20" Deep Shelf Bracket Set (L & R)	20"	17.99" (456.95mm)	White	1 Pack	402.00001.00020.00
				3 Pack	402.00002.00020.00
			Gold	1 Pack	402.00001.00018.00
				3 Pack	402.00002.00018.00
			Graphite	1 Pack	402.00001.00019.00
			,	3 Pack	402.00002.00019.00



14" Deep



20" Deep

Features & Specifications:

- Shelf brackets are powder coated aluminum.
- Has locking pin to secure in place
- Adjustable in 1-1/4" increments (32mm)
- Shelf sits flush with top of bracket
- Brackets comply with the following standards: California Proposition 65
- · Country of Origin: China

Notes:

• Touchup paint is available and ordered separately, reference Table of Contents on Page 2.

Included in the box:

• 1x Installation Manual

Each Shelf Bracket includes (1 or 3 brackets based on box qty ordered)

- •1x Shelf Bracket (Left)
- 1x Shelf Bracket (Right)
- •2x Cover
- •2x Locking Pins
- •2x Hole Plugs
- •Cover Connector

Reference the Installation Manual for detailed images.

Shelf Bracket Finish options:








Closet Pole (Rod) with Mount

Description	Nominal Width	Actual Width (mm)	Finish Options	Pack Oty.	Part Number
16" Wide Closet Pole	16"	15.39" (390.91mm)	White	1 Pack	230.00004.00020.00
				2 Pack	230.00005.00020.00
			Gold	1 Pack	230.00004.00018.00
				2 Pack	230.00005.00018.00
			Graphite	1 Pack	230.00004.00019.00
				2 Pack	230.00005.00019.00
24" Wide Closet Pole	24"	19.45" (494.03mm)	White	1 Pack	230.00006.00020.00
				2 Pack	230.00007.00020.00
			Gold	1 Pack	230.00006.00018.00
				2 Pack	230.00007.00018.00
			Graphite	1 Pack	230.00006.00019.00
				2 Pack	230.00007.00019.00
30" Wide Closet Pole	30"	29.45" (748.03mm)	White	1 Pack	230.00008.00020.00
				2 Pack	230.00009.00020.00
			Gold	1 Pack	230.00008.00018.00
				2 Pack	230.00009.00018.00
			Graphite	1 Pack	230.00008.00019.00
			•	2 Pack	230.00009.00019.00



Features & Specifications:

- · Closet Pole is powder coated steel in oval shape.
- · Mounts are powder coated aluminum.
- Closet Pole with Mounts comply with the following standards: California Proposition 65
- · Country of Origin: China

Notes:


- · Closet Poles are mounted to Shelf Brackets which are separately ordered, reference Table of Contents on page 2.
- •Touchup paint is available and ordered separately, reference Table of Contents on Page 2.
- •When shelves are added to a design, brackets for mounting to uprights will be included and not separately selected in CAD. They will show as a separate line item on parts list.

Included in the box:

• 1x Installation Manual

Each Closet Pole with Mount includes (1 or 2 closet rods based on box qty ordered)





•1x Closet Pole

•2x Mount


Reference the Installation Manual for detailed images.








20" Deep



Slanted Shoe Shelf with Brackets (Mount)

Description	Thickness	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Oty.	Part Number
14" Deep Slanted Shoe Shelf	0.71" (18mm)	14"	13.31" (338.07mm)	16"	15.94" (404.88mm)	Perry Street White Bedford Grey		401.00020.00015.00 401.00020.00016.00
				24"	23.98" (609.09mm)			401.00021.00015.00 401.00021.00016.00
20" Deep Slanted Shoe Shelf	0.71" (18mm)	20"	19.45" (494.03mm)	16"	15.94" (404.88mm)		3 Pack	401.00018.00015.00 401.00018.00016.00
				24"	23.98" (609.09mm)			401.00019.00015.00 401.00019.00016.00

14" Deep



Features & Specifications:

- Shelves are 2 sided TFL with wood grain texture.
 Shelves have 2mm thick PVC edge banding on all 4 sides.
- Shoe shelf includes shoe fence and brackets:
 - 14" deep shelf includes 1 front fence.
 - 20" deep includes 1 front and 1 back fence.
- Bracket is powder coated steel and fence is powder coated metal.
- Shelves comply with the following standards: CARB 2 Compliance
 - Comparable to a M2 Particle Board Standard
- · Country of Origin: China



- Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.
- Shoe Shelves require assembly prior to installation.

Included in the box:

14" Slanted Shoe Shelf


• 1x Installation Instructions

- •1x Shoe Shelf
- 1x Shoe Shelf Mount (Left)
- •1x Shoe Shelf Mount (Right)
- 1x Shoe Fence
- •4x Screw (Phillips Head)

20" Slanted Shoe Shelf

- •1x Installation Instructions
- •1x Shoe Shelf
- •1x Shoe Shelf Mount (Left)
- •1x Shoe Shelf Mount (Right)
- •2x Shoe Fence
- •6x Screw (Phillips Head)
- •2x Machine Screw (Allen head) •4x Machine Screw (Allen head)

20" Deep



Finish options:



Metal Finish and Bracket

Reference the Installation Manual for detailed images.

Perry Street White

Graphite

Bedford Grey




3 Drawer Cabinet

Description	Actual Height (mm)	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Oty.	Part Number
3 Drawer	27.16" (690mm)	14"	12.83" (325.88mm)	24"	23.19" (589.03mm)	,		403.00008.00015.00
Cabinet	27.16" (690mm)	20"	18.82" (589.03mm)	24"	23.19" (589.03mm)			403.00008.00016.00 403.00007.00015.00
			(23010011111)			,		403.00007.00016.00

14" Deep




14" Deep x 24" Wide (Uprights separately specified and ordered and do not come with the cabinet)



20" Deep



20" Deep x 24" Wide (Uprights separately specified and ordered and do not come with the cabinet)



Features & Specifications:

- Cabinet wood components and drawer boxes are 18mm (0.71in) thick 2 sided TFL with wood grain pattern embossing.
- Cabinet wood components have 2mm thick PVC edge banding on all 4 sides.
- Drawers are full-extension with soft-close on under mount runners.
- · Cabinets comply with the following standards:

CARB 2 Phase II Compliant

California Proposition 65

Comparable to a M2 Particle Board Standard

· Country of Origin: China

Notes:

- •3 Drawer Cabinet is flat packed and requires assembly.
- 3 Drawer Cabinet is installed on uprights that are separately ordered, reference Table of Contents on
- •3 Drawer Cabinet is mounted to uprights with separately ordered shelf brackets (2 sets needed), Table of Contents on page 2.
- •3 drawer pulls are needed and separately ordered, reference Table of Contents on page 2.
- •IN CAD: When Cabinets are added to a design, pulls and brackets for mounting to uprights will be included and not separately selected. They will show as a separate line item on parts list. Uprights ARE selected and added to design in CAD separately.
- Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- •1x Installation Instructions
- •3x Undermount Runner Clip (Left)
- •3x Undermount Runner Clip (Right)
- •3x Undermount Runner
- •3x Undermount Runner
- •3x Drawer Bottom
- •3x Drawer Back
- •3x Drawer Front •3x Drawer Side (Left)
- •3x Drawer Side (Right

- •1x Basic Shelf
- •1x Cabinet Bottom
- •2x Cabinet Partition
- •12x Screw (Phillips head)
- •4x Metal Dowel
- •1x Allen Wrench
- •24x Cam
- •24x Dowel
- •24x Screw (Phillips head)
- •4x Machine screw (Allen head)

Reference the Installation Manual for detailed images.

Finish options:






Perry Street White

Bedford Grev


Reference Wood and Metal Finish Matrix for mesh and handle specification


3 Drawer File Cabinet

Description	Actual Height (mm)	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Oty.	Part Number
3 Drawer File Cabinet	27.16" (690mm)	20"	18.82" (478.03mm)	24"	23.19" (589.03mm)	Perry Street White Bedford Grey		403.00010.00015.00 403.00010.00016.00




20" Deep x 24" Wide (Uprights separately specified and ordered and do not come with the cabinet)









Features & Specifications:

- Cabinet wood components and drawer boxes are18mm (0.71in) thick 2 sided TFL with wood grain pattern embossing.
- Cabinet wood components have 2mm thick PVC edge banding on all 4 sides.
- Drawers are full-extension with soft-close on under mount runners.
- Includes file folder hangers. Supports letter or legal paper in lateral configuration.
- Cabinets comply with the following standards:

CARB 2 Phase II Compliant

California Proposition 65

Comparable to a M2 Particle Board Standard

· Country of Origin: China

Notes

- •3 Drawer File Cabinet comes in single pack only, flat packed and requires assembly.
- •3 Drawer File Cabinet installed on uprights that are separately ordered, reference Table of Contents on page 2.
- 3 Drawer File Cabinets are mounted to uprights with separately ordered shelf brackets (2 sets needed), reference Table of Contents on page 2.
- •3 drawer pulls are needed and separately ordered, reference Table of Contents on page 2.
- When shelves are added to a design, brackets for mounting to uprights will be included and not separately selected in CAD. They will show as a separate line item on parts list.
- Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- •1x Installation Manual
- •2x File Folder Hanger
- •3x Undermount Runner Clip (left)
- •3x Undermount Runner Clip (right)
- •3x Undermount Runner
- •3x Undermount Runner
- •3x Drawer Bottom
- •3x Drawer Back
- •3x Drawer Front
- •3x Drawer Side (left)
- •3x Drawer Side (right)

- •1x Basic Shelf
- •1x Cabinet Bottom
- •2x Cabinet Partition
- •12x Screw (Phillips head)
- •4x Metal Dowel
- •1x Allen Wrench
- •24 x Cam
- •24x Dowel
- •24x Screw (Phillips head)
- •4x Machine screw (Allen head)

Reference the Installation Manual for detailed images.

Finish options:





Perry Street White

Bedford Grey

Reference Wood and Metal Finish Matrix for handle specification.

3 Bin Cabinet

Description	Actual Height (mm)	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Oty.	Part Number
3 Bin Cabinet	27.16" (690mm)	20"	18.82" (478.03mm)	24"	23.19" (589.03mm)	Perry Street White/White	1 Pack	403.00006.00015.00
	27.16" (690mm)	20"	18.82" (478.03mm)	24"	23.19" (589.03mm)	Bedford Grey/Graphite	1 Pack	403.00006.00016.00



20" Deep x 24" Wide (Uprights separately specified and ordered and do not come with the cabinet)

Features & Specifications:

- · Cabinet wood components are 18mm (0.71in) thick 2 sided TFL with wood grain pattern embossing.
- Cabinet wood components have 2mm thick PVC edge banding on all 4 sides.
- Lower wood cabinet has 3 metal mesh baskets on slides without soft close feature.
- Metal mesh bins are powder coated steel.
- Cabinets comply with the following standards:
 - CARB 2 Phase II Compliant
 - California Proposition 65
 - Comparable to a M2 Particle Board Standard
- · Country of Origin: China

Notes:

- •3 Bin Cabinet comes flat packed and requires assembly.
- 3 Bin Cabinet is installed on uprights that are separately ordered, reference Table of Contents on page 2.
- •3 Bin Cabinet is installed to uprights with separately ordered shelf brackets (2 sets needed), reference Table of Contents on page 2.
- •IN CAD: When Cabinets are added to a design, brackets for mounting to uprights will be included and not separately selected. They will show as a separate line item on parts list. Uprights ARE selected and added to design in CAD separately.
- · Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.





Included in the box:

- •1x Installation Instructions
- •1x Mesh Drawer Guide Rail (Left)
- •1x Mesh Drawer Guide Rail (Right)
- 2x Cabinet Partition
- 1x Basic Shelf
- •1x Cabinet Bottom
- •3x Mesh Drawer
- 18x Screw (Phillips head)
- 4x Machine Screws Allen Head
- •4x Metal Dowel
- •6x Guide Wheel
- 1x Allen Wrench
- 6x Guide Support

Reference the Installation Manual for detailed images.

Finish options:

Wood



Perry Street White

White








Bedford Grev

Graphite

2 Drawer Cabinet

Description	Actual Height (mm)	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Oty.	Part Number
2 Drawer Cabinet	23.38" (594mm)	20"	18.82" (478.03mm)	24"	23.19" (589.03mm)	Perry Street White Bedford Grey		403.00010.00015.00 403.00010.00016.00



20" Deep x 24" Wide (Uprights separately specified and ordered and do not come with the cabinet)

- Cabinet wood components and drawer boxes are are 18mm (0.71in) thick 2 sided TFL with wood grain pattern embossing.
- Cabinet wood components have 2mm thick PVC edge banding on all 4 sides.
- Drawers are full-extension with soft-close on under mount runners.
- · Cabinets comply with the following standards:
 - CARB 2 Phase II Compliant


Features & Specifications:

- California Proposition 65
- Comparable to a M2 Particle Board Standard
- · Country of Origin: China

Notes:

- •2 Drawer Cabinet comes flat packed and requires assembly.
- •2 Drawer Cabinet is installed on uprights that are separately ordered, reference Index for page number.
- •2 drawer pulls are needed and separately ordered, reference Table of Contents on page 2.
- •IN CAD: When Cabinets are added to a design, pulls and brackets for mounting to uprights will be included and not separately selected. They will show as a separate line item on parts list. Uprights ARE selected and added to design in CAD separately.
- Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.

23.03 8.75 13.78



Included in the box:

- •1x Installation Instructions
- •2x Undermount Runner Clip (Left)
- •2x Undermount Runner Clip (Right)
- •2x Undermount Runner
- •2x Undermount Runner
- •2x Drawer Bottom
- •1x Small Drawer Back
- 1x Small Drawer Front
- 1x Small Drawer Side (Left)
- •1x Small Drawer Side (Right)
- •1x Large Drawer Back
- 1x Large Drawer Front
- 1x Large Drawer Side (Left)
- 1x Large Drawer Side (Right)
- •1x Basic Shelf
- 1x Cabinet Bottom
- •2x Cabinet Partition
- •8x Screw (Phillips head)
- 4x Metal Dowel
- 1x Allen Wrench
- 16x Cam
- 16x Dowel
- 16x Screw (Phillips head)
- 4x Machine screw (Allen head)

Reference the Installation Manual for detailed images.





Perry Street White

Bedford Grev


Cabinet with Mesh Door

Description	Actual Height (mm)	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Oty.	Part Number
Cabinet with Mesh Door	53.7" (1364mm)	20"	19.02" (483.11mm)	24"	23.94" (608.08mm)	Perry Street White/White Perry Street White/Gold Perry Street White/Graphite Bedford Grey/Gold Bedford Grey/Graphite	1 Pack 1 Pack 1 Pack	403.00002.00000.00 403.00003.00000.00 403.00004.00000.00



14" Deep x 24" Wide (Uprights separately specified and ordered and do not come with the cabinet)

23.94 - 21.59" (Interior width) 53.62





Features & Specifications

- Cabinet wood components are 18mm (0.71in) thick 2 sided TFL with wood grain pattern embossing.
- Cabinet wood components have 2mm thick PVC edge banding on all 4 sides.
- Cabinet has 3 interior adjustable shelves (21.57" x 52.20 x 18.03").
- Cabinets comply with the following standards:

CARB 2 Phase II Compliant

California Proposition 65

Comparable to a M2 Particle Board Standard.

- Door frame is color matched to cabinet with wood grain texture.
- •Mesh insert is powder coated steel.
- Cabinet with Mesh Door includes door handle. Installation is required.
- Door comes with 2 slow close hinges in nickel finish.
- Country of Origin: China

Notes:

- · Cabinet with Mesh Door comes flat packed and requires assembly.
- · Cabinet with Mesh Door installed on uprights that are separately ordered, reference Table of Contents on
- Cabinet with Mesh Door are mounted to uprights with separately ordered shelf brackets (1 set needed), reference Table of Contents on page 2.
- •IN CAD: When Cabinets are added to a design, brackets for mounting to uprights will be included and not separately selected. They will show as a separate line item on parts list. Uprights are selected and added to design in CAD separately.
- Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- •1x Installation Instructions
- •1x Handle
- •1x Mesh Door
- •2x Cabinet Partition
- •1x Cabinet Backing
- •1x Cabinet Bottom
- •1x Basic Shelf
- •3x Adjustable Shelf
- •8x Screw (Phillips head)
- •12x Adjustable shelf pin
- •2x Hinge
- •2x Hinge plate
- •4x Machine screw (Allen head)
- 4x Metal Dowel
- •6x Metal Backing Bracket
- •2x Machine Screw (Phillips head)
- •4x Machine Screw (Phillips head)
- •1x Allen Wrench

Reference the Installation Manual for detailed images.



Reference Wood and Metal Finish Matrix for mesh and handle specification

Media Cabinet

Description	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Qty.	Part Number
Media Cabinet	20"	18.82" (478.03mm)	48"	47.20" (1198.9mm)	Perry Street White Bedford Grey	1 Pack 1 Pack	403.00011.00015.00 403.00011.00016.00

20" Deep x 48" Wide (Uprights separately specified and ordered and do not come

with the cabinet)

21.96"

djustable area)

22.68

Left/Right Media Cabinet

Features & Specifications:

- Back of shelves open to allow ease of access for wire and cord management.
- Cabinet wood components are 18mm (0.71in) thick 2 sided TFL with wood grain pattern embossing.
- Cabinet wood components have 2mm thick PVC edge banding on all 4 sides.
- Cabinets comply with the following standards:
 - CARB 2 Phase II Compliant
 - California Proposition 65
 - Comparable to a M2 Particle Board Standard
- · Country of Origin: China

Notes:

- · Media comes flat packed and require assembly.
- Media is installed on uprights that are separately ordered, reference Index for page number.
- Media is mounted to uprights with separately ordered shelf brackets (2 sets needed), reference Table of Contents on page 2.
- •2 door pulls are needed and separately ordered, reference Table of Contents on page 2.
- •In CAD: When Cabinets are added to a design, pulls and brackets for mounting to uprights will be included and not separately selected. They will show as a separate line item on parts list. Uprights are selected and added to design in CAD separately.
- Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.
- Maximum TV size to use in Media is 50"

Included in the box:

- •1x Installation Manual
- •2x Leveler
- •2x Leg
- •2x Cabinet Back Panel
- •2x Cabinet Middle Partition
- •2x Cabinet Partition
- •2x Cabinet Door
- •2x Adjustable Side Shelf
- •2x Adjustable Middle Shelf
- •16x Adjustable Shelf Pin
- •4x Hinge
- •4x Hinge Plate
- •24x Screw (Phillips head)
- •4x Machine Screw (Allen head)
- •12x Metal Dowel
- •4x Screws (Phillips head)
- •1x Allen Wrench

Reference the Installation Manual for detailed images.

Finish options:





Perry Street White

Bedford Grev

Reference Wood and Metal Finish Matrix for handle specification.

Desktop with Drawer

Description	Nominal Depth	Actual Depth (mm)	Nominal Width	Actual Width (mm)	Finish Options	Pack Qty.	Part Number
Desktop with Drawer	20"	18.82" (478.03mm)	48"	47.20" (1198.9mm)	Perry Street White Bedford Grey	1 Pack 1 Pack	403.00012.00015.00 403.00012.00016.00





20" Deep x 48" Wide (Uprights separately specified and ordered and do not come with the cabinet)

Features & Specifications:

- Cabinet wood components are 18mm (0.71in) thick 2 sided TFL with wood grain pattern embossing.
- Cabinet wood components have 2mm thick PVC edge banding on all 4 sides.
- Drawer is full-extension with soft-close on under mount runners.
- Cabinets comply with the following standards: CARB 2 Phase II Compliant

California Proposition 65

Comparable to a M2 Particle Board Standard

- Desktop worksurface comes with pre-installed USB/power station with 8 ft power cord. Includes 2 power outlets and 2 USB outlets.
- · Perry Street White work surface comes with white power station and Bedford Grey come with grey power station.
- USB/Power station is UL approved.
- · Country of Origin: China

- Desktop with Drawer comes flat packed and requires assembly.
- Desktop with Drawer is installed on uprights that are separately ordered, reference Table of Contents on page 2.
- Desktop with Drawer is mounted to uprights with separately ordered shelf brackets (2 sets needed), reference Table of Contents on page 2.
- •1 drawer pull is needed and separately ordered, reference Table of Contents on page 2.
- •IN CAD: When Cabinets are added to a design, pulls and brackets for mounting to uprights will be included and not separately selected. They will show as a separate line item on parts list. Uprights ARE selected and added to design in CAD separately.
- Crayons and touchup paint are available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- 1x Installation Instructions
- •1x Runner Clips (left)
- 1x Runner Clips (right)
- 1x Smart Plug in attachment ring
- •1x Smart Plug In
- •1x Runners (left)
- •1x Runners (right) •1x Drawer Front
- •1x Drawer Back
- 1x Drawer Side (left)
- •1x Drawer Side (right)
- •1x Drawer Bottom
- •2x Desktop Side
- •2x Desktop Front Trim

- •2x Desktop Front Bracket
- •2x Desktop Inner Partition
- •2x Desktop Metal Support •1x Desktop Surface •8x Screw (Phillips head)

- •4x Screw •4x Screw
- •2x Screw
- •8x Cam
- •3x Wire Management clip
- •1x Allen Wrench
- •8x Screw
- •12x Machine Screw (Allen head)
- •8x Dowel

Reference the Installation Manual for detailed images.





Perry Street White

Bedford Grey

Drawer/Door Pull

Description	Actual Depth (mm)	Actual Width (mm)	Actual Height (mm)	Finish Options	Pack Oty.	Part Number
Drawer/Door Pull	1.65" (41.91mm)	4.37" (110mm)	.59" (14.99mm)	Gold	1 Pack 3 Pack	220.00140.00018.00 220.00141.00018.00
				Graphite	1 Pack 3 Pack	220.00140.00019.00 220.00141.00019.00
				Aluminum	1 Pack 3 Pack	220.00140.00017.00 220.00141.00017.00



Features & Specifications:

- Made of aluminum.
- Screws are zinc plated.
- Gold and graphite drawer/door pulls are powder coated. Aluminum is matte aluminum with no finish.
- Used with the following systems:
 - 3 Drawer Cabinet
 - 3 Drawer File Cabinet
 - 2 Drawer Cabinet
 - Media
 - Desktop with Drawer
- Country of Origin: China

Notes

• Touchup paint is available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- •1 or 3 drawer/door pulls based on box quantity ordered
- •2x screws per quantity ordered

Reference the Installation Manual for detailed images.








Martha + California closets

Fill the Gap Wall Mount Shelf Bracket

Description	Nominal Depth Bracket	n Depth	Finish Options	Pack Oty.	Part Number
Fill the Gap Wall Mount Shelf Bracket	14"	11.81" (300 mm)	Graphite White	1 Pack 1 Pack	402.00006.00016.00 402.00006.00015.00
	20"	17.80" (453 mm)	Graphite White	1 Pack 1 Pack	402.00005.00016.00 402.00005.00015.00



Fill the Gap Wall Mount Shelf Bracket

Features & Specifications:

- Fill the Gap Wall Mount Shelf Bracket is made of powder coated steel in white or graphite. Finish will match the shelf wood finish selection.
- Bracket complies with the following standards: California Proposition 65
- · Country of Origin: China

Notes:

• Touchup paint is available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- 1 Fill the Fill the Gap Wall Mount Shelf Bracket
- •3x screws

Reference the Installation Manual for detailed images.

Fill the Gap Wall Mount Shelf Bracket Finish options:







Fill the Gap Hanging Pole with Mount

Description	Nominal Length	Actual Length	Finish Options	Pack Oty.	Part Number
Fill the Gap Hanging Pole with Mount	30" (762mm)	29.45" (748 mm)	Gold Graphite White	1 Pack 1 Pack 1 Pack	230.00010.00018.00 230.00010.00019.00 230.00010.00020.00

Fill the Gap Hanging Pole with Mount



Gap Wall Mount Cup

Features & Specifications:

- Fill the Gap Hanging Pole with Mount is made of powder coated aluminum
- Fill the Gap Hanging Pole with Mount complies with the following standard: California Proposition 65
- · Country of Origin: China

Notes

- •The pole will be cut to size on site by CC installer
- Touchup paint is available and ordered separately, reference Table of Contents on page 2.

Included in the box:

- •1 Fill the Gap Hanging Pole with Mount
- 1 Wall Mount Cup
- •1 Under Shelf Cup

Reference the Installation Manual for detailed images.

Fill the Gap Hanging Pole with Mount Finish Options:








Martha + California Closets

Fill the Gap Shelf Parts Asssembly for 14" or 20" D Shelf

Part Needed	Page Reference for Part Details
14" or 20" Deep x 30" Wide Basic Shelf Fill the Gap Wall Mount Shelf Bracket Shelf Bracket	Page 10 Page 23 Page 12



To the Wall

- Basic 30" Shelf (cut to size by CC installer on site. Edgebanding will be removed from cut side)
- Wall Mount Bracket (qty 1)
- Shelf Bracket (qty 1, left or right per application)

To the Upright

- •30" Basic Shelf (cut to size by CC installer on site. Edgebanding will be removed from cut side)
- Shelf Bracket (qty 2)





Fill the Gap Wall Mount Shelf Bracket




30" Wide Basic Shelf



Martha + California Closets

Fill the Gap Shelf with Hanging Rod Parts Assembly

Part Needed	Page Reference for Part Details
30" Basic Shelf	Page 10
Fill the Gap Wall Mount Shelf Bracket	Page 23
Shelf Bracket	Page 12
Fill the Gap Hanging Pole with Mount	Page 24



To the Wall

- •30" Basic Shelf (cut to size by CC installer on site. Edgebanding will be removed from cut side)
- Wall Mount Bracket (qty 1)
- Shelf Bracket (qty 1, left or right per application)
- •30" Powder Coated Aluminum Hanging Pole (cut to size on site by CC installer)
- Wall Mount Cup (qty 1)
- Under Shelf Cup (qty 1)



To the Upright

- •30" Basic Shelf (cut to size by CC installer on site. Edgebanding will be removed from cut side)
- Shelf Bracket (qty 2)
- •30" Powder Coated Aluminum Hanging Pole (cut to size on site by CC installer)
- Under Shelf Cup (qty 2)



Fill the Gap Hanging Pole

Fill the Gap Wall Mount



Lidded Bin

Description	Actual Width	Actual Depth	Actual Height	Finish Options	Pack Qty.	Part Number
Small Bin	11.5"	10.5"	7"	White Graphite	1 Pack 1 Pack	301.00018.00001.00 301.00018.00023.00
Large Bin	22"	10.5"	7"	Light Grey White Graphite Light Grey	1 Pack 1 Pack 1 Pack 1 Pack	301.00018.00024.00 301.00019.00001.00 301.00019.00023.00 301.00019.00024.00



Small Bin



Large Bin

Features & Specifications:

- Outside of bin is made of polylinen (polyester/cotton), inside of bin is double grey cardboard.
- Bins comply with the following standards: CARB 2 Phase II Compliant California Proposition 65
- Country of Origin: China

Notes:

- Each bin comes with a lid.
- •Bins are collapsible

Finish options:



White





Graphite

Light Grey

Hangers

Description	Finish Options	Pack Qty.	Part Number
Coat Hanger	White	20 Pack	300.00013.00021.00
9	Graphite	20 Pack	300.00013.00022.00
Shirt Hanger	White	20 Pack	300.00011.00021.00
9	Graphite	20 Pack	300.00011.00022.00
Skirt Hanger	White	20 Pack	300.00014.00021.00
9	Graphite	20 Pack	300.00014.00022.00
Slack Hanger	White	20 Pack	300.00015.00021.00
9	Graphite	20 Pack	300.00015.00022.00
Suit Hanger	White	20 Pack	300.00012.00021.00
O .	Graphite	20 Pack	300.00012.00022.00



Features & Specifications:

- Coat, shirt, skirt, and suit hangers: made of lotus wood and steel.
- Slack hanger: made of lotus wood, steel, and felt.
- Hangers comply with the following standards: CARB 2 Phase II Compliant California Proposition 65
- Country of Origin: China



Finish options:






Graphite

Skirt Hanger

Slack Hanger



Martha + California Closets

Correction Crayons and Touch Up Paint

The following correction crayons can be used for the Everyday System™ wood colors:

- Perry Street White Woodgrain, use Lago White Item #585
- •Bedford Grey Woodgrain, use Tesoro Ash Item #444

Correction crayons can be ordered from Cleland and Fisher

Touch Up Paint

The following paint can be used for the Everyday System™ metal colors:

- Gold metal
- · Graphite metal
- White metal

Touch up paint can be ordered from Touch Up Solutions

Care and Cleaning

To clean the board, the following can be used:

- •Warm wet cloth
- •Mr. Clean Magic Clean Eraser
- •Greenworks


To clean the metal, the following can be used:

- •Warm wet cloth
- Greenworks

Make sure all products used on the board and metal are ammonia and bleach free and do not contain any harsh chemicals.

Designing with Everyday

Understanding Dimensions



Actual Dimension: An exact number in metric or imperial value that is precise to real world material dimensions.

Nominal Dimension: The Actual Dimension that is rounded up or down for ease of communication.

For The Everyday System[™] the Nominal Dimension is rounded to the nearest 1/4" (0.25").

Metal Upright Specifications:

Actual width of an Upright = 0.79" (20mm) Nominal width of an Upright = 3/4"

Note: The Width of the Metal Upright pertains to the front facing dimension.

- •In Classic, measurement is in internal dimensions. For example, 24" in classic means 24" internal PLUS partitions.
- •In Everyday, 24" is referring to center to center on the metal partitions. In the above example, 24.75" is the OVERALL dimension. 24" is the center to center dimension and 23.19"* is the internal dimension.
- * There is a 0.02" tolerance on Actual shelving widths to support the fit of the part between the metal uprights.


Center to Center	Internal (actual)	Internal (nominal)
16"	15.16"	15 1/4"
24"	23.19"	23 1/4"
30"	29.17"	29 1/4"
48"	47.20"	47 1/4"

•These actual dimensions need to be considered when measuring client inventory.

Designing with Everyday

Calculating Overall System Widths

To calculate overall width of an Everyday System with more than one component, add up all of the Center to Center whole numbers (as designated in CAD) and add .75" to the overall number.



It's simplified when you understand that the outer most Metal Uprights equate to 1/2 of an Upright each after the center to center dimensions are totaled together. This leaves the equivalent of one Metal Upright (.75" nominal) remaining to be added for the overall width of the system – no matter how many continuous components of the same depth are on a wall.

Designing with Everyday

General Design Considerations:

Everyday Specific Design Considerations:

- •Measuring useable wall space same practices as we measure for Classic systems
- •Base molding always a consideration. If present, be sure to accurately represent this obstruction in ClosetCADPro
- •Height one height option (reference page 9 for more details)
- •Depth 2 depth options (reference page 10 for more details)
- •Working PRIMARILY in standard component widths of 16", 24", 30" (48" for media and office)
- •Fill the gap (last resort for Closet spaces with limited Hanging or Basic Shelving only. Limitations must be clearly explained to the client)

Design Considerations:

Considerations on selling with gaps:

- The system is floor mounted there will always be gaps this is not wall to wall. Be aware of base molding on return walls as The Everyday System™ will sit inside the base width-wise. The Metal Upright will clear the base on the back wall less than 1.25"
- Some gaps will be larger than others. Centering system with a 6" or smaller gap when wall to wall is a good guideline
- Consider using another standard width component to reduce or exaggerate a gap for additional storage needs
- Be creative in providing California Closet hook solutions (ie., hook cleats or Maddox) to make best use of gaps in spaces such as Pantries and Closets



Considerations on designing with Fill the Gap:

- In some limited cases we have provided you with an option to "fill the gap" by cutting pieces on site at installation. It will be expensive & labor intensive.
 Due to part limitations, Closets are the only room supported. (no Media/Office/Pantry)
- Can apply option in ClosetCADPro when a gap is between 1" to 15.5" near a wall.
- Option to apply "to Wall" or "to Upright)
 - To Wall (wall bracket mount) only supports hanging pole & basic shelf parts
 - To Upright only supports hanging pole & basic shelf parts
- Wall Bracket Mounts removes adjustability of parts and DNA of the modular system changes.
- Edge banding will be removed from cut side of shelf
- Component can no longer be modified for adding parts or reconfiguration by customer

Martha + CALIFORNIA CLOSETS'
THE EVERYDAY SYSTEM Product Guide

For more information call 000.000.0000.

Martha Stewart+California Closets is a registered trademark of California Closets. ©California Closets, 2020 2.20

haworth.com | haworth-europe.com | haworth-asia.com