



# ASSEMBLY INSTRUCTION

ITEM S5644/S5645/S5646/S5647/S5648/S5649



A:Legs 4PCS



B:Legs 1PC




C:Allen Key 1PC




D:Left arm 1PC



E:Right arm 1PC



J:Back frame 1PC




K:Front board 1PC




M:Seat cushion 2PCS




N: Base support 1PC




### STEP 1



### STEP 2




Slightly loosen the four bolts using Allen Key (C) without removing the bolts completely from both Side Arms (D & E). Hook on Front Board (K) into loosened bolts, once placed tighten and secure all four bolts with Allen Key (C)




Put the part N into the sofa frame

### STEP 3

Turn the legs A & B clockwise to fix it on the sofa.





### STEP 4



# ASSEMBLY INSTRUCTION

ITEM S5644/S5645/S5646/S5647/S5648/S5649



A:Legs 4PCS




B:Allen Key 1PC




C:Left arm 1PC



D:Right arm 1PC



J:Back frame 1PC




K:Front board 1PC




M:Seat cushion 2PCS




N: Base support 1PC




### STEP 1



### STEP 2




Slightly loosen the four bolts using Allen Key(B) without removing the bolts completely from both Side Arms (C&D). Hook on Front Board (K) hooks into loosen bolts, once placed tighten and secure all four bolts with Allen Key (B)



Put the part N into the sofa frame

### STEP 3

Turn the legs A clockwise to fixed it on the sofa.



### STEP 4

