60" X 32" SITKA

ACRYLIC ALCOVE SOAKING TUB SKU: 948272



CONTENTS

AIR & WHIRLPOOL TUB	 PAGE 2
60" X 32 TUB	 PAGE 3

FEATURES

Textured slip-resistant bottom. Pre-leveled base. 53-gallon (200.6-Liters) operating capacity. Intuituve electronic control pad. Tub Options: Soaking - No air feature. Air - 56 Air jets circulate warm air throughout the tub, creating warm bubbles for a massaging, rejuvenating experience. Whirlpool - 8 Strategically placed air jets move water with increased pressure for an invigorating bathing experience. Air Bath system uses a 7.5 amp, 600 watt heated blower for air bath system. Whirlpool system uses a powerful 1.75hp, 10.9 amp whirlpool pump. Integral tile flange and skirt with removable access panel (exception: solid skirt on soaker tub). Safety Suction: Meets all requirements of durability and clog-resistance through standard testing. Pre-wired for simple plug-in installation. ABS drain version available if needed for your installation. Optional Quick Connect Drop-In Drain Kit Includes: Floor Plate, 1-1/2" PVC Pipe, 2" x 1-1/2" Trap Adapters, 1 Brass Threaded, 1 Brass Unthreaded Tailpiece and Plug. Installs above your subfloor, but underneath your cement floor or tile, so you do not need access below the fixture.

SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.

REVISED 04/09/2020 CODE: SHSKA6032LWH/SHSKA6032RWH/SHSKS6032LWH/SHSKS6032RWH SHSKW6032LWH/SHSKW6032RWH/SHSKS6032LBS/SHSKS6032RBS



AIR TUB AND WHIRLPOOL TUB

COMPONENTS LIST

- Powerful whirlpool pump with variable flow device
- Heated blower for air bath system

INSTALLATION


• Whirlpool and Total Massage units require dedicated 20 Amp, 120V service

• You must provide a receptacle with a 20 Amp configuration

• Electrical outlet must be mounted 4" (101mm) above the floor line and 12" max (305mm) inside from the edge of the bathtub, or in accordance with local building and electrical codes

INTEGRATED CONTROL PANEL

Intuitive electronic control buttons




INSIDE OF BATH

- (8) HIGH-FLOW DIRECTIONAL AND VOLUME-ADJUSTABLE
 WHIRLPOOL JETS
- (56) CHANNEL-FED AIRJETS (air bath and total massage)





WHIRLPOOL JET




ELECTRICAL CONFIGURATIONS


WHIRLPOOL CIRCUIT WITH OPTIONAL HEATER







AIR MASSAGE CIRCUIT





PAGE 2

60" X 32" SITKA

ACRYLIC ALCOVE SOAKING TUB

SKU: 948272





FEATURES

Product Finish: White Overflow Hole: Yes Shape: Rectangle Material: Acrylic Length: 60" Width: 32" Height: 20-3/4" Tub Interior Length: 44-7/8" Tub Interior Width: 22-1/4" Water Depth To Overflow: 15-3/4" Drain Included: Optional Drain Placement: End Faucet Included: No Water Capacity (Gallons): 62 All dimensions (± 1/2"). SIGNATURE HARDWARE LIFETIME WARRANTY See website for warranty information



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 3