

Assembly Instructions












⚠ CAUTION

An assistant is required.

CUSTOMER FIRST, SERVICE FOREMOST!
Questions? Issues?
CONTACT US
REPLY WITHIN 24 HOURS IN BUSINESS DAYS

Accessories


Name		Part	Qty.	Spare	Name		Part	Qty.	Spare
A	Left Side Panel		1		O	6*15 Flat Head Bolt		18	2
B	Right Side Panel		1		P	1-3/16" Wall Anchor Screw		2	
C	Bottom Panel		1		Q	Shelf Clasp		4	
D	Top Panel		1		R	Tapping screws		49	2
E	Left Back Panel		1		S	Wheel		4	
F	Right Back Panel		1		T	Door Pivot		2	
G	Shelf		1		U	Shim		4	
H	Left Door		1		W	Touch The Doormat		4	
I	Right Door		1		V	Handle		1	
a	Hook		4						

Step 1


Install 4 wheels S on the bottom panel C with 16 screws O

Ⓞ  x 16

Ⓢ  x 4




Please lock the wheels to keep the cabinet stable before Step 2.




Step 2

Connect left side panel A and right side panel B to bottom panel C with 14 screws R


Ⓡ x 14







Step 3

Install back panels E and F
with 15 screws R


Ⓡ  x 15






Step 4

Insert top panel D and fix it with 20 screws R



Step 5


Install 4 shelf clasps Q and put the shelf G on them




x 4




x 4





Install touch the doormats W on the front of the shelf and bottom panel




Step 6

Ⓣ x 2

Ⓤ x 4


Insert T and U into the holes of the both sides of the bottom corner of the doors, then insert doors H and I into the door pivots on the bottom and adjust the springs on the top
(U can be used to adjust, you can use 0 or 1 or 2 of them)





Step 7

Install the handle V on the left side panel with 2 screws O

Ⓞ  x 2

Ⓥ  x 1





Step 8

Fix the cabinet to the wall with screws P to prevent tipping
Install the hooks a

