



Loure® | K-45215

Single-function showerhead, 2.0 gpm

Features

- Minimizes wasteful overspray and increases cleaning and hair-rinsing performance
- 48 nozzles deliver a more focused coverage of large water droplets
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup and maximizes spray performance
- 1/2" NPT connection
- 2.0 gpm (7.6 lpm) maximum flow rate
- Coordinates with Loure faucets, accessories, and showering components to complete your bathroom



Sustainability



Codes/Standards

ASME A112.18.1/CSA B125.1
DOE - Energy Policy Act 1992

Technical Information

All product dimensions are nominal.

Flow Rate

Shower/Rainhead Rated 2 gpm (7.6 l/min)
Maximum Flow:

Recommended Products/Accessories

K-23723 Faucet cleaner
K-14679 7-1/2" shower arm and flange

Technology

- Katalyst® air-induction technology infuses water with air, creating bigger drops for a more powerful spray
-



Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 23:45 - US-CA



Installation

- Wall-mount
- Shower arm and flange sold separately

Installation Notes

Install this product according to the installation instructions.

For use with automatic compensating valves rated at 1.7 gal/min (6.4 l/min) or less.

