



145 mm








ASSEMBLY INSTRUCTION

L SHAPED SECTIONAL



200 mm



- P  8X Sofa Leg
- Q  16X Bolt 8*18mm
- R  12X Bolt 8*65mm
- S  10X Bolt 8*80mm
- T  12X Butterfly Nut
- U  24X Flat Washer
- V  1X Allen Key M5

TOOLS REQUIRED:  SCISSORS (NOT INCLUDED)

STEP 7 Put the backpack on the sofa.

STEP 8 If the fabric has wrinkles, placing 72 hours will basically disappear. Well done! You can now enjoy your leisure time on the sofa.

A RSF Seat 1PC	B Love Seat 1PC	C RSF Chaise Cushion 1PC	D LSF Seat Cushion 1PC	E Middle Seat Cushion 1PC
F LSF Seat Cover 1PC	G Middle Seat Cover 1PC	H RSF Chaise Cover 1PC	I RSF Back Cushion 1PC	J Middle Back Cushion 1PC
K LSF Back Cushion 1PC	L Left handrail 1PC	M Right handrail 1PC	N Chair Backrest 2PCS	O Chair Backrest 1PC
P Leg 8PCS	W Armrest (Left) 1PC	X Armrest (Right) 1PC	Y Back Cover 1PC	

STEP 1 Assemble iron leg (P) with bolts (Q).

Q		16PC
P		8PC

STEP 2 Assembly handrail (w) (x) with bolts (S) flat Washer (U) butterfly nut (T) assembly, Then assemble the seat frame with screw (S) washers (U) butterfly nuts (T).

S		10PC
T		12PC
U		12PC

STEP 3 Fixed back frame (N) and (O) with bolts (R) and flat gaskets (V).

R		12PC
U		12PC

STEP 4 Put the Back Cover on the back frame.

STEP 5 The cushion is packaged by vacuum compression .After cutting the package,it rebounds quickly within 10s.If the fabric has wrinkles,it will basically disappear after standing for 72 hours

Please align the chain first and then pinch the zipper gently and close it smoothly

STEP 6 Put the seat cushion on the sofa first, then pull up the left arm(L) Zipper for right handrail (M).