ITEM NO.:SEC-276-3


RAF LOVESEAT


PARTLISTS

1 //1	1 AITT EIGTG										
NO.	DRAMNG	QTY	DESCRIPTION	NO.	DRAWNG	QTY	DESCRIPTION				
F		1 PC	SEAT			1 PC	RSF BACK REST				
G		1 PC	LSF BACK REST	J		1 PC	RSF EAR				
Н		1 PC	MIDDLE CONSOLE BACK REST	G		1 PC	ADAPTER				

STEP 1


Align metal bracket on back to the base, push to the end to secure in position. NOTE: Console back rest is packed in the bottom of base. Please take out for assembly.






STEP 2:

Attach LSF Back Rest (G), RSF Back Rest (I) to the Seat (F).




STEP 3: Attach the RSF Ear(J) to RSF Back Rest (I)




STEP 4:


Connect the power cord



ITEM NO.:SEC-276-3
RAF LOVESEAT



ITEM NO.:SEC-276-3
RAF LOVESEAT




ASSEMBLY INSTRUCTIONS ITEM NO.:SEC-276-1


LAF LOVESEAT

PART LISTS										
NO.	DRAWING	QTY	DESCRIPTION	NO.	DRAWING	QTY	DESCRIPTION			
Α		1 PC	SEAT	D	••	1 PC	MIDDLE CONSOLE BACK REST			
В		1 PC	LSF BACK REST	Е		1 PC	LSF EAR			
С		1 PC	RSF BACK REST	F	T	1 PC	ADAPTER			
G	9	1 PC	ADAPTER							

STEP 1:


Align metal bracket on back to the base, push to the end to secure in position. NOTE: Console back rest is packed in the bottom of base. Please take out for assembly.






STEP 2:

Attach LSF Back Rest (B) and RSF Back Rest (C) to the Seat (A).




STEP 3:

Attach the LSF Ear(E) to LSF Back Rest(B)



STEP 4:


Connect the power cord




ITEM NO.:SEC-276-1

LAF LOVESEAT








OPERATING YOUR UNIT

Converting to Footrest Position -To raise or lower the leg rest, push the power switch & hold.

Release the switch when the leg rest reaches the desired high



(Bluetooth Controller

ASSEMBLY INSTRUCTIONS ITEM NO.:SEC-276-3

LAF LOVESEAT

