


BAR STOOL

MODERN BARSTOOL



INSTRUCTION MANUAL



ASSEMBLY INSTRUCTIONS

- ! Our clear, easy-to-follow, step-by-step instructions will guide you.
- ! Do not skip any steps. It is of utmost importance to assemble all parts according to the directions.
- ! Item identification: For ease of identification, all parts are labeled to correspond to the step number in which the part is used.



IMPORTANT

- ! Read the following instructions carefully before using the chair.
- ! Be aware that some parts are heavy and have sharp edges.
- ! Do not overtighten screws (insert all screws before tightening screws).
- ! Firmly secure all bolts, screws, and nuts before use.
- ! Please do not exceed the weight limitations of this item.
- ! Reconfirm that all bolts, screws, and nuts are secure every 90 days.




CARE & SAFETY




- ! Always use on firm level ground.
- ! Keep all children and pets away from the assembly area. Children and pets should be supervised while the product is being assembled.
- ! Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- ! In case of fire, do not attempt to extinguish any burning polypropylene with water.
- ! Be very careful when assembling chairs to avoid smashing your hands or fingers.
- ! Please contact Customer Service if you have any problems or discover any missing parts.

MAINTENANCE

- Wipe the surface with a soft cloth soaked in mild detergent and warm water. Make sure to dry the water in time. Do not use solvents or abrasive kitchen cleaners.
- Vacuum fabric as needed using an upholstery attachment.
- Vacuuming cleans up dust and reduces the need for professional cleaning.
- Do not brush fabric or use a vacuum attachment with a rotary brush.
- Brushing may permanently damage the nap or change the character of the fabric.





Main Parts


		
A x1	B x1	C x1
		
D x1	E x1	F x1

Erecting Tools

NOTE: We have a spare for each screw.


① x7	② x2	③ x1	
			
M6x18mm	M6x30mm		

1




STEP 1: First, remove the caps pre-installed on the gas lift cylinder B and the base A. Then place B onto A.

2




STEP 2: Fix the chassis D to the seat bottom with screws ① (paying attention to the direction of chassis D). Then install the U-bar E to the seat bottom with screws ①.

3




STEP 3: Place the chair cushion onto the gas lift cylinder, press and spin the cushion to confirm its stability. Then fix the backrest F to the U-bar E with screws 2. Finally tighten all the screws.

FINISH



At last, do not forget to double check the overall installation. Ensure that all screws are tightened. Shake the chair back and forth with your hands to see if the chair is firmly assembled.

Seat Height Adjustment



Pull the lever up to adjust the seat height

WARRANTY

- Our company offers a 1-year basic warranty on the ENTIRE OFFICE CHAIR from the date of purchase against defects in material and workmanship. During this period, we will repair or replace, at our discretion, the defective component.

This warranty does not apply to improper installation or handle and damage by

- human caused error, nor to any unit that has been repaired or altered by unauthorized third party institution or personnel. Under no circumstances will these products be entitled to our warranty.

This limited 1-year basic warranty will only grant customers certain legal rights;

- customers may have other rights according to different state laws.

If you have any questions or need assistance with our product, please contact

- us. To help us identify your order, please include your 17-digit Order #. Our professional team will be there to assist.

Good news : You have the chance to get chair mat, please contact the

- **email to verify your order code, we will send one of the above prizes to the winning code.**

