
Sofa

Assembly Instruction – Please keep properly for future reference.

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.



SKU:

C002099011	C002099012
C002099013	C002099014
C002099015	C002099016
C002099021	C002099022
C002099023	C002099024
C002099025	C002099026
C002402011	C002402012
C002402013	C002402014
C002402015	C002402016
C002402021	C002402022
C002402023	C002402024
C002402025	C002402026

V1.0

EN

CONTACT US

- **Email: service@grandtunnel.com**
  In order to receive assistance more quickly, please provide

THE FOLLOWING INFORMATION:

- Order number
- Purchase platform
- Purchase date
- Detailed description of the issue along with photos (if applicable)

Important – Please read these instructions carefully before starting the installation.

Sofa

Before Assembly

Thank you for choosing our product!
To ensure a smooth installation process, please read this guide carefully to familiarize yourself with the required tools, materials, and installation steps.
Follow the relevant sections to avoid any damage caused by improper installation, and make sure to review all operation and safety guidelines for correct installation procedures.

Packaging Notice:

1. Multi-Box Shipping Notice

This product is packaged in 6 separate boxes for shipping and may arrive in batches at different times. To ensure a smooth assembly process, please make sure all boxes are received before unpacking and starting the installation.

2. Box and Packaging Verification

Each box is labeled with a corresponding number. Please refer to the packing list on the next page of this manual to verify that all boxes have been received.

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.

Installation Information

- All information in this guide is based on the product's condition at the time of printing. We reserve the right to modify product features, packaging, or availability without prior notice.
- Before installing the furniture, ensure that all necessary electrical or environmental preparations are completed.
- This manual contains important instructions on installation, cleaning, and maintenance. Please read it thoroughly and keep it for future reference.

Pre-Installation Checklist

1. Carefully inspect the new product for any damage or defects.
2. Ensure installation is carried out on a clean, flat surface to maintain balance and stability.

Email : **service@grandtunnel.com**

3. Avoid prolonged exposure of the product to damp environments or direct sunlight.
4. Handle with care during installation. Use protective materials (e.g., soft pads) to prevent scratches.
5. For any questions or technical support, refer to the customer service guide and contact the seller's customer service.

Usage and Maintenance Recommendations

1. Clean furniture regularly to maintain hygiene and prevent bacteria growth. Use a damp cloth that has been wrung out to avoid scratching the finish.
2. Avoid contact with acidic or alkaline corrosive liquids.
3. Do not use unauthorized replacement parts. For replacement parts, contact the manufacturer or distributor.
4. Do not machine wash or rinse any part of this product with water.

Safety Warnings

1. Warning Labels:

Do not remove warning labels on the product or packaging, and always follow the related instructions.

2. Regular Inspections:

Regularly check all parts of the product to ensure they are correctly installed, undamaged, and all connectors are securely tightened.

3. Safe Use:

Do not play on or under the sofa, and strictly avoid jumping or any actions that may harm the sofa or users.

4. Rope Hazard:

Do not attach ropes, hooks, straps, or other unintended items to any part of the product.

5. Guide Preservation:

Retain this manual for future reference.

Email : **service@grandtunnel.com**

6. Supervisory Responsibility:

Safety is a shared responsibility between the manufacturer and the user. Always adhere to safety guidelines when using the product.

Disclaimer

We are committed to providing safe and reliable products. If you have any questions about this product or require additional support, please contact our customer service team. We are here to assist you.

Safety Instructions / Warnings

Please read and follow all instructions carefully before installation and use.

WARNING:
Risk of electric shock – Do not open or disassemble electrical parts.

- **Use only the power cord specifically provided for this product.**
  Adaptor Input: 100-240V~, 50/60Hz, 1.5A. Output: DC 29V 2.0A, 58W.
  USB Output: DC 5V 2A.
- Do not use with damaged power cords or plugs.
- Keep power cables away from moving or sharp parts of the furniture.
- Do not use extension cords or power strips unless specifically approved for the load.
- This product is **not a toy**. Do not allow children to play with electrical components or moving parts.
- Children under 8 years old must be kept away from the furniture unless continuously supervised.
- Keep remote controls, control switches, and ports out of children's reach.
- Always **disconnect the product from power** before cleaning, maintenance, or relocation.
- Do not attempt to open, modify, or repair electrical components.
- **Repairs must be performed by qualified professionals only.**
- Do not insert any foreign objects into openings or mechanisms.
- Clean with a dry cloth or a slightly damp soft cloth. Do not use solvents.
- This product is intended **for indoor** use only in dry environments.
- Do not expose the furniture to moisture, liquids, or direct sunlight.
- * Ensure stability and clearance around any moving parts (e.g., lift mechanisms, recliners).
- Do not overload power outlets or USB ports beyond the specified ratings.
- **Always unplug the product when it is not in use.**

Email : **service@grandtunnel.com**

FCC Information:

CAUTION: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment!

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1) This product may cause harmful interference.

2)This product must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications to this product not expressly approved by the party. responsible for compliance could void the user's authority to operate the product.

Note: This product has been tested and found to comply with the limits for a Class B digital device pursuant to Part 15 of the FCC Rules, These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This product generates, uses and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this product does cause harmful interference to radio or television reception, which can be determined by turning the product off and on, the user is encouraged to try to correct the interference by one or more of the following measures.

- Reorient or relocate the receiving antenna.
- Increase the distance between the product and receiver.
- Connect the product to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for assistance.

Email : **service@grandtunnel.com**

EN

Customer Service Guide

Thank you for choosing our product! We are committed to providing you with excellent service. If you find any missing parts, damaged packaging, or product damage after receiving all packages, please follow the steps below to quickly contact our customer service team. We will do our best to resolve your issue.

1. Missing Parts

Verify Parts:

1. Refer to the “Parts List” in the manual to verify the name, specifications, and quantity of the missing parts.
2. Take a clear photo of the parts list and mark the missing parts with detailed information, e.g., “Missing 5 pieces of M6×30mm screws.”

Contact Us:

By Email:
Send an email to **service@grandtunnel.com**, with the subject line “Missing Parts Issue.” Include the following in the email:

- A description of the missing parts and a photo of the parts list.
- Order details (order number, purchase platform, purchase date).

2. Product or Packaging Damage

If it affects normal use:

Steps:
1. Take clear photos or videos showing the damaged parts and the extent of the damage (multi-angle shots are recommended).
2. Email the photos/videos along with order details to **service@grandtunnel.com**, with the subject line “Product Damage Issue.”

Resolution:
After verification, we will arrange for a replacement part, product exchange, or refund as quickly as possible.

If it does not affect normal use:

Steps:
1. Contact our customer service team (by email: **service@grandtunnel.com**).
2. Provide a description of the damage and include relevant photos or videos.

Resolution:
We will provide repair guidance or an appropriate compensation plan based on the specific situation.

Contact Us:

Customer Service Email: **service@grandtunnel.com**

Helpful Tips

To process your issue efficiently, please prepare the following information:


- Order details (order number, purchase platform, purchase date).
- Clear photos or videos.
- We are committed to providing quick and professional solutions, no matter the size of the issue, to ensure your satisfaction.


Thank you for your trust and support!
We hope you enjoy using our product!


EN


Parts List


Box 1



J-L x1


O-L x1



P-L x1



Q-L x1



S x1


T-L x1

Hardware List (in Box 1)



C x2



D x4



I x1


Email : **service@grandtunnel.com**


Box 2



J-R x1


O-R x1



P-R x1



Q-R x1



S x1


T-R x1

Hardware List (in Box 2)


C x2



D x4



I x1


Email : **service@grandtunnel.com**


EN

Box 3



F x1


O x1


S x1



G x1


Hardware List (in Box 3)


D x4


Email : **service@grandtunnel.com**


Box 4



M x1


N x1

Hardware List (in Box 4)


A x3



B x3


D x4


Email : **service@grandtunnel.com**

EN


Box 5



H x1




O x1



S x1

Hardware List (in Box 5)




D x4


Email : **service@grandtunnel.com**

EN


Box 6




U x2



V x1




W x1



Z x2

Hardware List (in Box 6)




D x5

Email : **service@grandtunnel.com**

Assembly Instructions

Important : Please read these instructions fully before starting assembly.



Note :

Delivered with SIX PACKAGES with SIX TRACKINGS, may NOT be deliverded at the same time.

Before starting assembly, determine where the sofa will be placed and the orientation you want it to be.



2 people needed



Work gloves



Tape measure



Other Tools Required
Phillips Screwdriver
(Not Included)

Simple Assembly Steps


1. Read the manual carefully.
2. Check all parts and hardware.
3. Prepare necessary tools.
4. Have at least two adults for assembly.

Please follow the instructions and use a sanitary napkin to protect the product during your assembly process.

Note:
1. The assembly should be done on a flat surface to maintain balance.
2. Do not tighten the screws before the assembly is complete.
To make the assembly process easier and better, two or more adults are needed.

Email : **service@grandtunnel.com**

Exploded View



Left armrest seat


J-L x1, O-L x1, P-L x1, Q-L x1, S x1, T-L x1, C x2, D x4, I x1

Steps 1 through 15 of the installation instructions.

EN


Email : **service@grandtunnel.com**

Step 1



Install two D legs onto armrest O-L.


Step 2



Install two C legs at the front of seat frame P-L and two D legs at the rear.


Email : **service@grandtunnel.com**

Step 3



Insert the armrest downward into the flared connector on the seat frame.


Step 4



Connect the armrest cable to the seat-frame cable. Connect the seat-frame power cord to the plug, then plug it into an outlet; the motor is needed for the following installation steps.


Email : **service@grandtunnel.com**

Step 5



Power switch instructions: the front switch reclines the sofa flat, the rear switch returns it to the closed position, and the middle port is the Type-C charging port.


Step 6



Raise the power reclining mechanism on the seat frame.


Email : **service@grandtunnel.com**

Step 7



Remove the hook-and-loop fastener under the front of seat cushion S. Align the rear of the cushion with the rear edge of the seat frame, then lower the cushion. Remove the hook-and-loop fastener at the rear of the cushion and attach the rear pull strip to the wooden rail at the back of the seat frame.

Step 8




Lift the sofa and zip the zipper on seat cushion S to the zipper under the front panel of seat frame P-L.

Email : **service@grandtunnel.com**


EN

Step 9



Return the seat frame to the closed position.

Step 10




Align the socket on the side of connector frame J-L with the pin on the rear metal bracket of the seat frame, then press down to lock it in place.

Email : **service@grandtunnel.com**


EN

Step 11



Remove the two hook-and-loop fasteners from the back of connector cushion Q-L. Place the connector cushion flat against connector frame J-L. Pull the upper part of the connector cushion forward and zip its zipper to the zipper on the connector frame.


Step 12



Raise the power reclining mechanism on the seat frame.


Email : **service@grandtunnel.com**

Step 13



Remove the hook-and-loop fastener under connector cushion Q-L. Attach the light-blocking fabric under the connector cushion to the fleece fabric behind the seat cushion, aligning it with the fleece stitching. Return the seat frame to the closed position.


Step 14



Align the pin on left connector bracket T-L with the pin on the left side of the connector frame, then press down to complete installation.

Email : **service@grandtunnel.com**

Step 15




Remove the hook-and-loop fastener from the rear skirt of the connector frame and attach it to the wooden rail at the lower rear of the seat frame. Installation of 1PL is complete.

Email : **service@grandtunnel.com**

EN

Exploded View




Right armrest seat

J-R x1, O-R x1, P-R x1, Q-R x1, S x1, T-R x1, C x2, D x4, I x1

Steps 16 through 29 of the installation instructions.


Email : **service@grandtunnel.com**

Step 16



Install two D legs onto armrest O-R.

Step 17




Install two C legs at the front of seat frame P-R and two D legs at the rear.

Email : **service@grandtunnel.com**


EN

Step 18



Insert the armrest downward into the flared connector on the seat frame.


Step 19



Connect the armrest cable to the seat-frame cable. Connect the seat-frame power cord to the plug, then plug it into an outlet; the motor is needed for the following installation steps.


Email : **service@grandtunnel.com**

Step 20



Raise the power reclining mechanism on the seat frame.


Step 21



Remove the hook-and-loop fastener under the front of seat cushion S. Align the rear of the cushion with the rear edge of the seat frame, then lower the cushion. Remove the hook-and-loop fastener at the rear of the cushion and attach the rear pull strip to the wooden rail at the back of the seat frame.


Email : **service@grandtunnel.com**

Step 22



Lift the sofa and zip the zipper on seat cushion S to the zipper under the front panel of seat frame P-R.


Step 23



Return the seat frame to the closed position.


Email : **service@grandtunnel.com**

Step 24



Align the socket on the side of connector frame J-R with the pin on the rear metal bracket of the seat frame, then press down to lock it in place.


Step 25



Remove the two hook-and-loop fasteners from the back of connector cushion Q-R. Place the connector cushion flat against connector frame J-R. Pull the upper part of the connector cushion forward and zip its zipper to the zipper on the connector frame.


Email : **service@grandtunnel.com**

Step 26



Raise the power reclining mechanism on the seat frame.


Step 27



Remove the hook-and-loop fastener under connector cushion Q-R. Attach the light-blocking fabric under the connector cushion to the fleece fabric behind the seat cushion, aligning it with the fleece stitching. Return the seat frame to the closed position.


Email : **service@grandtunnel.com**

Step 28



Align the pin on right connector bracket T-R with the pin on the right side of the connector frame, then press down to complete installation.


Step 29



Remove the hook-and-loop fastener from the rear skirt of the connector frame and attach it to the wooden rail at the lower rear of the seat frame. Installation of 1PR is complete.

Email : **service@grandtunnel.com**

Exploded View




Middle seat

F x1, O x1, S x1, G x1, D x4

Steps 30 through 35 of the installation instructions.


Email : **service@grandtunnel.com**

Step 30



Install two D legs under the front of seat frame O and two D legs under the rear.


Step 31



Remove the hook-and-loop fastener from the rear skirt of the connector frame and attach it to the wooden rail at the lower rear of the seat frame. Installation of 1PR is complete.


Email : **service@grandtunnel.com**

Step 32



Lift the sofa and zip the zipper on seat cushion S to the zipper under the front panel of seat frame O.


Step 33



Align the socket on the side of connector frame F with the pin on the rear metal bracket of the seat frame, then press down to lock it in place.


Email : **service@grandtunnel.com**

Step 34



Remove the two hook-and-loop fasteners from the back of connector cushion G. Place the connector cushion flat against connector frame F. Pull the upper part of the connector cushion forward and zip its zipper to the zipper on the connector frame.


Step 35



Remove the hook-and-loop fastener from the rear skirt of the connector frame and attach it to the wooden rail at the lower rear of the seat frame. Installation of AL is complete.

Email : **service@grandtunnel.com**

Exploded View




Sofa coffee table

M x1, N x1, A x3, B x3, D x4

Steps 36 through 39 of the installation instructions.

Email : **service@grandtunnel.com**

Step 36





Install two D legs under the front of coffee table N and two D legs under the rear.

Email : **service@grandtunnel.com**

EN

Step 37






Lay coffee table N and connector frame M flat. Insert wing screw A through washer B, and use it to fasten connector frame M to coffee table N. Do not fully tighten at first. Align all three wing screws with the holes, then tighten all screws.


Email : **service@grandtunnel.com**

Step 38



Remove the hook-and-loop fastener from the rear skirt of the connector frame and attach it to the lowest part of the back of the coffee table. Installation of TWS is complete.

Step 39




Storage feature demonstration.

Email : **service@grandtunnel.com**

EN

Exploded View



Middle sofa seat with flip-back coffee table


H x1, O x1, S x1, D x4

Steps 40 through 45 of the installation instructions.

Email : **service@grandtunnel.com**


EN

Step 40



Install two D legs under the front of seat frame O and two D legs under the rear.Retire las dos cintas de gancho y bucle de la parte trasera del cojín de unión G.


Step 41



Remove the hook-and-loop fastener under the front of seat cushion S. Align the rear of the cushion with the rear edge of the seat frame, then lower the cushion. Remove the hook-and-loop fastener at the rear of the cushion and attach the rear pull strip to the wooden rail at the back of the seat frame.


Email : **service@grandtunnel.com**

Step 42



Lift the sofa and zip the zipper on seat cushion S to the zipper under the front panel of seat frame O.


Step 43



Align the socket on the side of connector frame H with the pin on the rear metal bracket of the seat frame, then press down to lock it in place.


Email : **service@grandtunnel.com**

Step 44



Remove the hook-and-loop fastener from the rear skirt of the connector frame and attach it to the wooden rail at the lower rear of the seat frame. Installation of FCT is complete.


Step 45



Flip-back coffee table feature demonstration.

Email : **service@grandtunnel.com**

Exploded View



Corner section of the sofa


U x2, V x1, W x1, Z x2, D x4

Steps 46 through 51 of the installation instructions.

Email : **service@grandtunnel.com**


EN

Step 46



Install two D legs under the front of seat frame V and three D legs under the rear.


Step 47



Remove the hook-and-loop fastener under the front of seat cushion W. Align the rear of the cushion with the rear edge of the seat frame, then lower the cushion. Remove the hook-and-loop fastener at the rear of the cushion and attach the rear pull strip to the wooden rail at the back of the seat frame in two places.


Email : **service@grandtunnel.com**

Step 48



Lift the sofa and zip the zipper on seat cushion W to the zipper under the front panel of seat frame V.


Step 49



Align the socket on the side of connector frame U with the pin on the rear metal bracket of the seat frame, then press down to lock it in place. No specific order is required.

Email : **service@grandtunnel.com**


Step 50



First place connector cushion Z on the right side of the sofa to make the following installation easier. Remove the two hook-and-loop fasteners from the back of connector cushion Z, place the connector cushion flat against connector frame U, pull the upper part of the connector cushion forward, and zip its zipper to the zipper on the connector frame.

Email : **service@grandtunnel.com**


Step 51



Remove the two hook-and-loop fasteners from the back of connector cushion Z. Place the connector cushion flat against connector frame U. Pull the upper part of the connector cushion forward and zip its zipper to the zipper on the connector frame.

Email : **service@grandtunnel.com**


Step 52




Remove the hook-and-loop fastener from the rear skirt of the connector frame and attach it to the wooden rail at the lower rear of the seat frame. Installation of C is complete.

Email : **service@grandtunnel.com**

Maintenance



Please maintain proper sitting posture while using the sofa




1. Avoid direct sunlight, preferably placed in a place that can avoid sunlight, or use translucent tulle curtains to block the sun.
2. Vacuum at least once a week, paying particular attention to removing dust accumulation between fabric structures.
3. Sofa cushions are turned over once a week to evenly distribute wear.
4. If stained, use a clean cloth dipped in water to wipe. In order to avoid leaving marks, it is best to wipe from the periphery of the stain. Velvet furniture should not be dipped in water and should use a dry cleaning agent.
5. All cloth covers and bushings should be dry-cleaned, not washed, not bleached.
6. If you find loose thread, do not tear it with your hand; it is best to cut the thread neatly with scissors.

Email : **service@grandtunnel.com**

More combinations

Large modular power reclining sofa
Components:
Box1 x1
Box2 x1
Box3 x1
Box4 x1
Box5 x1
Box6 x1




Large modular power reclining sofa.

Email : **service@grandtunnel.com**

EN

Step 1

Components:
Box1 x1
Box3 x1
Box4 x1




Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**

Step 2

Components:
Box1 x1
Box3 x1
Box4 x1




Do not lean on the sofa in an improper position; it may tip backward.

Email : **service@grandtunnel.com**

EN

Step 3


Components:
Box1 x1
Box2 x1
Box3 x1
Box4 x1
Box5 x1
Box6 x1



Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**


Sofa function display



Email : **service@grandtunnel.com**

More combinations

2-seat power reclining sofa
Components:
Box1 x1
Box2 x1




2-seat power reclining sofa.

Email : **service@grandtunnel.com**

Step 1

Components:
Box1 x1
Box2 x1




Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**

EN


Sofa function display



Email : **service@grandtunnel.com**

More combinations

2-seat sofa with coffee table feature
Components:
Box1 x1
Box2 x1
Box4 x1




2-seat sofa with coffee table feature.

Email : **service@grandtunnel.com**

EN

Step 1


Components:
Box1 x1
Box2 x1
Box4 x1



Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**

Sofa function display




Email : **service@grandtunnel.com**

EN

More combinations

3-seat power reclining sofa
Components:
Box1 x1
Box2 x1
Box3 x1




3-seat power reclining sofa.

Email : **service@grandtunnel.com**

Step 1


Components:
Box1 x1
Box2 x1
Box3 x1



Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**


Sofa function display



Email : **service@grandtunnel.com**

More combinations

3-seat sofa with flip-back coffee table feature
Components:
Box1 x1
Box2 x1
Box5 x1




3-seat sofa with flip-back coffee table feature.

Email : **service@grandtunnel.com**

Step 1


Components:
Box1 x1
Box2 x1
Box5 x1



Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**

Sofa function display




Email : **service@grandtunnel.com**

EN

More combinations

L-Shaped Modular Power Reclining Sectional Sofa
Components:
Box1 x1
Box2 x1
Box3 x1
Box4 x1
Box6 x1




L-Shaped Modular Power Reclining Sectional Sofa.

Email : **service@grandtunnel.com**

Step 1

Components:
Box1 x1
Box3 x1
Box4 x1




Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**

EN

Step 2

Components:
Box1 x1
Box3 x1
Box4 x1




Do not lean on the sofa in an improper position; it may tip backward.

Email : **service@grandtunnel.com**

Step 3

Components:
Box1 x1
Box2 x1
Box3 x1
Box4 x1
Box6 x1




Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**

EN


Sofa function display



Email : **service@grandtunnel.com**

More combinations

L-Shaped Modular Power Reclining Sectional Sofa with Flip-Down Console
Components:
Box1 x1
Box2 x1
Box4 x1
Box5 x1
Box6 x1




L-Shaped Modular Power Reclining Sectional Sofa with Flip-Down Console.

Email : **service@grandtunnel.com**

Step 1

Components:
Box1 x1
Box4 x1
Box5 x1




Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**

Step 2

Components:
Box1 x1
Box4 x1
Box5 x1




Do not lean on the sofa in an improper position; it may tip backward.

Email : **service@grandtunnel.com**

EN

Step 3


Components:
Box1 x1
Box2 x1
Box4 x1
Box5 x1
Box6 x1



Assemble the sofa according to the configuration purchased, or refer to the different combination methods based on your needs. For this sofa, 1PL and 1PR must be installed at both ends; all other modules can be installed in any quantity and arrangement.For each middle connector plate, hook the right-side connector onto the left-side connector.

Email : **service@grandtunnel.com**

Sofa function display



Email : **service@grandtunnel.com**

EN