

Assembly Instructions

CAUTION: You must read these Assembly Instructions before you proceed.

Care & Maintenance



- Not for commercial use. For residential use only.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.



- Children should not climb or jump on the furniture.



- Do not write on furniture without a padded barrier to protect the surface.



- To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.




- Stains may be removed with mild soap solution and damp cloth.








- Dust and pick-up spills using a clean, non-colored, lint- free cloth.






Please look in Seat Panel for hardware packs

3 SEATERS










Parts List:

Label	Picture	Description	Qty
A		Left Arm Panel	1
B		Right Arm Panel	1
C		Back Cushion	3
D		Seat Cushion	1
E		Backrest Panel	1


F		Left Seat Panel	1
G		Right Seat Panel	1
H		Leg 1	2
I		Leg 2	2
K		Middle Leg	2
L		Back Leg	2
M		Back Cushion Cover	3

Hardware:

Label	Picture	Description	Qty
①		Allen Wrench	2
②		Bolt (M6x40m)	11
③		Sleeve Nut (M6x15mm)	3
④		Screw (M6x30mm)	9
⑤		Screw (M6x20mm)	9
⑥		Bolt (M6x60m)	9
⑦		Bolt (M6x35m)	5
⑧		Screw (M6x50mm)	7

Assembly Preparation:

Before Beginning Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps:

OVERVIEW:




This 3 Seaters has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the 3 Seaters, the above picture is to help you put the various parts into perspective. Please read through the instructions here below to familiarise yourself with the parts and steps before assembly.


Step 1




A




B




C




C




C




D



E




F





G





Hx2





lx2




Kx2




Lx2



M




M



M

Unpack and place all parts on a clean, non-marring surface.


Step 2



With assistance from your adult partner, attach Left Seat Panel (F) and Right Seat Panel (G) together by using Bolts (②) with Sleeve Nuts (③) and Allen Wrenches (①) as shown above.

Do not fully tighten the Bolts.

Step 3




With assistance from your adult partner, attach Back Legs (L) and Middle Legs (K) to the assembled part in Step 2 as shown above. Then:

Step 3.1, secure Middle Legs (K) to Seat Panels (F, G) by using Screws (④) with Allen Wrench (①).

Step 3.2, secure Back Legs (L) to Seat Panels (F, G) by using Screws (⑤) with Allen Wrench (①).

Do not fully tighten the Screws.


Step 4



With assistance from your adult partner, attach Legs 1 (H) and Legs 2 (I) to the assembled part in Step 3 then secure Legs 1 (H) and Legs 2 (I) to Seat Panels (F, G) by using Bolts (⑥) with Allen Wrench (①) as shown above.

Do not fully tighten the Bolts.

Step 5




With assistance from your adult partner, turn the assembled part in Step 4 right side up.

Attach Left Arm Panel (A) to Left Seat Panel (F) of the assembled part in Step 4 then secure by using Bolts (②) with Allen Wrench (①) as shown above.

Do not fully tighten the Bolts.

Step 6




With assistance from your adult partner, attach Backrest Panel (E) to the assembled part in Step 5 as shown above. Then:

Step 6.1, secure Backrest Panel (E) to Left Arm Panel (A) by using Bolts ((7)) with Allen Wrench ((1)).

Step 6.2, secure Backrest Panel (E) to Seat Panels (F,G) by using Screws ((8)) with Allen Wrench ((1)).

Do not fully tighten the Screws and the Bolts.


Step 7



With assistance from your adult partner, attach Right Arm Panel (B) to the assembled part in Step 6 then secure Right Arm Panel (B) to Right Seat Panel (G) by using Bolts (2) with Allen Wrench (1) as shown above.

Do not fully tighten the Bolts.


Step 8



With assistance from your adult partner, secure Right Arm Panel (B) to Backrest Panel (E) by using Bolts (7) with Allen Wrench (1) as shown above.

Do not fully tighten the Bolts.

Step 9



Adjust high
for balance

Adjust low
for balance

**Adjust Pre-installed Levelers
height for balance**

Inspect it and make sure all parts are adequately connected.

Gently and gracefully, sit onto the 3 Seaters.

This will help to align all the parts at all joint areas.

Then get off the 3 Seaters and proceed to tighten the Bolts and Screws in a sequential manner.


When tightening the Screws and Bolts tighten sequentially.

DO NOT tighten any Screws or Bolts fully and then move on towards the next one.

If there are still wobbles, loosen the Screws, Bolts execute this same process. Adjust Pre-installed Levelers height for balance.

Step 10

1.



2.



3.



4.




10.1 Remove plastic bag to decompress white foam Back Cushions (C).

10.2 Unzip Back Cushion Covers (M).

10.3 Insert Back Cushions (C) into matching Back Cushion Covers (M).

10.4 Adjust/smooth out cover and cushion before zipping pillow closed.

Step 11



Place Seat Cushion (D) onto the 3 Seaters by affix the Magic Tape Straps on the seat slats of Seat Panels (F, G) as shown above.

Then, place Back Cushions (C) onto the Seat Cushion (D).

Your 3 Seaters is ready to use.

This 3 Seaters can only be used on a flat, level surface.