

Primme® Manual | K-76319

Urinal flushometer, 1.0 gpf

Features

- Fixture-mount design.
- Chloramine resistance on all rubber components exposed to waterway
- Includes vacuum breaker and control stop



Available Colors/Finishes

Color tiles intended for reference only.

■ CP Polished Chrome

Pressure/Fixture Supply Requirements

Minimum Flowing Pressure: 25 psi (172.4 kPa)

Minimum Flow Rate: 9 gpm (34.1 l/min)

Codes/Standards

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651 OBC

ASSE 1037/ASME A112.1037/CSA B125.37

ADA

ICC/ANSI A117.1

CSA B651

OBC

Material

- Durable brass construction

Technical Information

All product dimensions are nominal.

Handle Style/Type:
Lever

Recommended Products/Accessories

K-23723 Faucet cleaner



1-800-4 KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to

www.kohler.co m USA or www.kohler.c a Canada.

7-29-2026 20:37 - US- CA

Technology

- Nonhold open piston technology for accurate activation

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty



1-800-4 KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.


For the most current specification sheet, go to

www.kohler.com m USA or www.kohler.ca a Canada.

7-29-2026 20:37 - US- CA

THE BOLD LOOK
OF **KOHLER**®

*10-3/4" (273 mm) minimum with a
6" (152 mm) critical level above the fixture



Installation

- Intended for urinal installations with 3/4" (19 mm) top
spud coupling connection

Installation Notes

Install this product according to the installation instructions.

ADA, OBC, CSA B651 compliant when installed to the
specific requirements of these regulations.



1-800-4 KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to

www.kohler.co m USA or www.kohler.ca a Canada.

7-29-2026 20:37 - US- CA