


30" REFRIGERATOR COLUMN

ALL FINISHES — STAINLESS STEEL · SIGNATURE BLACK STAINLESS · PANEL READY · VEGA · ORION

INDUCTION
HARDWARE

SPECIFICATIONS

SKUs **RFC-30-SS · RFC-30-BS · RFC-30-PR · RFC-30-SS-VEGA · RFC-30-BS-ORION**

Overall W × D × H **29.75 × 25 × 83.38 in**

Electrical **115–120 V · 15 A · NEMA 5-15P**

Certification **ETL**

Installation — True built-in column. Cutout 30 W × 25 D × 84 H in. per live product data.
Hardwood/level floor, dedicated 115V circuit.
Custom panel and handle not included.

Pairs with FRC freezer columns and RFC-W wine columns at common 84 in cutout height for a continuous run.

OVERVIEW

Full-height 30-inch built-in refrigerator column engineered to disappear into cabinetry. A digital inverter compressor and back-wall cooling hold a precise, even temperature across every shelf, with an integrated filtered water dispenser for everyday convenience. Panel-ready door accepts a custom cabinet front; pairs with matching freezer and wine columns.

KEY FEATURES

- Refrigerator column — recommended 39°F, special zone 34°F
- Internal filtered water dispenser with removable ice container and scoop
- Gallon bottle door bins
- Digital inverter compressor · R600a refrigerant
- Selectable shelf heights · heat-treated safety glass
- Soft-close bins · adjustable, removable door bins
- Built-in flush install · 84 in common cabin height across the column line
- Panel Ready in-family — five fronts, identical internals
- 115–120 V · 15 A · NEMA 5-15P · water 25–80 psi
- Lifetime parts warranty · Restore & Renew refurbishment

30" REFRIGERATOR COLUMN

RFC-30-SS · RFC-30-BS · RFC-30-PR · RFC-30-SS-VEGA · RFC-30-BS-ORION

**Full-height column**

Every inch of the opening is usable storage — no wasted crown, no compressor shelf at eye level.

Pairs into a run

Common 84 in cutout height across refrigerator, freezer and wine columns for a continuous wall.

Digital inverter compressor

Holds temperature to a tight band and steps its own speed rather than cycling hard.

R600a refrigerant

A low-GWP hydrocarbon refrigerant in place of conventional HFCs.

One finish system

Stainless, Signature Black Stainless, Panel Ready, and Celestial Edition gold hardware.

Lifetime parts warranty


Parts covered for the life of the appliance, backed by the Restore & Renew refurbishment program.

30" REFRIGERATOR COLUMN

DIMENSIONS & INSTALLATION — ALL FINISHES



PRODUCT DIMENSIONS — RFC-30



A = 29.75 in. Depth 23 5/16 in without a panel, 24 1/4 in with. Height 83 9/16 in, rising to 85 3/8 in with the feet fully extended — 1 9/16 in of travel.

Cabin opening 30 × 25 × 84 in. Frame to the cutout figures, never to a scaled drawing.

Door swing. If the door cannot open a full 90°, the drawers will not fully open.

Height of the kitchen countertop based on the min/max. height of the cabin;

Category	A	B
standard	4" (101mm)	84" (2134mm)
minimum	3 3/4" (96mm)	83 13/16" (2129mm)
maximum	5 3/8" (136mm)	85 3/8" (2169mm)

SPECIFICATIONS

Overall W × D × H	29.75 × 25 × 83.38 in
Cutout W × D × H	30 × 25 × 84 in
Capacity	16.6 cu ft
Shelves	4
Compressor	Digital inverter
Refrigerant	R600a
Temperature range	34–44 °F
Product weight	335 lb
Electrical	115–120 V · 15 A · NEMA 5–15P
Plug	NEMA 5–15P
Certification	ETL

Dimensions, cutout, electrical service and performance are identical across every finish in this family.

FINISHES

5 FINISHES — ONE PLATFORM

Dimensions, cutout, electrical service and performance are identical across every finish. Only the SKU, the hardware treatment and the exterior finish change.

**Stainless Steel****RFC-30-SS**

Brushed 304 stainless with stainless hardware

**Signature Black Stainless****RFC-30-BS**

Fingerprint-resistant black stainless with matching hardware

**Panel Ready****RFC-30-PR**

Takes a custom panel and handle to match the cabinetry

**Vega — Celestial Edition****RFC-30-SS-VEGA**

Gold knobs and handles on brushed stainless

**Orion — Celestial Edition****RFC-30-BS-ORION**

Gold knobs and handles on black stainless