

ASSEMBLY INSTRUCTIONS


Bench


ASSEMBLY REQUIREMENTS

2-Person
Assembly

20 Minutes
Assembly Time
(Approximate)

Tools Required
(Not Provided)



Phillips Screwdriver


Flat Screwdriver

Thank you for purchasing our product!

Please refer and use this assembly instruction to assemble the product. Contact our customer service department in case there are any missing or damage parts or hardware. Replacement parts are normally shipped within 2 or 3 days.

We appreciate your business!



ASSEMBLY PREPARATION

1. Remove all packaging materials, staples and packing straps from the carton.
2. Refer to Parts List and Hardware List, and ensure parts and hardware are correct before assembly. Contact customer service for missing parts.
3. Place all wooden parts on a clean, flat and soft surface (e.g. carpet or rug) to prevent scratch and damage to parts.

SAFETY PRECAUTION

1. KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN.
2. DISPOSE PLASTIC PACKAGING MATERIAL IMMEDIATELY TO AVOID ANY RISK OF SUFFOCATION TO CHILDREN AND ANIMALS.

TIPS FOR ASSEMBLY






1. Allow ample room for assembly and assemble the product near where product will be placed.
2. Assemble the product on a surface that does not scratch or damage the exterior gloss and finish of the furniture.
3. Identify all of the parts, hardware and quantities required for each step.
4. During assembly, do not over-tighten any fittings as this may cause damage.
5. DO NOT USE POWER TOOLS TO ASSEMBLE THIS PRODUCT.
6. Always place the product on a flat, level surface.
7. Do not sit or stand on the partially assembled product; only use the product for which it is intended.

CARE AND MAINTENANCE








- Use a slightly damp cloth to clean the product. Do not use bleach or abrasive cleaning material.
- Check all the fittings periodically and re-tighten as necessary. Do not use the product if any of the parts is damaged or broken.
- Never allow any kind of liquid to remain on your furniture. Absorption can cause wood to warp or delaminate.
- Do not place hot items (e.g. hot drinks) directly onto the wood surface.
- Do not drag and/or pull the furniture.

This product is for indoor and household use only - not for commercial use.


Parts List

ITEM	DESCRIPTION	PART	QTY	ITEM	DESCRIPTION	PART	QTY
6	Bench Seat		1pc	9	Leg Base		2pc
7	Cross-Piece		2pc	10	Stretcher		1pc
8	Leg Panel		2pc				

Hardware List

ITEM	DESCRIPTION	HARDWARE	QTY	ITEM	DESCRIPTION	HARDWARE	QTY
A	Wood Dowel	 10*50mm	12pcs	E	Screw	 5*50mm	8pc
B	Screw	 6*45mm	2pcs	F	Cover	 D15*7	2pcs
C	Screw Nut	 6*13mm	2pcs	G	Allen Key		1pcs
D	Screw	 5*25mm	4pcs				


Instructions For Barrel Nut




Insert Barrel Nut with the perpendicular hole facing and in-line with the drill hole that the bolt is to be inserted.

Use a Flat-head Screwdriver to hold Barrel Nut in position before inserting bolt to thread into the Barrel Nut.

Parts Assembly Overview




STEP 1




- a) Lay Leg Panel (8), Stretcher (10) on a material that does not scratch or damage the parts and insert Wood Dowel (A) into the designated holes as shown.

STEP 2




- a) Attach **Cross-Piece** (7) and Leg Base (9) to Leg Panel (8) from STEP 1 via wood dowels on (8).
b) Use Screw (E) to fasten (7) and (9) to (8).

STEP 3




- With assistance, attach Stretcher (10) to fit between the two Legs (8) **from** STEP 2 via wood dowels. Ensure that the legs **mirror** each other.
- Insert Barrel Nut (C) into the designated hole on (10). Refer to Page 2 for Instructions on Installing Barrel Nut.
- Insert Screw (B) through each Leg to screw into the Barrel Nut on (10). Do not tighten (B) until both screws are screwed into the Barrel Nuts. Do not over-tighten the screws.

STEP 4



- Lay Bench Seat (6) bottom-side up on a material that does not scratch or damage the part.
- Attach **Cross-Piece** (7) on the leg assembly completed in STEP 3 to bottom side of (6) via wood dowels **protruding from** (7) as shown.
- Use Screw (D) to fasten Cross-Piece to (6).
- Set the bench right-side up.

STEP 5



a) Use Cover (F) to conceal screw hole on Leg Panel.

The assembly of the bench is complete.