


CAST ALUM. LOVE SEAT





Please carefully follow the assembly instructions to ensure your furniture is assembled correctly to provide long lasting enjoyment.


Should you experience any missing or damaged parts, **do not return to the store.**

Care: Use a soft, clean cloth that will not scratch the surface when cleaning. The use of solvents is not necessary. Should you choose to use solvents, test in an inconspicuous area first to avoid damaging the finish. To clean, simply use a soft, clean cloth lightly dampened with water.


PARTS LIST

A	B	C	D	E
				
Back 2 PCS	Seat 2 PCS	Left Side Frame 1 PC	Middle Side Frame 1 PC	Right Side Frame 1 PC

HARDWARE LIST

1	2	3	4	5
				
Phillips Head Bolt (M6*30) 8 pcs	Spring Washer (M6) 8 pcs	Flat Washer (M6) 8 pcs	Nut (M6) 8 pcs	Nut Cap (M6) 8 pcs
6	7	8	9	10
				
Short Bolt (M8*30) 4 pcs	Spring Washer (M8) 6 pcs	Flat Washer (M8) 12 pcs	Nut (M8) 6 pcs	Nut Cap (M8) 6 pcs
11	12	13		
				
Wrench (M6 & M8) 1 pc	Long Bolt (M8*45) 2 pcs	Bolt Cap (M8) 4 pcs		

Step 1: Attach Frames (C,D&E) to Seats (B) With Short Bolts (Part #6),Long Bolts(Part #12), Flat Washers(Part #8),Spring Washers(Part #7) & Nuts (Part #9).Note- Long Bolts (Part #12) will be used to attach the Middle Frame (D) & Short Bolts (Part #6) will be used to attach the Left & Right Side Frames (C & E).Cover M8X30 mm bolts (Part #6) with bolt caps (Part #13).Note - Do not fully tighten bolts at this time.



Step 2: Attach Back (A) to unit with Phillips Head Bolts (Part #1),Flat Washers (Part #3), Spring Washers (Part #2),and Nuts (Part #4).Tighten all bolts completely.Cover all Nuts (Part #'s 4) with Nut Caps (Part #'s 5).

