



Conical Bell® | K-2200-G

16-1/4" round vessel bathroom sink with glazed underside, no overflow

Features

- Glazed underside works beautifully for countertop installations
- No faucet holes; requires wall- or counter-mount faucet



Codes/Standards

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651

ASME A112.19.2/CSA B45.1
ADA
ICC/ANSI A117.1
CSA B651

Technical Information

Drain Hole Diameter: 1-3/4" (44 mm)
Basin Configuration: Single Bowl
Basin Length: 15-5/16" (389 mm)
Basin Width: 15-5/16" (389 mm)
Basin Depth: 4-3/8" (111 mm)

Material

- Vitreous china

Recommended Products/Accessories



K-23726 Drain treatment
K-7114 Premier pop-up drain, exposed, without overflow
K-7129 Bathroom sink grid drain without overflow
K-9018 Adjustable P-trap with long tubing outlet, 1-1/4" x 1-1/4"
K-23725 Cast iron cleaner

Warranty

See website for detailed warranty information.

KOHLER® Vitreous China Bathroom Sink Lifetime Limited
Warranty





Installation

- Vessel

Installation Notes

Install this product according to the installation instructions.

Spout must be 5" (127 mm) long (min) for adequate clearance into the bathroom sink when installed with centerline as shown.

NOTICE: Countertop manufacturer or cutter must use the cut-out template provided with the product, or a current one provided by Kohler Co. (call 1-800-4-KOHLER). Kohler Co. is not responsible for cut-out errors when the incorrect cut-out template is used.

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

