

















Installation Manual






left  ① × 1pc	right  ② × 1pc	 ③ × 2pcs	 ④ × 1pc
 ⑤ × 1pc	 ⑥ × 1pc	 ⑦ × 1pc	 ⑧ × 4pcs
 ⑨ × 2pcs	 ⑩ × 4pcs	 ⑪ × 2pcs	 ⑫ × 1pc
 ⑬ × 1pc	 ⑭ × 2pcs	 ⑮ × 1pc	 ⑯ × 1pc

 M8×40mm A ×30pcs+3pcs	 M8×15mm B ×24pcs+2pcs	 M6×50mm C ×3pcs+1pc	 F ×1pc	 N ×1pc

1

80%

M8×40mm
A ×12pcs




Tighten the screw lock to 80%

2

100%


M8×40mm
A ×3pcs

M8×15mm
B ×2pcs




Tighten the screw lock to 100%

3



M8×40mm

A ×12pcs



x2

Note: When assembling component 10, keep the Velcro facing upwards.

4




M8×15mm


B ×16pcs

Tighten the screw lock to 70%

5




6




Lock the screws to 100% after hanging.

7




M8×40mm

A ×2pcs




8




M6×50mm

C ×2pcs




9

M8×40mm	M6×50mm
A ×1pc	C ×1pc




10

M8×15mm
B ×6pcs




11


Lock the screws to 100% after hanging.




12




N ×1pc



To prevent friction noise, unroll part N and fit it on part 6 ,the lenght of part N can cut as you will.



13



14

