





















Product Installation Instructions














			
Ax1	Bx2	Cx2	Dx1

				
Ex1	Fx2	Gx1	Hx2	Ix2

















				
Jx1	Kx1	Lx2	Mx1	Nx1

				
Ox1	Px2	Qx1	Rx1	S1x1


				
S2x1	Tx1	Ux1	Vx2	Wx1





					
Xx2	Yx1	Zx1	13 x1	14 x1	1


Accessories list

①		Two In One Screw (6x28mm)	74pcs +4pcs
②		Two In One Nut (10x12mm)	74pcs +4pcs
③		Wood Chipping (6x30mm)	20pcs +4pcs
④		Handle & screw (4x18mm)	4pcs +1pcs 2pcs
⑤		Guide & Screw (3x12mm)	20pcs +4pcs 4pcs
⑥		Clothing Rod Hooks & Screw (3.5x12mm)	4pcs +1pcs 2pcs
⑦		Non-slip pads	6pcs +2pcs
⑧		Clothing Rod	1pcs
⑨		Laminate support nail	8pcs +2pcs
⑩		Hinge & Screw (4x10mm)	8pcs 4pcs
⑪		Screw (3.5x12mm)	16pcs +2pcs
⑫		Fixing clip & screw (3x16mm)	12pcs +2pcs
		AC/DC Adapter (12V= 3.0A)	1pcs
<div>  1pcs </div> <div>  Double-head screwdriver, use as required </div> <div>  2 </div>			

Product structure decomposition




1		16pcs	5	 4pcs	 8pcs
2		16pcs			




Use parts ① and ②




Step1



Step2



Step3




Use a screwdriver to lock in the direction of the "+" sign

Disassemble along the direction of "-" sign

Step 1


①

x4




5


Step 2




Ⓑx2



Step 3





Ⓒx1




6


Step 4



Step 5





Exploded view of drawer guide rail



Step 1 : Pull the guide rail apart

Step 2 : Push the nylon buckle and pull outward ①



②

③





①

②

③


Step 6



x2

⑤

x4



⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤

⑤


⑤

⑤


⑤

⑤


Step 7




Step 8




Step 9




F x2



Step 10




C x1




10



Step 11


2  x8













Step 12




 x2
5  x4




11


①		58pcs	⑤	 4pcs  12pcs	⑧		1pcs
②		58pcs	⑥	 2pcs  4pcs	⑨		8pcs
③		20pcs	⑦	 6pcs			





Step 13





Step 14




Step 15




Step 16



Step 17





Step 18



This hole is for strengthening fixed hole customers can choose to install according to their needs.


Step 19

Do not press onto the light line





Step 20



Do not press onto the light line




Step 21




Step 22





Step 23






Step 24





Step 25




Step 26



Step 27



Step 28




Side hole position facing downwards

Step 29

2



x7




Step 30

2




x9




22

Step 31





If the P board is blocked by the light wire,
please turn the wardrobe to the side





When turning the cabinet over,
the P board should be in the slot as a support point

Step 32




Step 33





Step 34

②  x2



Step 35

②  x2




Step 36

2




x10




Step 37

7





x6

Tear off release paper and stick the black foot pad on the board





26

Step 38




Step 39





Step 40

8






x1




x1

8


Step 41




Step 42



Step 43



Step 44




This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 45

2




x3




Step 46


9  x8



Step 47



Vx2




Step 48




As shown, When installing the drawer, pull the guide rail out first, Slide beads are also pulled out.

Step 49





Step 50




If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap



Step 51



⑬ x1











⑭ x1




Repeat the steps for installing the drawer

Step 52




4	 2pcs	 4pcs	11	 16pcs	 1pcs
10	 4pcs	 8pcs	12	 12pcs	




Step 53


Be careful not to scratch your hand




Step 1



Step 2







Step 3



Step 54

Be careful not to scratch your hand




Step 55

11





x16


First lock the elliptical hole
then lock the fixed hole




Step 56



Step 57




Turning this screw can effectively adjust the size of the door gap.




Turn this screw to adjust the door panel to be flat with the side panel.

Step 58




Step 59


12





x12



Step 60



x1




User's Guide

Thank you for purchasing this product. To use this product, please plug it into a 12V DC power supply. Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller with 2 touch buttons. It can turn ON/OFF the light, change light colors, and adjust the light luminance.

Product Show



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If bubbles appear on the panel, remove the protective film.

Operation



This touch button is used to turn on/off, change colors, and adjust brightness.

A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off. B. Long touch -> adjust the luminance



This touch button is used to turn on/off the induction function.

A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 4 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.

B. Long touch to turn off the induction function.

C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.