


ASSEMBLY INSTRUCTIONS

ITEM NO: WF301329 & WF301332 & WF301334

DESCRIPTION: SECTIONAL





ASSEMBLY INSTRUCTIONS

ITEM NO: WF301329 & WF301332 & WF301334


DESCRIPTION: SECTIONAL

PARTS AND HARDWARE

Avoid using sharp objects such as a knife to cut open packing as you may accidentally damage the upholstery.

WF301334				
A*1	B*1	C*1	E*1	I*1
				
Left Back Cushion	Left Console Back	Armless Back Cushion	Left Arm	Corner Backrest

WF301332	
D*2	J*1
	
Corner Back Cushion	Corner Backrest

WF301329				
C*1	F*1	G*4	K*1	H*1
				
Armless Back Cushion	Right Arm	Bolt	Corner Backrest	Right Backrest

ASSEMBLY INSTRUCTIONS

ITEM NO: WF301329 & WF301332 & WF301334


DESCRIPTION: SECTIONAL

CAUTION: At least two adults are required to safely complete performing this task. Other lifting attempts may risk back injury due to large and heavy part(s).

Step 1. Carefully unpack and place parts on a clean flat surface.


Step 2. Insert the female brackets at the arm cushion onto the male brackets at the seat, insert and push to the end, make sure the brackets are secured in position.

Remark: Take out the console back (B) from the bottom of part (I).



Step 3. Attach the Left Seat Body & Right Seat Body to angle Seat Body

Ensure it is correctly in place.



ASSEMBLY INSTRUCTIONS


ITEM NO: WF301329 & WF301332 & WF301334

DESCRIPTION: SECTIONAL

CAUTION: At least two adults are required to safely complete performing this task. Other lifting attempts may risk back injury due to large and heavy part(s).


Step 4. Attach the Backrest to Seat Body

Ensure it is correctly in place.



Step 5. Stretch and pull down rear cover evenly before securing velcro strip to seat base.

Repeat if necessary for better fit.



ASSEMBLY INSTRUCTIONS

ITEM NO: WF301329 & WF301332 & WF301334

DESCRIPTION: SECTIONAL

CAUTION: At least two adults are required to safely complete performing this task. Other lifting attempts may risk back injury due to large and heavy part(s).

OPERATING YOUR UNIT

Converting to Footrest Position

-To raise or lower the legrest, push the power switch & hold. Release the switch when the legrest reaches the desired high

