


Assembly Instructions






CAUTION **An assistant is required**	CUSTOMER FIRST, SERVICE FOREMOST! Questions? Issues? CONTACT US REPLY WITHIN 24 HOURS IN BUSINESS DAYS


A-Left Side Panel	1PC




B-Right Side Panel	1PC




C-Kick Plate	2PCS




D-Back Panel	4PCS




E-Drawer Back Panel	4PCS




F-Top Panel	1PC




G−Drawer Front Panel	4PCS




H-Long Hanging Bar	4PCS




I-Drawer Bucket	4PCS



J-Short Hanging Bar	4PCS




K-Base	2PCS




L-Middle plate	6PCS




M-Foot	4PCS



a-M5*10 Screw	164PCS




b-Expansion Screw	2PCS



e-Anti-tipping Strap	2PCS



f-Flat Head Screw	2PCS
6*16mm	



j-Nut	2PCS
M6	




h-Lock	4PCS



Already pre-installed on the drawer front panel G

i-Key	4PCS





Already attached on the drawer front panels G


Step 1

Install 6 middle plates L on side panels A and B with 24 screws a

a		24PCS









Step 2

Connect 2 kick plates C with side panels A and B, then fix them with 16 screws a


a		16PCS







Step 3

Install 2 bases K at the bottom, then fix them with kick plates and side panels by 18 screws a	a		18PCS









Rotate and install 4 feet M on the bases K (If the ground is uneven, it can be adjusted by rotating the screw. This will fix the situation where the drawer is not easily opened or closed.)


Step 4


lnstall 4 back panels D and fix them with other parts by 37 screws a

a		37PCS











Step 5


Install the top panel F and fix it with other parts by 9 screws a


a		9PCS






Please ensure that all four corners of top panel F are in the correct positions (As shown below)







Step 6

Fold the drawer bucket I inward 90° and insert it into the drawer front panel G, then fix them with 11 screws a




Do not fold H more than 2 times




a		44PCS

Insert the drawer back panel into the drawer bucket and press the small pieces down to fix them




Then assemble another drawer in the same way





The keys for two drawers are not universal, please remove them from the drawer front panels G, label and store them safely before assembling the drawers.

Step 7


Install the long hanging bar H in the drawer with 4 screws a






a		16PCS

Install 1 short hanging bar J in the drawer







hanging hole


Step 8

Install 2 anti-tipping straps e on the back panel D with 2 screws f and nuts j

f		2PCS
j		2PCS








Step 9


Fix the cabinet on the wall with 2 expansion screws b to prevent tipping	b		2PCS






Step 10

First, completely pull out the slide rails of the left and right side panels, and place the drawer above the inner side of the slide rails. Make sure that the hanging holes on both sides of the drawer are aligned with the hooks of the slide rails. Press down to make the hooks fully enter the hanging holes.





Pull out the drawer twice slowly and the lubricating oil inside the slide rails will come out and the drawer will work.





Step 11

Install other three drawers on the cabinet in the same way









TROUBLESHOOTING GUIDE

If there is any problem, please just contact the seller's **Customer Service.**

Problem 1: The (top) drawer will not close or didn't fit
Check to see if the drawer is properly snapped into the rail, and make sure you have pushed the drawer down hard enough to make it snap completely into the rail-hanging holes. If the drawer is not seated at the bottom, it will be partly higher and unable to close.

Problem 2: The drawers are jammed
Ensure that the lock on the unit is open and all drawers are fully closed. If the drawer is stuck in this case and cannot be fully closed, please contact the seller's Customer Service.

Problem 3: The locking mechanism doesn't lock
a. It may be an assembly error. Please check to see if the locking strips on both sides of the cabinet have been pushed upward to the end during assembly so that they slide into the spring pins of the top locking mechanism.
b. If the cabinet cannot be opened with the key, please contact the seller's Customer Service.

How to take out the drawer?
Push down the black plastic part in the left side slider and push up this part in the right side at the same time, then pull out the drawer evenly, the drawer will be took out.