


INSTRUCTION MANUAL



ASSEMBLY PARTS AND TOOL

BEFORE YOU GET STARTED, A FEW POINTERS:




Having a friend to help
makes assembly extra-easy



Please use the included wrench
instead of an ELECTRIC HAND DRILL
in case of damage to the sofa leg.


PACKAGE LIST

A




Seat Frame *1

B




Back Frame *1

C




Armrest *2

D



Side Seat Cushion *2

E




Middle Seat Cushion *1

F



Side Back Cushion *2

G




Middle Back Cushion *1

H



Armrest Cushion *2

I




Wooden Leg *4

PLEASE MAKE SURE ALL THE PARTS ARE INCLUDED.

ASSEMBLY PARTS AND TOOL

ACCESSORY LIST

1



Carriage Bolts M8*80mm *4

2




Flat Washer *12

3




Nut *12

4




Threaded Pin 2*TH M8*60mm *8

5




M6*50mm Bolts *16

6



Allen Wrench *1

7




Key Hollow- Hex *1

PLEASE MAKE SURE ALL THE PARTS ARE INCLUDED.

ASSEMBLY INSTRUCTIONS

Step 1



Connect Seat Frame(A) and Back Frame(B) with Four sets of Carriage Bolts(1), Flat Washer(2) and Nut(3), using the Key Hollow-Hex(7).



ASSEMBLY INSTRUCTIONS

Step 2


Insert Four Threaded Pin 2*TH(4) to each Armrest(C) for Left and Right.



ASSEMBLY INSTRUCTIONS

Step 3


Connect Left Armrest and Right Armrest to the correct place of the body frame with Four sets of Flat Washer(2) and Nut(3), using the Key Hollow-Hex(7).



ASSEMBLY INSTRUCTIONS

Step 4



Connect the Four Wooden Legs(I) with the bottom of the sofa with Sixteen M6*50mm Bolts(5) by using the Allen Wrench(6).



ASSEMBLY INSTRUCTIONS

Step 5

Put the Back Cushions(F&G) , Seat Cushions(D&E), and Armrest Cushions(H) into each Cushion's Cover, then put them in the right place.



WARNING

 Please read the instructions carefully and follow the assembly steps.

To ensure proper assembly, please follow all steps and use all parts provided. Not following this warning may result in serious injury to you or others.

To prevent misalignments, keep the screws loose and do not tighten them until they are all in their correct positions.

Avoid overtightening or forcing the screws, as this could cause them to break, strip, or damage the threads of the holes.

Using the wrong size of screws for a particular part could cause damage to the screw or the part.

Please lubricate all moving parts regularly and tighten all bolts and screws every 6 months, or as needed.

SAFETY INFORMATION

WEIGHT CAPACITY FOR SEATING: 720 LBS



Sit in the center of the chair with your back against the backrest



Do not sit at the front edge of the chair



Do not stand on the chair



Do not use the chair with more than one person



Do not push the chair around when a person is sitting in it



Do not push down on the backrest when a person is reclined



Do not place all your weight on the backrest only

LIMITED WARRANTY

We promise to repair or replace any chair that is found to be defective in material or workmanship within one year from the date of original purchase so long as you, the original purchaser, still owns it. This is your sole and exclusive remedy. This warranty is subject to the provisions below.

EXCLUSIONS

This warranty does not apply and no other warranty applies to:

- Normal wear and tear, which are to be expected over the course of ownership.
- Misuse, abuse, or excessive use of the product.
- Modifications or attachments to the product that are not approved
- Products that were not installed, used, or maintained in accordance with product instructions and warnings.
- Products used for rental purposes or unauthorized retail activities.

Seating Usage: Normal use for seating is identified as the equivalent of a single shift, forty- (40) hour workweek. To the extent that a seating product is used in a manner exceeding this, the applicable warranty period will be reduced in a pro-rata manner.