

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 1 of 16

HANGZHOU YOUDE IMPORT AND EXPORT CO., LTD
 ROOM 1101, BUILDING A, NO. 500, JUCAI ROAD, BINJIANG DISTRICT, HANGZHOU CITY,
 ZHEJIANG PROVINCE

Sample Description : PIZZA OVEN

Style/ Item No. : ZTG21G030-MVQ

Country of Origin : CHINA

Country of Destination : AMERICA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : MAR. 19, 2024

Test Performing Date : MAR. 19, 2024 TO JUN. 19, 2024

Test Performed : Selected test(s) as requested by applicant

Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of
 SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

Ruby Gu

Ruby Gu
 Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgs.com.cn
 中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Conducted:

SGS-HLSD-70003.01-US-Garden Barbecue Fireplace burning Charcoal or Firewood-V1

Test Property	Test Method	Test Principle / Requirements	Result	Rating
SCOPE:				
This protocol applies to Garden Barbecue Fireplace burning Charcoal or Firewood, which may consist of concrete base, terrace tiles and concrete paving using special mortar.				
REFERENCE: Where there is no applicable US standard, SGS has chosen the most relevant International standards to assess the product safety and performance. For undated references, the latest edition of the referenced document (including any amendments) applies.				
LABELING				
Labeling on Packaging	Visual Inspection Citation: 16 CFR 500-503 (Fair Packaging & Labeling Act)	If the sample is not a consumer commodity, then the result of this test is reported for reference only; the result is not rated. As applicable to consumer commodities: 1) Statement of identity. 2) Name and place of business of manufacturer, packer or distributor. Place of business shall include street address, city, state, and zip code; however, the street address may be omitted if it is listed in a readily accessible, widely published, and publicly available resource, including but not limited to a printed directory, electronic database, or Web site. (Effective Dec. 17, 2015.) 3) Net quantity of the contents in terms of weight, measure, or numerical count. No exaggerative words are allowed in relation to describing the unit of weight or mass, measure or count (i.e., "giant quart," "jumbo liter," "full gallon," "when packed," "minimum," etc.). 4) Statements of weight or mass (if shown on label) shall be in terms of both avoirdupois pound and ounce and SI metric kilograms, grams, or milligrams.	M	SAT



SGS-CSTC Technical Services Co., Ltd.
Ningbo Branch Harbin

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 3 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Country of Origin Marking	Visual Inspection Citation: 19 CFR 134.11, 19 CFR 134.33 & 19 CFR 134.43	Unless excepted, every article of foreign origin (or its container) imported into the United States shall be marked in a conspicuous place as legibly, indelibly, and permanently as the nature of the article (or container) will permit, in such manner as to indicate to an ultimate purchaser in the United States the English name of the country of origin of the article, at the time of importation into the Customs territory of the United States. Containers of articles excepted from marking shall be marked with the name of the country of origin of the article unless the container is also excepted from marking.	M	SAT



SGS-CSTC Technical Services Co., Ltd.
Ningbo Branch Harbin

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Interpretations of Magnuson-Moss Warranty Act	Visual Inspection Citation: 16 CFR 701	<p>Warranties are not required. However, if a warranty is included with the product, the warranty must comply with regulation. Any warrantor warranting to a consumer by means of a written warranty a consumer product actually costing the consumer more than \$15.00 shall clearly and conspicuously disclose in a single document in simple and readily understood language, the following items of information:</p> <ol style="list-style-type: none"> 1) As a warrantor, you must designate, or title, your written warranty as either full or limited. 2) As a warrantor, you must state certain specified information about the coverage of your warranty in a single, clear, and easy-to-read document: <ol style="list-style-type: none"> a) What does the warranty cover/not cover? b) What is the period of coverage? c) What will you do to correct problems? d) How can the customer get warranty service? e) How will state law affect your customer's rights under the warranty? <p>Acceptable boilerplate for part e: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.</p>	M	SAT



SGS-CSTC Technical Services Co., Ltd.
Ningbo Branch Harbin

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 5 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Plastic Bag Suffocation Warning	Visual Inspection Citation: California Business & Professions Code, Sec. 22200-22205, Chicago, IL Municipal Code C.7-28-050, MA 105 CMR 630.000, 10 NY ADC 12.12, RI Code 11-9-16 & VA Code 18.2-320	<p>If bag thickness is 1 mil or greater, report as PASS.</p> <p>If bag thickness is <1 mil, in order to establish compliance (pass/fail), the bag's dimensions need to be considered in conjunction with the labeling specifications of the individual jurisdictions as follows:</p> <p>CALIFORNIA - You must label if:</p> <ol style="list-style-type: none"> 1) Thickness is an average less than one mil, and 2) Size of opening is larger than 25 square inches or a capacity of more than 125 cubic inches. <p>CHICAGO, IL - requirement is for polyethylene bag, other than one used for food products weighing not more than five pounds, intended for household.</p> <p>MASSACHUSETTS & NEW YORK - You must label if:</p> <ol style="list-style-type: none"> 1) Thickness is less than one mil, and 2) Size of opening has a diameter of seven inches or more, and 3) Length and width when added together totals 25 inches or more. <p>RHODE ISLAND - You must label if:</p> <ol style="list-style-type: none"> 1) Thickness is less than one mil, and 2) Size of opening is larger than five inches in diameter. <p>VIRGINIA - You must label dry cleaning bags if:</p> <ol style="list-style-type: none"> 1) Thickness is less than one mil, and 2) Length totals twenty-five inches or more. <p>CALIFORNIA & RHODE ISLAND - Total length and width of: <30 inches = 10point type minimum = or > 30 inches and < 40 inches = 14point type minimum</p>	M	SAT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
 中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Property	Test Method	Test Principle / Requirements	Result	Rating
		<p>= or > 40 inches and < 60 inches = 18point type minimum = or > 60 inches = 24point type minimum.</p>		
		<p>MASSACHUSETTS - Total length and width of: = or > 25 inches and < 40 inches = 14point type minimum = or > 40 inches and < 60 inches = 18point type minimum = or > 60 inches = 24point type minimum. If total length and total width is more than 40 inches (when added), label shall be repeated at 20 inch intervals.</p> <p>NEW YORK - Total length and width of: = or > 25 inches and < 30 inches = 10point type minimum = or > 30 inches and < 40 inches = 14point type minimum = or > 40 inches and < 60 inches = 18point type minimum = or > 60 inches = 24point type minimum.</p> <p>VIRGINIA - 36point type minimum. Plastic bags in California, Massachusetts, New York, Rhode Island, and Virginia require the following warning: "WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or play pens. This bag is not a toy." If the warning is required based on thickness and opening size, but not present, then the test shall be reported as fail. If a warning is present, report the warning listed on the bag.</p>		
Compliance: Appliances - coal and wood burning	16 CFR 1406.4	[If applicable] Shall contain written notice(s) as specified in the regulation.	NA	--



SGS-CSTC Technical Services Co., Ltd.
Ningbo Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
 中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 7 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Labeling of charcoal grills and hibachis	San Francisco Case No CGC-16-555429 / Evelyn Wimberley v. A&J Manufacturing, LLC. Out-of-court settlement	<p>[Charcoal Grills and Hibachis] No testing is required.</p> <p>Charcoal grills and hibachis shall utilize a warning statement for carbon monoxide. Warning shall be one of the following warning options: WARNING: Combustion byproducts produced when using this product include carbon monoxide, a chemical known to the State of California to cause birth defects or other reproductive harm. Or, WARNING: This product can expose you to carbon monoxide, which is a combustion byproduct known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Or, WARNING: Combustion byproducts near this grill include carbon monoxide, a chemical known to the State of California to cause birth defects or other reproductive harm.</p> <p>Note: Applicable to Charcoal grills and hibachis, Portable charcoal grills.</p>	M	SAT



SGS-CSTC Technical Services Co., Ltd.
Ningbo Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 8 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Labeling of hoses, brass valves & brass components	San Francisco Superior Court Case No. CGC-06-456753 / Ecological Alliance LLC v Hearth Products Controls Co Out-of-court settlement	<p>[Hoses, Brass Valves & Brass Components] No testing is required.</p> <p>Shall utilize a warning statement for lead and lead compounds. Warning label options are as follows:</p> <p>PROP 65 WARNING: This product contains chemicals, including lead and lead compounds, known to the State of California to cause [cancer, and] birth defects or other reproductive harm. Wash your hands after handling this product. Or, PROP 65 WARNING: Handling the brass material on this product exposes you to lead, a chemical known to the State of California to cause [cancer, and] birth defects and other reproductive harm. Wash hands after use. Or, PROP 65 WARNING: Handling the brass material of this product exposes you to lead, a chemical known to the State of California to cause [cancer, and] birth defects or other reproductive harm. Wash hands after use.</p> <p>Note: Applicable to hoses and their component parts, designed to be used with portable propane or natural gas operated devices, such as barbeque grills, heaters, stoves and lamps. Includes Brass Valves & Brass Components of Hoses used with Portable Propane or Natural Gas Devices.</p>	NA	--
Instructions	Visual	Use/care instructions that are clear and understandable shall be provided in language appropriate to destination countries.	M	SAT
CONSTRUCTION & WORKMANSHIP				



SGS-CSTC Shanghai Technical Services Co., Ltd.
Ningbo Branch Harumies

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Defects	Visual	Shall have no discernible surface degradation, including crazing, shivering, denting, bubbles, cracks, stains, deformations, chips, fractures, heavy lines, waves, shear marks, scratches, scuff marks, indentations, or blisters. Shall have no components missing, malformed, and / or fractured.	M	SAT
Coating adhesion test	ASTM D3359 modified	[Coated metal, wood or plastic surfaces only] Coated items (plating, paint, powder coating, or other surface finish) shall be rated per the scale specified in the standard when tested as appropriate. Adhesion shall rate 4A or better for X-cut or 4B or better for hatch-cut. 3A or 3B shall rate as fail. Cut coating as specified, apply tape to cuts, then remove tape and examine for removal of coating from substrate. Photograph if any plating / finish is removed. Select cutting method as follows: - Use X-cut method for all coatings on plastic or wood substrates, all coatings on non-flat surfaces, and all coatings over 5 mil (125 µm) thick. - Use 6-tooth hatch-cut method for coatings from 2 mils (50 µm) to 5 mils thick on flat surfaces other than plastic or wood. - Use 11-tooth hatch-cut method for coatings up to 2 mil thick on flat surfaces other than plastic or wood. Modified = Expanding scope to include other products.	M	SAT
Weld Finish	Visual	All welds must be smooth and evenly finished.	M	SAT
Sharp points / Sharp edges	16 CFR 1500.48 / 1500.49 modified	Shall have no sharp points/edges, other than those required for function. Modification = Expanded scope to other products	M	SAT
PHYSICAL CHARACTERISTICS				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 10 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Weight	Standard measure	Report overall weight; shall meet $\pm 5\%$ of label claims (If applicable).	M C: 21.3kg R: 21.28kg	SAT
Overall Dimensions	Standard measure	[Assembled] Report overall dimensions; shall meet $\pm 5\%$ of label claims (if applicable).	R 650 x 500 x 1600mm	--
Parts Inventory	Visual Check	Shall meet label claims.	M	SAT
PERFORMANCE TEST				
Actual use-functionality	In-House Method	Utility: Not Covered By Other Tests Operate all specific controls or features described by the user manual or instructions, including functions implied by product design. Verify that all safety functions operate properly. List all controls, features, and functions tested. State / describe specific method(s) of testing used (as applicable to product claims or intended functions). Shall function as intended as received.	M Functioned as intended	SAT



SGS-CSTC Technical Services Co., Ltd.
Ningbo Branch Harimies

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 11 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Actual use- functionality - additional testing	Actual use / functionality	<p>[When extra time is needed beyond the normal Actual Use – functionality test time]</p> <p>If additional components or items are required to test the functionality of a product (hubs, apps, battery / battery chargers, products, etc) these items shall be requested from the vendor / manufacturer. If they are unable to provide these necessary components please contact clients for additional direction.</p> <p>Operate all specific controls or features described by the user manual or instructions, including functions implied by product design.</p> <p>Verify that all safety functions operate properly.</p> <p>Actual use testing not to exceed 1 hour.</p> <p>List all controls, features, and functions tested.</p> <p>State / describe specific method(s) of testing used (as applicable to product claims or intended functions).</p> <p>Shall function as intended as received.</p>	<p>NA</p> <p>No additional use</p>	--
Assembly	Assembly	<p>Shall provide ease of assembly / mounting. Assemble once following instructions provided.</p> <p>Report shall include pictures from multiple angles of the assembly. It should be mounted if required for use.</p>	<p>R</p> <p>The whole sample was provided by client</p>	--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
 中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 12 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Body Loading	CSA/ANSI Z21.58:22 • CSA 1.6:22 (Mod)	The construction of the body of the appliance shall show no evidence of breakage, permanent damage or permanent deformation when subjected to the test load as determined in Table 9, Body Loading, uniformly applied over the top of the body for a period of 5 minutes. Any cover, hood or shelf located above the top of the body, top grates or broilers grid shall be removed during this test. No breakage, permanent damage or permanent deformation shall occur as a result of this test. Modification: expand the scope to other product.	M	SAT
Stability	CSA/ANSI Z21.58:22 • CSA 1.6:22 (Mod)	The appliance shall be constructed so it cannot be tipped by any reasonable pressure. This shall not apply to broilers, which are provided with means, including necessary screws, bolts or both, and instructions for attaching them to the floor or mounting their bases in the ground. With all lids or covers in the closed position, the appliance shall be tipped in any direction at an angle of 15 degrees (0.26 rad) from the vertical and shall not tip over when released. Modification: expand the scope to other product.	M	SAT
Durability: temperature	Actual Use	Set appliance on highest temperature setting. Once temperature reaches equilibrium continue operating for 1 hour. Painted surfaces of grill shall withstand maximum temperature of grill without peeling, cracking, chipping, etc.	M	SAT



SGS-CSTC 宁波分公司
Inspection & Testing Services
Ningbo Branch Harbin

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgs.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 13 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Temperature Limit: handle and knob	CSA/ANSI Z21.58:22 • CSA 1.6:22 (Mod)	<p>The surface temperatures of the grasping area of handles/knobs and, if provided, doors, covers, spit handles and handles intended for use in moving an outdoor cooking appliance shall not exceed the following limits:</p> <p>Bare or painted metal 131 °F (55 °C) Porcelain enamel 139 °F (59 °C) Glass 149 °F (65 °C) Wood or plastic ** 167 °F (75 °C)</p> <p>Note: maximum allowable temperature is based on a 77 °F (25°C) room temperature. When the room temperature is other than 77 °F (25°C), the allowable temperatures shall be increased or decreased 1 degree for each degree of room temperature greater or less than 77 °F (25°C). ** include plastic with a metal plating not more than 0.005 in thick and metal with plastic or vinyl covering not less than 0.005 in thick. Modification: expand the scope to other product.</p> <p>Client requirement: Do not FAIL for vent cover handle. Recommend to add a warning statement of the vent cover handle when it is over the maximum allowable temperature.</p>	<p>R</p> <p>Fuel load: 1.0kg according to IM</p> <p>RT: 20.0°C</p> <p>Chimney lid (plastic): 57.5°C</p> <p>Door handle (upper, plastic): 35.6°C</p> <p>Door handle (down, plastic): 103.6°C</p> <p>Gripping handle (metal): 103.5°C</p> <p>Ash catcher handle (metal): 83.8°C</p> <p>Air ventilation handle (plastic): 143.0°C</p> <p>The handles temperatures are out of limit, and the client accepts them.</p>	--
Temperature Limit: wall and floor	CSA/ANSI Z21.58:22 • CSA 1.6:22 (Mod)	<p>The maximum temperature of any exposed wall adjacent to an outdoor cooking appliance shall not be more than 117 °F (65°C) in excess of a room temperature of 70°F (21°C). In addition, the temperature of the floor beneath the outdoor cooking appliance shall not be more than 90 °F (50°C) in excess of a room temperature of 70 °F (21°C). Modification = Expanded scope to other products</p>	<p>M</p> <p>RT: 20.0°C</p> <p>Wall: 46.4°C</p> <p>Floor: 55.2°C</p>	SAT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Technical Services Co., Ltd. Ningbo Branch
 1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
 中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Test Report

No.: NBHL2403004401GA

Date: JUN. 19, 2024

Page: 14 of 16

Test Property	Test Method	Test Principle / Requirements	Result	Rating
Cleanability	In house method	[Applicable to tabletop or surface which can be used as a tabletop] Demonstrates good resistance to common household cleaners with no change in surface after a total of six cycles of cleaning as follows: <ul style="list-style-type: none"> Dish detergent, glass cleaner, spray-type cleaner (e.g., 409) using 3M scrub sponge Same cleaners using plastic mesh scrubber. 	NA	--
Loading Capacity	In house method	[Applicable to table or appliance which can be used as a table] Shall withstand 2.0 times claimed or intended load (at least 300 Lbs.) for 1 hour without structural failure. Report load weight used.	NA	--

Key: *: Additional charge items;

Result Key:

C=Claimed; R=Recorded; M=Meets; NM=Does Not Meet; NA=Not Applicable; NT=Not Tested;

Rating Key:

SAT=Satisfactory; UNSAT=Unsatisfactory;

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

Remark:

- The tests were subcontracted to SGS SHUNDE lab.
- Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- The declaration of conformity is based on acceptance limits chosen based on simple acceptance (w = 0, AL = TL).

Statements of conformity are reported as:

Passed - The measured values were observed in tolerance at the points tested.

Failed - One or more measured values were observed out of tolerance at the points tested.



SGS-CSTC 宁波检测服务有限公司, Ltd.
Ningbo Branch Harbin

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgsgroup.com.cn
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com

Sample Photo:



Exhibit #1. Sample as received



Exhibit #2. Sample as received



Exhibit #3. Sample as received



Exhibit #4. Sample as received



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgs.com.cn
 中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com



Exhibit #5. Sample as received



Exhibit #6. Sample as received



Exhibit #7. Sample as received



Exhibit #8. Sample as received

SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 1-5F West No. 4 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040 t (86-574)87767006 f (86-574)87768122 www.sgs.com.cn
 中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼西1-5层 邮编: 315040 t (86-574)87767006 f (86-574)87768122 e sgs.china@sgs.com