








Installation & Assembly




EN_IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.



EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.







EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.










EN_Turn cam lock clockwise to tighten.







Carton A


NO.	PARTS	QTY	SPARE
13		x9	
14		x9	
16		x9	
18		x2	
	 Hardware Kit	x1	

Carton B


NO.		QTY	SPARE
1		x1	
2		x1	
3		x1	
4		x3	
5		x1	
6		x2	
7		x1	
8		x1	
9		x1	
10		x1	

Carton B


NO.		QTY	SPARE
11		x1	
12		x3	
15		x9	
17		x9	
20		x3	
21		x3	




Left Drawer








Middle Drawer



Right Drawer







 A x55 Ø6x35mm +3(spare)	 B x55 Ø15x10mm +3(spare)	 C x66 Ø6x30mm +3(spare)	 D x77 Ø4x35mm +3(spare)	 E x108 Ø3.5x12mm +4(spare)	 F x9
 G1  G2 G x14 Ø3x16mm +1(spare)	 H x1	 I x14 Ø15mm +1(spare)	 J x3 Ø4x14mm	 K x2	 L x2 Ø6x30mm
 M x1	 N x7 Ø3x12mm +1(spare)	 O x1	 P x10 Ø4x30mm +1(spare)	 Q x1	 CL x9 350mm
 CR x9 350mm	 DL x9 350mm	 DR x9 350mm			

 A x45	 C x36	 D x45
---	---	---


x9



01





B x45**F** x9**x9****02**

Notice

E x54**DL** x9**DR** x9**x9****03**





B x4

C x4





Note: At least two people are required for this step.



08



D x4



Attention: Use screw "D" to pass through the third and fourth holes of plates 18 and 18 and connect to plate 4.

B x2**C x2****D x4****Note: At least two people are required for this step.****09****Need Two or More
People To Complete**

B x2




C x10




D x4



Note: At least two people are required for this step.







Need Two or More
People To Complete





Note: At least two people are required for this step.








D x6




Tighten screw 'D' to 100%

2 & 3






P x10




Note: At least two people are required for this step.

16



Notice





D x8











Note: At least two people are required for this step.


17




G x14

I x12






- (1) Please unfold the light strip (M) and peel off a small piece of protective film on the back of the light strip M at the right end, as shown in the picture



- (2) Then please pull the light strip M from the bottom of board 11 according to the arrow direction as shown in the figure, tear off the adhesive on the back of the light and stick the light strip M to board 8, and finally to board 10, as shown in the figure




J x2








K x2



Q x1





180°



Attention: The drawers are divided into left drawer, middle drawer, and right drawer.




As shown, the left drawer is installed on the cabinet.





x3

Attention: The drawers are divided into left drawer, middle drawer, and right drawer.
 shown, the middle drawer is installed on the cabinet.





! The distance between the left and right is the same.



Attention: The drawers are divided into left drawer, middle drawer, and right drawer.





As shown, the right drawer is installed on the cabinet.



D x2




L x2




First, use a ruler to measure the approximate height of the product on the wall, and then mark it with a pen.


Then use a tape drill to make holes in the wall that are suitable for the product screws.



Then, put the expansion bolt into the hole



Finally, pass the matching screws through the "anti-rewind" and tighten them to fix them on the wall.




H x1

Done



WALL




Scan QR code to download APP controller



OR

Flip to the other side to find the control button



OR

0 between 3m



Short Press:

1. **Cycle through seven static colors:** The light cycles through seven predefined static colors.
2. **Three-color jump mode:** The light dynamically jumps between three specific colors.
3. **Sound control mode:** The light responds to sound input, changing colors or patterns.
4. **Power off:** The light turns off.
5. **Loop:** The sequence repeats in a continuous loop.

Long Press (3 seconds):

1. **First long press (3 seconds):** Activates the radar function (LED flashes once to indicate activation).
2. **Second long press (3 seconds):** Deactivates the radar function (LED flashes three times to indicate deactivation).
3. **Toggle in a loop:** Each long press toggles between activating and deactivating the radar function.

Radar Function:

1. **Automatic turn-off:** If a person moves away and no motion is detected for 60 seconds, the light automatically turns off.
2. **Automatic turn-on:** When a person comes within a 3-meter range, the light automatically turns on via motion detection.

This functionality provides a versatile and user-friendly lighting system with both manual and automatic control options.