



TURNER BIANCA	Brands	Pre-Production Review			
Brand:	CATHERINE LANSFIELD - NON PRINT				
Design Name:	SO SOFT MONO SATIN STITCH				
BDS:	61209				
Season:	SS26				
Category:	MAIN RANGE BEDDING				
Factory:	YATEX				
Products:	BEDDING				
Country of Origin	CHINA				
Agreed Pack Fold Image					
Packaging Type Required	CL TIMELESS				
Colour	SILVER				
Colour Standard agreed - CAD, lab dip, swatch, etc.					
Design Face					
Fabric Construction Face					
Design Reverse / Lining					
Fabric Construction Reverse / Lining	100% POLYESTER MICROFIBRE				
Composition Face	100% POLYESTER MICROFIBRE				
Composition Reverse / Lining	3 STRIPES BARATTA STITCH				
Fabric Weight Face	120GSM				
Fabric Weight Reverse / Lining	120GSM				
Fill Composition					
Fill Weight					
Sizes Selected	S/D/K/ DUVET SETS				
Finishes Face					
Finishes Reverse / Lining					
Technique					
Print Technique Face	NA				
Print Technique Reverse / Lining	NA				
Print Technique Pillowcase Front	NA				
Print Technique Pillowcase Reverse	NA				
Dye Class Face					
Dye Class Reverse / Lining					
Printed on optic?					
Any concerns re. differential shrinkage?					
Any concerns re. cross staining?					
Any compromise on physical performance?					
Is the fabric directional?					
Any batch consistency challenges?					
Any speciality - glitter, pearl, foil?					
Does the speciality print perform to 25 washes?					
Proposed: Care Symbols Wash Instructions Logo's Proposed	 <p>BLEACH, DOT, TUMBLE DRY, 2 DOT IRON, DO NOT DRY CLEAN ADDITIONAL COMMENTS: WASH BEFORE USE, WASH DEEP COLOURS SEPARATELY, DO NOT BLEACH OR DRY CLEAN, TUMBLE DRY ON A LOW HEAT SETTING, IRON ON REVERSE ONLY, KEEP AWAY FROM FIRE</p>				
Any additional disclaimers required?					
Red Seals required?					
User Trials required?					
Styling Details					
Additional Styling Details (e.g. width / colour / quilting etc.)					
Cutting (Random / Precision etc)					
Trims Embellishment					
Opening / Fastening					
Fastening Colour - dyed to match?					
Amendments Requested					
Any other comments from the factory					
Any other comments					
Approved Buying Sample Image or CAD layout					


Brands

Brand	CATHERINE LANSFIELD - NOI	Technologist	ALEX ARMSTR
Design Name	SO SOFT MONO SATIN STITCH	Product Exec	SALLY ROBERT
BDS	61209	Designer	KATE ANDERS
Factory	YATEX	Date	

GENERAL COMMENTS/ OBSERVATIONS/ APPROVALS

12.08.25
approved with comments on stitching

Buying Sample Log



Pcase



One pcase it perfect the other has a visible join, and there is a bump on one side. All lines need to be as straight as possible and joins seamless



Duvet



Brands		Approved Packaging Soft Copy	
Brand	CATHERINE LANSFIELD - NON PRINT	Technologist	ALEX ARMSTRONG
Design Name	SD SOFT MONO SATIN STITCH	Product Exec	SALLY ROBERTS
BDS	61209	Marketing & Graphics	BETH TINKER
Factory	YATEX	Date	

APPROVED SOFT COPY IMAGES/ SCREEN SHOTS



STYLE CODE	OPTION	BARCODE	
BD/61209/W/SQS/WH5	SINGLE DUVET SET	5056841311688	
BD/61209/W/DQS/WH5	DOUBLE DUVET SET	5056841311718	
BD/61209/W/KQS/WH5	KING DUVET SET	5056841311664	
BD/61209/W/SKQS/WH5	SUPER KING DUVET SET	5056841311671	

**TURNER
BIANCA**

Brands

Test Report Results

Testing Required	Requirements	Reference	Accredited Testing House	Colour / Item Tested	Test Report Number	Date of report	*Results / Grade	Comments
BS EN ISO 105 E01	Colourfastness to water - Requirement: Change 4 staining 4							
BS EN ISO 105 X12	Colourfastness to Rubbing (Wet & Dry) - Requirement: Dry 4, Wet 4							
BS EN ISO 105 B02	Colourfastness to Light - Requirement: Standard 4							
BS EN ISO 105 C06	Colourfastness to washing - Requirement change 4 staining 4							
1007/2011/EU	Fibre composition							
EN ISO 6330:2012	Dimensional Stability to Washing- Requirement +/- 3% for synthetic blends & +/-5% for cotton							
EN ISO 6330:2012	Appearance after Machine Washing (1 wash as per care label) - Requirement +/-3% and general appearance graded as satisfactory.							
EN ISO 13934-2	Tensile Strength - Requirement 25KG							
EN ISO 13937-1	Tear Strength - Requirement 1000cN							
EN ISO 13935-2	Seam strength - Requirement: >120N							
EN ISO 13936-1	Seam Slippage - Requirement: 6mm Seam opening 12KG Load							
EN ISO 12945-2	Pilling Resistance - Requirement 2,000 revs, Grade 4							

**TURNER
BIANCA**

Brands

Brand	CATHERINE LANSFIELD - NON PRINT	Technologist	ALEX ARMSTRONG
Design Name	SO SOFT MONO SATIN STITCH	Product Exec	SALLY ROBERTS
BDS	61209	Designer	KATE ANDERSON
Factory	YATEX	Date	

GENERAL COMMENTS/ OBSERVATIONS/ APPROVALS

27.10.25
Stitching has joins. I did mention this at initial sample. You need to make sure that this is monitored

APPROVED _____ REJECTED _____

PACKAGING CHECKLIST

Product Exec	
Technologist	
CHECKS	COMMENTS
Insert wording and spelling matches approved soft copy	
Insert matches colour standard	
Photography matches product	
Pack Size	
Fold Correct	
Fibre composition stated in FOP or BOP	
Fibre composition stated on care label	
Stated fibre composition is correct	
Care icons correct on BOP	
Care icons correct on care label	
Positioning of labels	
Child safety warning correct, clear and colour fast	
Correct text use of 3rd party info	
Correct TB logo's	
Correct 3rd party logo's	

GOLD SEAL LOG

GOLD SEAL - Images / Observations/ Comments/ Actions
