



ROWLINSON®
GARDEN PRODUCTS




ShelterLogic®

SHELTER LOGIC
PRODUCT RANGE

Peak Style Storage Sheds



6x6

Code: SL70417

Barcode: 5013856997788

DIMENSIONS:

Height: 1800mm

Width: 1800mm

Depth: 1800mm

PACKED DIMENSIONS:

Height: 14cm

Width: 104cm

Depth: 43cm

Weight: 24.5Kg

SRP: £165.00

DELIVERY 3-7 DAYS



6x10

Code: SL70471

Barcode: 5013856997795

DIMENSIONS:

Height: 2000mm

Width: 1800mm

Depth: 3000mm

PACKED DIMENSIONS:

Height: 16cm

Width: 109cm

Depth: 52cm

Weight: 38Kg

SRP: £239.00

DELIVERY 3-7 DAYS

FEATURES:

- 35 mm diameter steel construction with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple layer woven polyethylene is heat sealed not stitched for maximum water resistance
- UV treated inside, outside and in between with added fade blockers
- Patent-Pending ShelterLock® 3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter.
- Easy slide cross rail
- Ratchet tight cover tensioning ensures drum tight cover and door panel connection to shelter frame

Peak Style Storage Sheds



8x8

Code: SL70472

Barcode: 5013856997801

DIMENSIONS:

Height: 2400mm

Width: 2400mm

Depth: 2400mm

PACKED DIMENSIONS:

Height: 14cm

Width: 104cm

Depth: 52cm

Weight: 35.9Kg

SRP: £239.00

DELIVERY 3-7 DAYS



10x10

Code: SL70335

Barcode: 5013856997771

DIMENSIONS:

Height: 2400mm

Width: 3000mm

Depth: 3000mm

PACKED DIMENSIONS:

Height: 19cm

Width: 111cm

Depth: 52cm

Weight: 40.8Kg

SRP: £259.00

DELIVERY 3-7 DAYS

FEATURES:

- 35 mm diameter steel construction with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple layer woven polyethylene is heat sealed not stitched for maximum water resistance
- UV treated inside, outside and in between with added fade blockers
- Patent-Pending ShelterLock® 3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter.
- Easy slide cross rail
- Ratchet tight cover tensioning ensures drum tight cover and door panel connection to shelter frame

Peak Style Storage Shed

Code: SL70474

Barcode: 5013856997818



FEATURES:

- 35 mm diameter steel construction with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple layer woven polyethylene is heat sealed not stitched for maximum water resistance
- UV treated inside, outside and in between with added fade blockers
- Patent-Pending ShelterLock® 3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter.
- Easy slide cross rail
- Ratchet tight cover tensioning ensures drum tight cover and door panel connection to shelter frame

DIMENSIONS:

Height: 2600mm

Width: 3700mm

Depth: 3700mm

PACKED DIMENSIONS:

Height: 22cm

Width: 131cm

Depth: 55cm

Weight: 52Kg

SRP: £379.00

DELIVERY 14 DAYS

Accelaframe Shelter

Code: SL70922

Barcode: 5013856990086



FEATURES:

- Revolutionary accelafame rib system engineered for quicker, easier assembly and disassembly, stronger frame, and easier storage, cuts build time from hours to minutes.
- High grade steel frame 2 times stronger than our standard shelters. 42 mm diameter steel construction with a premium powder coat finish resists chipping, peeling, rust and corrosion
- Rip stop tough fabric cover triple-layer woven polyethylene is heat sealed not stitched for maximum water resistance, UV treated inside, outside and in between with added fade blockers
- Ratchet tite cover tensioning ensures a tight cover and door panel connection to shelter frame. Quality ratchet and web strap components keep cover tight and neat looking

DIMENSIONS:

Height: 2700mm

Width: 3700mm

Depth: 6100mm

PACKED DIMENSIONS:

Height: 36cm

Width: 224cm

Depth: 45cm

Weight: 99.8Kg

SRP: £879.00

DELIVERY 14 DAYS

10x20 Peak Style Auto Shelter

Code: SL62634

Barcode: 5013856997733



FEATURES:

- 35 mm high-grade steel frame with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple layer woven polyethylene is heat sealed not stitched for maximum water resistance
- Patent Pending ShelterLock®3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter
- Easy Slide Cross Rail™ system locks down cover and squares up frame
- Ratchet tight cover tensioning ensures drum tight cover and door panel connection to shelter frame, quality ratchet and web strap components keep cover tight and neat looking

DIMENSIONS:

Height: 2400mm

Width: 3000mm

Depth: 6100mm

PACKED DIMENSIONS:

Height: 25cm

Width: 111cm

Depth: 52cm

Weight: 61Kg

SRP: £369.00

DELIVERY 14 DAYS

12x16 Compact Peak Autoshelter

Code: SL62697

Barcode: 5013856997764



FEATURES:

- 35 mm high-grade steel frame with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple layer woven polyethylene is heat sealed not stitched for maximum water resistance
- Patent Pending ShelterLock®3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter
- Easy Slide Cross Rail™ system locks down cover and squares up frame
- Ratchet tight cover tensioning ensures drum tight cover and door panel connection to shelter frame, quality ratchet and web strap components keep cover tight and neat looking

DIMENSIONS:

Height: 2600mm

Width: 3700mm

Depth: 4900mm

PACKED DIMENSIONS:

Height: 23cm

Width: 131cm

Depth: 55cm

Weight: 68.5Kg

SRP: £459.00

DELIVERY 14 DAYS

Round Top Autoshelters



FEATURES:

- 35 mm high-grade steel frame with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple layer woven polyethylene is heat sealed not stitched for maximum water resistance
- Patent Pending ShelterLock®3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter
- Easy Slide Cross Rail™ system locks down cover and squares up frame
- Ratchet tight cover tensioning ensures drum tight cover and door panel connection to shelter frame, quality ratchet and web strap components keep cover tight and neat looking

10x15

Code: SL62589
Barcode: 5013856997726

PACKED DIMENSIONS:

Height: 20cm
Width: 122cm
Depth: 55cm
Weight: 60.3Kg

SRP: £369.00
DELIVERY 14 DAYS

10x20

Code: SL62584
Barcode: 5013856997719

PACKED DIMENSIONS:

Height: 22cm
Width: 122cm
Depth: 55cm
Weight: 74Kg

SRP: £419.00
DELIVERY 14 DAYS

12x20

Code: SL62760
Barcode: 5013856997757

PACKED DIMENSIONS:

Height: 27cm
Width: 131cm
Depth: 55cm
Weight: 88.5Kg

SRP: £509.00
DELIVERY 14 DAYS

1 3x20 Truck Shelter

Code: SL62730

Barcode: 5013856997740



FEATURES:

- 35 mm high-grade steel frame with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple layer woven polyethylene is heat sealed not stitched for maximum water resistance
- Ratchet tight cover tensioning ensures drum tight cover and door panel connection to shelter frame, quality ratchet and web strap components keep cover tight and neat looking
- Easy Slide Cross Rail™ system locks down cover and squares up frame
- Bigger, stronger Alpine frame with reinforced roof structure adds more volume and overall strength

DIMENSIONS:

Height: 3700mm

Width: 4000mm

Depth: 6100mm

PACKED DIMENSIONS:

Height: 42cm

Width: 130cm

Depth: 55cm

Weight: 131.6Kg

SRP: £709.00

DELIVERY 14 DAYS

Run In Shed

Code: SL58432

Barcode: 5013856990123



FEATURES:

- Our Equine Run-In-Sheds are constructed using high grade heat treated steel. Every frame tube and connector goes through a proprietary steel surface preparation process.
- Professional grade 60 mm outside diameter all steel frame, bonded with premium powder-coated finish resists chipping, peeling, rust and corrosion
- Slip fit connectors and swaged tubing make for easy assembly. Bolt hardware at every connection ensures a solid structure
- Heavy duty corner braces on corner ribs and rugged Ratchet Tite™ tensioning enables quick cover installation.
- Easy Slide Cross Rail system lock down and square up frames and bolt hardware for every connection point

DIMENSIONS:

Height: 3200mm

Width: 6700mm

Depth: 6100mm

PACKED DIMENSIONS:

PACK 1

H25 x W155 x D56cm

Weight: 92Kg

PACK 2

H13 x W155 x D56cm

Weight: 68Kg

PACK 3

H20 x W132 x D50cm

Weight: 19Kg

PACK 4

H17 x W108 x D49cm

Weight: 19.9Kg

SRP: £1309.00

DELIVERY 14 DAYS

Peak Style Greenhouses



FEATURES:

- 35 mm high-grade steel frame with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple-layer, heat bonded ripstop translucent cover is waterproof and UV-treated inside and out which provides enhanced illumination designed specifically for plant growth and protection
- Patent Pending ShelterLock®3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter
- EasyFlow™ side panels provide airflow and temperature control
- Bungee fasteners hold sides open, hook and loop fastener strips keep sides down
- Ratchet Tite™ tensioning for solid cover anchoring

6x6

Code: SL70651
Barcode: 5013856990062

DIMENSIONS:

Height: 1800mm
Width: 1800mm
Depth: 1800mm

PACKED DIMENSIONS:

Height: 14cm
Width: 101cm
Depth: 43cm
Weight: 23Kg

SRP: £179.00
DELIVERY 3-7 DAYS

6x8

Code: SL70652
Barcode: 5013856990024

DIMENSIONS:

Height: 2000mm
Width: 1800mm
Depth: 2400mm

PACKED DIMENSIONS:

Height: 16cm
Width: 96cm
Depth: 51cm
Weight: 31.3Kg

SRP: £209.00
DELIVERY 3-7 DAYS

8x8

Code: SL70655
Barcode: 5013856990055

DIMENSIONS:

Height: 2400mm
Width: 2400mm
Depth: 2400mm

PACKED DIMENSIONS:

Height: 15cm
Width: 104cm
Depth: 51cm
Weight: 34.8Kg

SRP: £249.00
DELIVERY 3-7 DAYS

Peak Style Greenhouses



FEATURES:

- 35 mm high-grade steel frame with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple-layer, heat bonded ripstop translucent cover is waterproof and UV-treated inside and out which provides enhanced illumination designed specifically for plant growth and protection
- Patent Pending ShelterLock®3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter
- EasyFlow™ side panels provide airflow and temperature control
- Bungee fasteners hold sides open, hook and loop fastener strips keep sides down
- Ratchet Tite™ tensioning for solid cover anchoring

10x10

Code: SL70656
Barcode: 5013856990031

DIMENSIONS:

Height: 2400mm
Width: 3000mm
Depth: 3000mm

PACKED DIMENSIONS:

Height: 18cm
Width: 111cm
Depth: 51cm
Weight: 41.2Kg

SRP: £259.00
DELIVERY 3-7 DAYS

10x20

Code: SL70658
Barcode: 5013856990048

DIMENSIONS:

Height: 2400mm
Width: 3000mm
Depth: 6100mm

PACKED DIMENSIONS:

Height: 24cm
Width: 111cm
Depth: 51cm
Weight: 67Kg

SRP: £409.00
DELIVERY 14 DAYS

Accelaframe Greenhouse

Code: SL70693

Barcode: 5013856990079



FEATURES:

- Revolutionary accelafame rib system engineered for quicker, easier assembly and disassembly, stronger frame, and easier storage, cuts build time from hours to minutes.
- Rip stop tough fabric cover triple-layer woven polyethylene is heat sealed not stitched for maximum water resistance, UV treated inside, outside and in between with added fade blockers
- Roll up sides provides airflow and temperature control. Bungee fasteners hold sides open. Hook and loop fastener strips keep sides down.
- Ratchet tie cover tensioning ensures a tight cover and door panel connection to shelter frame. Quality ratchet and web strap components keep cover tight and neat looking

DIMENSIONS:

Height: 2700mm

Width: 3700mm

Depth: 3000mm

PACKED DIMENSIONS:

Height: 23cm

Width: 224cm

Depth: 45cm

Weight: 62.3Kg

SRP: £599.00

DELIVERY 14 DAYS

Heavy Duty Greenhouse



FEATURES:

- 41mm heavy duty steel frame with premium powder coat finish resists chipping, peeling, rust and corrosion
- Triple-layer, heat bonded ripstop translucent cover is waterproof and UV-treated inside and out which provides enhanced illumination designed specifically for plant growth and protection
- Patent Pending ShelterLock®3X Steel Stabilizers ensure rock solid stability and delivers a stable, more durable shelter
- Roll-up side panels provide airflow and temp control. Bungee fasteners hold sides open, hook and loop fastener strips keep sides down
- Ratchet Tite™ tensioning for solid cover anchoring

12x20

Code: SL70592

Barcode: 5013856990093

DIMENSIONS:

Height: 2500mm

Width: 3700mm

Depth: 6100mm

PACKED DIMENSIONS:

PACK 1

H13.5 x W191 x D59cm

Weight: 48.9Kg

PACK 2

H13.5 x W148 x D40cm

Weight: 46.7Kg

PACK 3

H12.5 x W108 x D43.5cm

Weight: 26.3Kg

SRP: £649.00

DELIVERY 14 DAYS

12x24

Code: SL70593

Barcode: 5013856990116

DIMENSIONS:

Height: 2500mm

Width: 3700mm

Depth: 7300mm

PACKED DIMENSIONS:

PACK 1

H13.5 x W191 x D59cm

Weight: 48.9Kg

PACK 2

H13.5 x W148 x D40cm

Weight: 46.7Kg

PACK 3

H14.8 x W191 x D52cm

Weight: 19.5Kg

PACK 4

H13.5 x W108 x D43.5cm

Weight: 28Kg

SRP: £759.00

DELIVERY 14 DAYS

Log Racks With Covers



1.2m

Code: SL90363

Barcode: 5013856997689

DIMENSIONS:

Height: 1180mm

Width: 1262mm

Depth: 250mm

PACKED DIMENSIONS:

Height: 14cm

Width: 121cm

Depth: 29cm

Weight: 10.5Kg

SRP: £79.00

DELIVERY 3-7 DAYS



2.4m

SL90365

Barcode: 5013856997696

DIMENSIONS:

Height: 1180mm

Width: 2440mm

Depth: 250mm

PACKED DIMENSIONS:

Height: 21cm

Width: 121cm

Depth: 29cm

Weight: 15.2Kg

SRP: £89.00

DELIVERY 3-7 DAYS

Hawl It Wood Mover

Code: SL90490

Barcode: 5013856997672



FEATURES:

- Heavy duty tubular steel construction
- Super strong to handle the load
- Premium powder coat finish Looks great and performs better, resists chipping, peeling, rust and corrosion.
- Built to go practically anywhere with its slim fit design
- Easy Tilt Pivot Point allows for easy rolling over tough terrain, up and down stairs.
- Extreme tread pattern takes on sand, loose soil, snow or rocky conditions.

DIMENSIONS:

Height: 1067mm

Width: 345mm

Depth: 610mm

PACKED DIMENSIONS:

Height: 11cm

Width: 97cm

Depth: 37cm

Weight: 12.3Kg

SRP: £69.00

DELIVERY 3-7 DAYS

4 Pcs 30" Auger Anchor Kit

Code: SL10075

Barcode: 5013856997702



- Portable and reusable - heavy-duty, powder-coated steel construction will not rust, corrode, chip or peel
- Quick clamp-on wire tie-downs are installed in minutes to legs and anchors with a rock solid connection
- Proper anchoring of your shelter is mandatory
- Make sure it is anchored securely to manufacturer specifications

**SRP: £39.00 DELIVERY
3-7 DAYS**