




STORAGE CABINET

User Manual

INTRODUCTION

Thank you for choosing the Storage Cabinet. Please read this user manual carefully and keep it for future reference. If you need any assistance, please contact us by email with your order number and details.









PACKAGE CONTENTS


- 1 x Storage Cabinet
- 1 x Pack of Accessories
- 1 x User Manual

PRODUCT CARE

- Please follow the instruction to assemble this item correctly.
- Don't make the screws be too loose or too tight.
- Please put the screws into the holes' position just as shown in the arrows of the image, and then clockwise rotate 90° or 180°
- More product parts, it is recommended that two people install
- The fittings pack contains small accessories that should be kept away from small children.

HARDWARE SUPPLIED

A 6x35mm  24+2 PCS	B 15x9.8mm  24+2 PCS	C Ø6x30mm  18+2PCS	D  4PCS	E M3.5x14mm  26+2PCS
F  1 PC	H H.1  H.2  10 PCS	I  2 PCS	J M4*18mm  2 PCS	N  1 PC
L L.1  140*19mm. 2 PCS L.2  Ø8xM4x16mm. 2 PCS L.3  Ø16xØ6x1mm. 4 PCS		M M.1  Ø6x35mm. 2 PCS M.2  M4x35mm. 2 PCS		




PARTS LIST

Unit: (mm)

①


786*387mm



x1

②


786*387mm



x1

③


800*398mm



x1

④


770*384mm



x1

⑤


770*367mm



x1

⑥


770*65mm



x3

⑦


701*381mm



x2


⑧





778*354mm



x2

PANEL LAYOUT




HOW TO  Cam lock  Cam bolt	1  A 1. Screw Cam Bolt into panel	2  A 2. Insert Cam Bolt into bolt hole of joining panel.	3  A B 3. Insert Cam Lock with arrow facing bolt.	4  B 4. Gently turn Cam Lock 180° clockwise to lock into position.
---	---	--	---	--

YOU WILL NEED

A x4


1









2

YOU WILL NEED





B x4




HOW TO  Cam lock  Cam bolt	 1. Screw Cam Bolt into panel	 2. Insert Cam Bolt into bolt hole of joining panel.	 3. Insert Cam Lock with arrow facing bolt.	 4. Gently turn Cam Lock 180° clockwise to lock into position.
3				YOU WILL NEED
				A x14



YOU WILL NEED	
C x7	B x7

HOW TO  Cam lock  Cam bolt	 1. Screw Cam Bolt into panel	 2. Insert Cam Bolt into bolt hole of joining panel.	 3. Insert Cam Lock with arrow facing bolt.	 4. Gently turn Cam Lock 180° clockwise to lock into position.
3				YOU WILL NEED



4	YOU WILL NEED	
	B x7	C x7





Diagram illustrating the assembly of a cabinet structure. The main components are labeled with circled numbers: 2 (Top Panel), 4 (Front Panel), 5 (Back Panel), and 6 (Side Panels). The diagram shows the side panels (6) being attached to the front panel (4) and back panel (5) using screws (B x7). The top panel (2) is shown being attached to the side panels (6) using screws (C x7). A curved arrow indicates the direction of assembly for the side panels (6).


5

YOU WILL NEED



6


YOU WILL NEED




HOW TO




Cam lock
Cam bolt




1. Screw Cam Bolt into panel



2. Insert Cam Bolt into bolt hole of joining panel.



3. Insert Cam Lock with arrow facing bolt.




4. Gently turn Cam Lock 180° clockwise to lock into position.

YOU WILL NEED

A x6

E x2

F x1




8

YOU WILL NEED

B x6

C x4




9

YOU WILL NEED

D x4

E x8




10

YOU WILL NEED

I x2

J x2

E x16



H.1 x10	H.2x10
L.1 x2	L.2 x2
L.3 x2	




YOU WILL NEED

M.1 x2

M.2 x2

L.3 x2



x2

WALL

Mark the
hole drilling
location


I x2

WALL

Drill a hole

II x2

WALL





M.1


Use a hammer
to close
anchor (M1)

III x2


Step1: determine the location of the anti-overturning on the wall
and then
mark the position after confirming the product has been balanced.
Step 2: drill the hole and then fixed the anchor (M1) on the wall
Step 3: use screw (M2) to fix (L1) and (L3) on the wall



Adjust the door
running back
and front



Adjust the
door left
and right



GUARANTEE

kitchen pantry cabinet offers a **90-days** warranty that begins on the date of the original purchase and applies to problems caused by the manufacturer. For questions, assistance, or support, please contact the Customer Service by e-mail with your order number and details. We will send you further information about the solution.

Model: XFT-12

Made in VIETNAM

