# PENDLETON

#### FREESTANDING TUB FILLER

SKU: 948659



#### **CONTENTS**

TUB FILLER	 PAGE 2
VALVE	 PAGE 3

#### **FEATURES**

Spout max. flow rate: 8 gpm (30 L/min) @ 60 psi. Hand shower max. flow rate: 1.8 gpm (6.8 L/min) @ 80 psi. Three function hand shower (full spray, massage, spray+massage).

Integral diverter to hand shower.

Handshower includes factory installed backflow prevention check valve.

Optional rough-in valve includes stops.

Underfloor access is required for proper installation.

Installation on an existing concrete slab will require cutting and concrete removal.

#### SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.


REVISED 02/14/2020




## PENDLETON

#### FREESTANDING TUB FILLER

SKU: 948659





#### **FEATURES**

 $In stall at ion \ Type: Free standing$ 

Handle Type: Lever

Features: Hand Shower Included

Tub Faucet Material: Brass

Length: 9-1/4"

Width: 12-1/4"

Height: 40-1/2"

Height To Spout: 39"

Height to Control Valve: 31-3/4"

Spout Reach: 9-1/4"

Spout Width: 1-1/2"

Hot and Cold Indicators: No

Drain Included: No

Base Plate Diameter: 6"

Ceramic Disc Cartridges: Yes

Hand Shower Hose Length: 58"

Hand Shower Material: Zinc

Hand shower flow rate: 1.8 gpm.

#### **CODES/STANDARDS**

cUPC

ASME A112.18.1/CSA B125.1

ASME A112.18.3

ICC/ANSI A117.1 (when installed according to

ADA Standards)

WaterSense

CEC Listed

Massachusetts Accepted





## SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



PAGE 2 Code:SHPTFS2000GBN/SHPTFS2000GCP SHPTFS2000GPN


 $All \ dimensions \ and \ specifications \ are \ nominal \ and \ may \ vary. \ Use \ actual \ products \ for \ accuracy \ in \ critical \ situations.$ 



# FREESTANDING

### OPTIONAL TUB FAUCET ROUGH-IN VALVE

SKU: 446521



#### **FEATURES**

Material: Brass Length: 3-1/2" Width: 3-5/8" Height: 5-1/8" Finish Floor Min: 1-5/8"

Finish Floor Min: 1-5/8" Finish Floor Max: 4-5/8" NPT Connection: 1/2"

#### **CODES/STANDARDS**

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted

## SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



PAGE 3 CODE: SHFSR2000WS