



ASSEMBLY INSTRUCTIONS




PARTS AND HARDWARE

Avoid using sharp objects such as a knife to cut open packing as you may accidentally damage the upholstery.




Left Arm 1x




Right Arm 1x



Bolt 4x




Left Backrest
1x




Console Backrest
1x



Inside Left Backrest
1x




Inside right Backrest
1x




Right Backrest
1x




Corner Backrest
2x



LSF 2- Seat Body
1x



Corner Seat Body
1x




RSF 2- Seat Body
1x

ASSEMBLY INSTRUCTIONS


CAUTION: At least two adults are required to safely complete performing this task.
Other lifting attempts may risk back injury due to large and heavy part(s).




- 1 Carefully unpack and place parts on a clean flat surface.
- 2 Insert Left armrest to LSF 2-seater , Right armrest to RSF 2-seater



- 3 Attached LSF 2-seater and RSF 2-seater to Corner seat



- 4 Attach the Backrest to Seat Body
Ensure it is correctly in place.




ASSEMBLY INSTRUCTIONS

CAUTION: At least two adults are required to safely complete performing this task.
Other lifting attempts may risk back injury due to large and heavy part(s).



- 5
- Stretch and pull down rear cover evenly before securing velcro strip to seat base.Repeat if necessary for better fit.



OPERATING YOUR UNIT

Converting to Footrest Position

- To raise or lower the legrest, push the power switch & hold.
Release the switch when the legrest reaches the desired high

