

## **ASSEMBLY INSTRUCTIONS**

### **3' BED**

**IMPORTANT: READ THESE INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING OR USING YOUR 3' BED FRAME.**

**PLEASE KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.**

#### **HEALTH & SAFETY :**

DO NOT jump on this bed frame.

DO NOT use this bed frame if any parts are missing, damaged or worn.

DO NOT use this bed frame unless all fixings are secured.

Please keep small parts out of reach of children.

Always use on a level, even surface.

**WARNING: If this bed is placed on a non-carpeted floor you must place some protection under all legs to stop the bed frame from moving. If this is not adhered to there is no guarantee if the bed frame collapses.**

#### **CARE & MAINTENANCE:**

Assemble in the room of use.

Periodically check all screws & fixings to ensure they are secure.





DO NOT push the bed frame as this will damage the legs.

Always lift the bed with two people to reposition.


Keep any sharp objects away from the frame.






PART LIST				HARDWARE LIST (FOUND IN BOX 1)			
PART	DESCRIPTION	BOX	QTY	PART	DESCRIPTION		QTY
1	Headpost (L/R)	2	2	A	M6 x 20mm JCBC Screw		16
2	Footpost (L/R)	2	2	B	M6 x 45mm JCBC Screw		2
3	Headend	1	1	C	M6 Nut		2
4	Footend	1	1	D	Slat Cap		24
5	Side Support	3	2	<b>** M4 Allen Key Supplied</b>			
6	Mid Support	3	1				
7	Slat	4	12				


**Step 1:** Fix the headposts (1) to the headend (3) then attach the footposts (2) to the footend (4) using hardware part (A). **DO NOT use any power tools as this may damage the frame and will invalidate any claim.**




**Step 2:** Fix the Side Support (5) to the Headposts (1) and Footposts (2) using hardware parts (A).  
**DO NOT use any power tools as this may damage the frame and will invalidate any claim.**



**Step 3:** Place the Mid Support (6) on top of both Side Supports (5) using hardware parts (B) and (C).  
**DO NOT use any power tools as this may damage the frame and will invalidate any claim.**



**Step 4:** Adjust both Side Supports (5) into the inner direction until the screws reach the end of the hole as shown.  
Tighten the screws for both Side Supports and the Mid Support.  
**DO NOT use any power tools as this may damage the frame and will invalidate any claim.**



**Step 5:** Place hardware part (D) onto every end of each Slats (7) then press firmly into the Side Supports (5).  
**DO NOT use any power tools as this may damage the frame and will invalidate any claim.**

