

Assembly Instructions

Caution : You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.








- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in chair for hardware packs and legs.

UPHOLSTERY CLUB CHAIR AND PILLOW: N767P524009



Parts list for one chair


Label	Picture	Description	QTY
Ⓐ		A Chair Cushion	1
Ⓑ		Seat Frame	1
Ⓒ		Back Leg	2
Ⓓ		Back Rail	1
Ⓔ		Left arm	1
Ⓕ		Right arm	1

Hardware list for one chair

Label	Picture	Description	QTY
①		Bolts (5/16"x45mm)	9
②		Bolts (5/16"x20mm)	9
③		Spring Washer (Ø5/16"x13mm)	9
④		Flat Washer (Ø5/16"x16mm)	9
⑤		Allen Wrench (M4x58mm)	1

Assembly Preparation

Before
Beginning
Assembly



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Preparation

Over view




This chair has multiple parts and may require up to some 20 minutes to assemble. To give you an overview of the chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1



Unpack and place all parts on a clean, non-marring surface.


Step 2



With assistance from your adult partner, attach the Left arm (E) and Right arm (F) to the Back Leg (C) by using 4 Bolts (2) with Allen Wrench (5).

DO NOT fully tighten the Bolts at this time.


Step 3



With assistance from your adult partner, attach the Back Rail (D) to the Back Leg (C) by using 4 Bolts (2) with Allen Wrench (5).

DO NOT fully tighten the Bolts at this time.


Step 4



With assistance from your adult partner, attach the Seat Frame (B) to the Back Leg (C) by using 4 Spring Washers (3), 4 Flat Washers (4), 4 Bolts (1) with Allen Wrench (5).

DO NOT fully tighten the Bolts at this time.


Step 5



With assistance from your adult partner, attach the Seat Frame (B) to the Left arm (E) and Right arm (F) by using 4 Spring Washers (3), 4 Flat Washers (4), 4 Bolts (1) with Allen Wrench (5).


DO NOT fully tighten the Bolts at this time.

Step 6



Place the A Chair Cushion (A) on the chair to complete the assembly

Step 7



Exert pressure floorwards onto the Chair with both your hands.
This pressure will help the Legs and Seat reach full alignment status.
Check for wobbles on a LEVEL surface.
If no wobbles are found proceed to tighten the Bolts in a sequential manner until evenly secured.
When tightening the Bolts tighten sequentially.
Do not tighten any Bolt fully and then move on towards the next one.
If there are still wobbles after tightening, loosen the Bolts and execute the same above process.
Your Chair is ready for use.
This Chair can only be used on a flat, level surface