

Store
Your
Patio Well

www.patiowell.com



ASSEMBLY INSTRUCTIONS

METAL GARDEN SHED

SKU: T-PS23-0355



Patiowell
Metal Garden House
Installation Tutorial
[https://www.patiowell.com/
pages/video-t-ps23-0355a](https://www.patiowell.com/pages/video-t-ps23-0355a)


saleservice@patiowell.com

SITE PREPARATION

Level the ground surface.



Recommendation: Construct a wooden concrete base as a foundation.



BEFORE STARTING ASSEMBLY





Remove all of the pieces from the 3 packages and spread them out on the ground. Before installation, please check the type and quantity of parts first.

It is recommended to use a clean work surface to spread the parts out and for pre-assembly steps. Review all instructions before you begin, continue to refer to instructions during assembly.

Be sure to follow all steps thoroughly.

Please prepare these components in advance at the beginning of each stage.

REQUIRED TOOLS



CAUTION




Some parts have steel edges. Please be careful when handling components. Always wear work gloves, eye protection and long sleeves when assembling or performing any maintenance on your shed. Do not attempt assembly on days with strong winds or low temperatures.










Requires two people and takes 2-3 hours for Installation.
Recommended to wear gloves to avoid scratches.
Please read the manual carefully before installation.

DO NOT RETURN YOUR UNIT
TO THE STORE
Contact us first
saleservice@patiowell.com







FOUNDATION

BE4L X2	
BE1L X1	
BE2L X1	












PLATES




PLATES

 A3 X2	 A4 X2		
 DLA X1	 DLB X1	 DRB X1	 DRA X1







STRIPS

		
ULA X1	UR1 X1	DX2 X4
		
UE1 X1		UE1L X1
		
UE1 X1		UE6 X2
		
UE5 X1		UE5R X1
		
M14 X4		M15 X4
		
M9 X2		M10 X2
		
UE6L X2		









STRIPS


	
L15 X4	
	
15 X2	20 X4
	
C4L X2	C5 X4
	
	C4R X2

STANDARD


			
DG X1	DF X1	DC X2	DH X4
			
C2 X4	GR X1	GR1 X2	GE X2
			
GS1 X1	GC X4	V1 X128	V2 X311

SCREW


   	    
F1(X493) M4*10	F2(X48) M4*10
   	    
F3(X32) M5*12	F4(X5) M6*10
   	
For GC F5(X4) M4*16	




STEP 1




STEP 2




STEP 3




STEP 4




STEP 5




STEP 6




STEP 7




STEP 8




STEP 9






STEP 10




STEP 11




STEP 12



STEP 13




STEP 14




Note: The door frame (ULA,UR1) should cover the raised part on the wall panel, not insert.

STEP 15




STEP 16




Note: M15 is pressed into M14

STEP 17



Don't tighten these two screws too tightly





Don't tighten these two screws too tightly




STEP 18





STEP 19





STEP 20




STEP 21



STEP 22




STEP 23





STEP 24

Installation tips: You need to gently lift the 15 and then screw it.





STEP 25


When installing the hole at the bottom of 15, 15 needs to be moved or lifted




STEP 26



STEP 27





STEP 28




STEP 29


The other door operates the same way





STEP 30





The other door operates the same way









STEP 31






STEP 32






STEP 33





STEP 34



STEP 35





STEP 36




F1 X6 V2 X6 F3 X8




STEP 37




X4



STEP 38



FINISH



CARE & SAFETY

- In case of fire, do not attempt to extinguish any burning polypropylene with water
Unsuitable for storage of flammable or corrosive substances.
- It is of utmost importance to assemble all of the parts according to the directions.
Do not skip any step.
- Please consult your local authorities if any permits are required to erect shed.
- Periodically check shed to assure that it remains stable and that the site remains level.
- It is highly recommended to secure the shed to an immovable object or to the ground by drilling holes in the floor at the pre-marked locations and inserting proper screws into the ground (size: 1.9"-3" ,screws are not included).
- Wear safety-goggles and always follow the manufacturer's instructions when using power tools.
- Wash shed with garden hose or a mild detergent solution. Using a stiff brush or abrasive cleaner could damage shed.
- Hot items such as recently used grills, blowtorches, etc. must not be stored in the shed.
- Heavy articles should not be leaned against the walls, as this may cause distortion.
- Keep roof clean of snow and leaves. Heavy amounts of snow on roof can damage the shed making it unsafe to enter.
- Although wind direction varies, it is an important factor when taking into account where to place your shed. Therefore, it is recommended to reduce wind exposure of the shed in general, and the door side in particular.
- Keep doors closed and locked to prevent wind damage.
- Do not stand on the roof.