

# Exit & Emergency

## Sure-Lites, All-Pro & AtLite

Commercial & Industrial

Emergency Lighting • Exit Signage • Combo Lighting



Sure-Lites - p.49-51



All-Pro - p.52



AtLite - p.53



## SEL LED Emergency Lighting

Sure-Lites

The SEL emergency light series is designed to reduce egress system cost and maintenance as well as improve reliability. Key features include long life LED's, proprietary adjustable AccuLED Optics™ and a nickel cadmium battery. The patent-pending EZ hang feature reduces installation time and cost



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
SEL17	2 Head, NiCad	White	2-5.4W Inc. Heads	17 ft.	120-277V	0.78W	270	080083722143
SEL25	2 Head, NiCad	White	2-9W Inc. Heads	25 ft.	120-277V	0.6W/0.64W	270	080083736669
SEL50	2 Head, NiCad	White	2-12W Inc. Heads	50 ft.	120-277V	1W/1.02W	324	080083733347

## AP2SQ Emergency Lighting

Sure-Lites

The AP2SQ is an UL 924 code-compliant emergency light with a minimum of 90 minutes of run time. Key features include LED heads, a no maintenance nickel cadmium battery and a 5-year fixture warranty. The square LED heads are fully adjustable to maximize design flexibility while the compact form factor optimizes aesthetics. Each LED head outputs 80 lumens. The universal j-box mounting pattern and snap-fit housing construction significantly reduce installation time.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
AP2SQLLED	2 Head, NiCad	White	2-5W Inc.Heads	12 ft.	120/277V	2 at 277V	288	080083824922

## SELW LED Outdoor Emergency Lighting

Sure-Lites

The SELW wet location emergency luminaire is designed to reduce total egress system and maintenance in a wet location environment as well as improve system reliability. Key features include long life LED's, proprietary rotatable AccuLED Optics™, a nickel cadmium battery and the Eagle Eye self-diagnostics option. The SELW is UL 924 wet location code compliant listed with a standard 0°C to 40°C temperature rating.



SELW25BZ



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
SELW25BZ	2 Rotatable Heads, NiCad	Bronze	2-9 W INC Heads	25 ft.	120-277V	1.4	224	080083764037

## SELDWA LED Emergency Lighting

Sure-Lites

The Sure-Lites SELDWA series features a modern, architectural design with rotatable, precision engineered AccuLED Optics™, providing up to 50 feet of emergency egress coverage and allowing for an increase in spacing between units. UL 924 wet location listed and New York City compliant for both indoor and outdoor applications. The family features a maintenance-free, nickel cadmium battery; self-diagnostics that automatically performs all required tests to reduce labor; and an EZ Hang feature that saves on installation time and cost.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
SELDWA50BZSD	2 Rotatable Heads, NiCad, Self Diag.	Bronze	2-12 W INC Heads	50 ft.	120-277V	1.8 W at 277 V	240	080083826360

## XR LED Emergency Lighting

### Sure-Lites

The XR6C-LED emergency light is designed to reduce egress system cost and maintenance as well as improve reliability. Key features include long life LED's, proprietary adjustable AccuLED Optics™, a nickel cadmium battery and a rugged sheet metal housing. The patented external battery disconnect and EZ Hang feature reduces installation time and cost. This product is city of Chicago and New York City compliant.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
XR6C-LED	Steel, NiCad	White	2-12W INC Heads	60 ft.	120-277V	1.7	144	080083753215

## SELM LED Emergency Lighting

### Sure-Lites

The Sure-Lites Emergency Light SELM series is designed to reduce egress system cost and maintenance as well as improve reliability. Key features include long life LED's, proprietary adjustable accuLED optics, a nickel cadmium battery and a rugged sheet metal housing. SELM is available with two or three 300 lumen heads that create up to 80 feet of emergency egress coverage. The Patented external battery disconnect and EZ Hang features reduce installation time and cost. The self-diagnostic capability automatically performs NFPA required testing. This product is City of Chicago compliant and New York City compliant.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
SELM80SD	Three Head, NiCad, Self Diagnostics	White	3-9W INC Heads	80 ft.	120/277V	1.6	144	080083835539

## SELMTG LED Emergency Lighting

### Sure-Lites

The Sure-Lites Emergency Light SELM series is designed to reduce egress system cost and maintenance as well as improve reliability. Key features include long life LED's, proprietary adjustable accuLED optics, a nickel cadmium battery and a rugged sheet metal housing. SELM is available with two or three 300 lumen heads that create up to 80 feet of emergency egress coverage. The Patented external battery disconnect and EZ Hang features reduce installation time and cost. The self-diagnostic capability automatically performs NFPA required testing. This product is City of Chicago compliant and New York City compliant.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
SELMTG60R5SD	2 Rotatable Heads, NiCad, Self Diag.	White	2-12 W INC Heads	60 ft.	120-277V	5	168	080083823406

## CHX Exit Signage

### Sure-Lites

The CHX Chicago Series exits are ideal for general purpose applications. An extensive range of field-installed accessories; choice of faces; and variety of mounting configurations permit the tailoring of the basic exit for almost any application. Durable steel construction, attractive styling and high-efficiency illumination make this series compatible in commercial, institutional and multi-housing applications.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
CHX71	Self Powered, Steel	White	2-12 W INC Heads		120/277V	3	120	080083567614
CHXC71	Self Powered Combo Unit, Steel	White	2-12 W INC Heads	60 ft.	120/277V	3.6	90	080083771271

# LPXC LED EM Combo Light

Sure-Lites

The LPX LED combo series is a UL 924 code-compliant solution for exit and emergency requirements and operates for a minimum of 90 minutes during a power outage. The series features include a polycarbonate housing, LED sources for both the exit letters and the emergency heads, as well as a labor-saving, self-diagnostic option that automatically performs required NFPA testing. The exit is field configurable for either red or green letters. The LED sources and nickel cadmium battery are maintenance-free.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
LPXC25	Unv. Red, Remote Cap.	White	2-9 W INC Heads	25 ft.	120/277V	3.2 W at 277 V	120	080083770922

# EBP LED Emergency Battery Packs

Sure-Lites

When AC power fails, the EBP LED Emergency Battery Pack automatically switches to emergency mode. The EBP maintains illumination of an LED fixture for a minimum of 90 minutes. The product line is UL 924 classified for field retrofit installation and has guaranteed compatibility with Cooper Lighting Solutions' LED fixtures with accessible LED drivers.



Catalog Number	Product Description	Voltage	Watts	Pallet Quantity	UPC
EBPLED7W	Emergency Battery Pack	120/277V	7	240	080083732265
EBPLED14W	Emergency Battery Pack	120/277V	14	288	080083732272

# EBP Emergency Battery Packs

Sure-Lites

The Sure-Lites fluorescent EBP will power fluorescent fixture to satisfy emergency path of egress code requirements during a power interruption. When AC power fails, the Sure-Lites EBP automatically switches to emergency mode - providing illumination for at least 90 minutes. The maintenance free and long life nickel cadmium battery generates up to 500 lumens or 1400 lumens in emergency mode depending on model. The EBP series is UL924 listed for field retrofit installation and is compatible with most linear fluorescent lamps and carries a 5 year limited warranty.



Catalog Number	Product Description	Voltage	Watts	Pallet Quantity	UPC
EBP500	Emergency Battery Pack	120/277V	2.7	576	080083906741
EBP1400	Emergency Battery Pack	120/277V	3.8	432	080083912162

## APEL LED Emergency Lighting

All-Pro

The APEL Series is an UL 924 listed emergency light with a minimum of 90 minutes of run time. Key features include LED heads, a no maintenance nickel cadmium battery and a 5-year fixture warranty. The LED heads are fully adjustable to maximize design flexibility while the compact form factor optimizes aesthetics. The universal j-box mounting pattern and snap-fit housing construction significantly reduce installation time.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
APEL	2 Head, NiCad	White	2-5.4W Inc. Heads	17 ft.	120/277V	0.47W at 277V	384	080083566501
APELH2	2 Head, Nicad, Remote Capacity	White	4-5.4 W INC Heads	34 ft.	120/277V	0.8 W at 277 V	512	080083804986

## APX LED Exit Signage

All-Pro

The AP exit series is an economical LED exit for general purpose applications. The durable, injection-molded, thermoplastic material resists discoloration due to UV radiation and the energy efficient, low-maintenance LED's provide bright illumination. All AP series exits offer universal configurations (single- and double-face) and have universal mounting capability (ceiling, wall and end).



Catalog Number	Product Description	Finish	Voltage	Watts	Pallet Quantity	UPC
APX7G	Self Powered, Unv. Green	White	120/277V	1.05W at 277V	270	080083566549
APX7R	Self Powered, Unv. Red	White	120/277V	1.14W at 277V	270	080083566532

## APC LED EM Combo Light

All-Pro

The APC Series is an economical LED combo unit (including LED emergency light heads) for general purpose applications. The durable, injection-molded, thermoplastic material resists discoloration due to UV radiation and the energy-efficient, low-maintenance LED's provide bright illumination. All AP series combo units offer universal configurations (single and double-face) and have universal mounting capability (ceiling, wall and end).



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
APC7G	2 Heads, Unv. Green	White	2-5.4W Inc. Heads	17 ft.	120/277V	1.68W at 277V	192	080083567164
APC7R	2 Heads, Unv Red	White	2-5.4W Inc. Heads	17 ft.	120/277V	1.68W at 277V	192	080083566556
APCH7G	2 Heads, Unv Green, Remote Cap.	White	4-5.4W Inc. Heads	34 ft.	120/277V	1.68W at 277V	192	080083567188
APCH7R	2 Heads, Unv. Red, Remote Cap.	White	4-5.4W Inc. Heads	34 ft.	120/277V	1.68W at 277V	192	080083567171

## APWR LED Remote Heads

All-Pro

The APWR LED remote series is a UL 924 code compliant solution for emergency lighting. It operates on 3.6 volts and can be powered from the APCH combo series. It is wet location listed and can be used indoors or outdoors. The two-head versions will create 17 feet of emergency egress coverage.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
APWR2	Remote Emergency Lamps, 2 Heads	White	2-5.4W Inc. Heads	17 ft.	3.6V	1W	810	080083608584

# ATLELDWA LED Emergency Lighting

AtLite

The AtLite ATLELDWA LED emergency light features a modern, architectural design with rotatable, precision engineered AccuLED Optics™, providing up to 29 feet of emergency egress coverage and allowing for an increase in spacing between units. UL 924 wet location listed and New York City compliant for both indoor and outdoor applications. The family features a maintenance-free, nickel cadmium battery; self-diagnostics that automatically performs all required tests to reduce labor; and an EZ Hang feature that saves on installation time and cost. The series is offered in white, black and bronze.



Catalog Number	Product Description	Finish	Replaces Up To	Coverage	Voltage	Watts	Pallet Quantity	UPC
ATLELDWA100BZSD	2 Rotatable Heads, NiCad, Self Diag.	Black	2-9 W INC Heads	29 ft.	120-277V	0.7 W at 277 V	240	080083821792

# AUX LED Edge-Lit Exit Signage

AtLite

The New York City compliant AUX series is designed for seamless presence in architecturally significant surroundings. The ordering and installation processes are greatly simplified as all housing and lens options are included. In addition, Eagle Eye self-diagnostics are standard on all self-powered units. Long life LED electronics coupled with nickel cadmium battery technology greatly reduces maintenance.



Catalog Number	Product Description	Finish	Voltage	Watts	Pallet Quantity	UPC
AUXSSD	Unv. Self powered, Self Diag.	Silver	120/277V	1.1 at 277 V	50	080083703296

