


Modular Sectional Sofa with Pull-out Bed

Assembly Manual






CAUTION

FOR ASSEMBLY, IT IS RECOMMENDED THAT TWO PEOPLE WORK TOGETHER,
AS THE PRODUCT INVOLVES MANY COMPONENTS INSTALLATIONS.
THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.








Notice:

If you purchase a dual-chaise sofa, it will consist of Box A, Box B, and Box C (3 boxes in total), with possible configurations as follows. Please refer to the below assembly sequence for detailed steps.



COMPONENTS


BOX A




- A1 Loveseat Backrest Frame**
1X
- A2 Chaise Backrest Frame**
1X
- C2 Chaise Base**
1X
- J1 Loveseat Seat Cushion-L**
1X
- J2 Loveseat Seat Cushion-S**
1X
- J3 Chaise Seat Cushion**
1X
- S Backframe Cover**
1X

COMPONENTS


BOX B




E1




E2




E3




K1




K2




L




M




N




O



P



Q



R1




R2

- E1** Sofa Leg
8X
- E2** Plastic Washer
8X
- E3** Foot Pad
8X
- K1** Female Connector
6X
- K2** Male Connector
2X
- L** Chaise Seat Support Block
4X
- M** Bolt M6x15mm
28X +1Spare
- N** Bolt M6x30mm
6X +1Spare
- O** Bolt M6x60mm
1X +1Spare
- P** M4 Allen Key
1X
- Q** Power Cord
1X
- R1** T Bolt M6x30mm
9X
- R2** T Nut
1X

COMPONENTS



BOX B




- B1 Left Armrest**
1X
- B2 Right Armrest**
1X
- D Loveseat Seat rail with Mesh Cover**
1X
- F1 Metal Slide Rail-L**
1X
- F2 Metal Slide Rail-R**
1X
- G Pull-out Bed Frame**
1X
- H Pull-out Bed Front Panel Component**
1X
- I Pull-out Bed Back Rail**
1X
- J4 Back Cushion**
3X

COMPONENTS


BOX C




E1




E2




E3



J3




J4




K1




K2




M



O



P





R1




R2



- A2 Chaise Backrest Frame**
1X
- A3 Chaise backrest cover**
1X
- C1 Chaise Base**
1X
- E1 Sofa Leg**
4X
- E2 Plastic washer**
4X
- E3 Foot pad**
4X
- J3 Chaise Seat Cushion**
1X
- J4 Back Cushion**
1X
- K1 Female Connector**
2X
- K2 Male Connector**
2X
- M Bolt M6x15mm**
8X +1Spare
- O Bolt M6x60mm**
1X +1Spare
- P Allen Key**
1X
- R1 T Bolt M6x30mm**
4X
- R2 T Nut**
1X


Please locate the Metal Slide Rail-L/R (F1&F2) , Hardware pack, Sofa leg (E1) and a Back Cushion (J4) from the Armrest (B1&B2) before assembly.







Note: The vacuumed cushion needs to be carefully cut open with tools.






S7017B Hardware List			
M		M6x15mm Bolt	28+1
N		M6x30mm Bolt	6+1
O		M6x60mm Bolt	1+1
P		M4 Allen key	1
R1		M6x30mm T Bolt	9
R2		T Nut	1

Hardware accessories, power cord and sofa leg

Note: After removing the accessories, zip up the zipper on the inside of the armrest.


1

Attach the Sofa Legs (E1) with the Plastic Washer (E2) to the Armrest (B1) & (B2), attach the Foot Fad (E3) to the bottom of the sofa legs, then attach Female Connector (K1).




2


Attach the Sofa Legs (E1) with the Plastic Washer (E2) to the Chaise Base (C1) & (C2), then attach the Foot Fad (E3) to the bottom of the sofa legs.



- 3 Attach the Male& Female connector (K1)&(K2), Bolt (O) to the Chaise Base (C2), then lift the Chaise seat panel to attach the Chaise Seat Support Block (L).




- 4 Attach the Male& Female connector (K1)&(K2), Bolt (O) to the Chaise Base (C1).




5

5.1 Attach the Chaise Base (C1) & (C2) to the Left & Right Armrest (B1) & (B2).




5.2 Attach the Loveseat Rail(D) to the Chaise (C1) &(C2).




NOTE: The cross bar with holes face backward, which is to attach the backrest.

Top view of Connectors assembly




NOTE: First align the connectors at an angle, then straighten it and press down firmly.




6

Attach the Loveseat and Chaise back frame (A1) & (A2) .

6.1 First unzip the cover of the Loveseat and Chaise Back Frame (A1) & (A2).




6.2 First attach the Backrest Frame (A2) to the Armrest (B1) & (B2) , then attach the Barkrest Frame(A1) to Chaise Backrest Frame(A2) by using T bolt(R1)& T nut(R2),and attach the Backrest Frame(A1),(A2) to the Chaise(C1),(C2) and Loveseat Rail(D),by using T bolt(R1). Do Not tighten them first, once all the bolts are in place, then fully tighten them.




6

6.3 Zip up the Backrest cover.




7


7.1 Tear off the Velcro strips from the backrest frame and armrests, then attach the Back Frame Cover (A3) & (S) to the Back Frame (A1)&(A2).



- 7 7.2 Attach the Back cover to the Back Frame by Velcro.




- 8 Attach the Pull-out Slide Rail (F1) & (F2) to the Pull-out Bed Frame (G), using Bolt (M).




9

Attach the Pull-out Bed Back Rail (I) to the Pull-out Bed Slide Rail (F1) & (F2), using Bolt (N).




10

Attach the Pull-out Bed Front Panel Component (H) to the Metal Slide Rail (F1) & (F2).




11

11.1 Tear off the Velcro stripes on the Loveseat Cushion (J2) & Chaise Seat Cushion (J3), then attach all the Seat Cushions and Back Cushions in position.





11.2 Hang on the Pull-out Bed Back Rail (I) to the Bolt (O).



12


Connect the power cord, and assembly is completed. It's ready to use.





13 You can DIY below configurations according to your needs.

Configuration 1


13.1 Attach the Bolt (O) to the Armrest (B2).




13.2 Attach the Male& Female connector (K1)&(K2) to the Chaise Base (C1)&(C2), then attach the Bolt (O) the Chaise Base (C2).



Top view of Connectors assembly




13.3 For other assembly steps, please refer to the relevant assembly steps listed above.




Configuration 2


13.4 Attach the Bolt (O) to the Armrest (B1).



13.5 Attach the Male& Female connector (K1)&(K2) to the Chaise Base (C1)&(C2), then attach the Bolt (O) the Chaise Base (C1).




13.6 For other assembly steps, please refer to the relevant assembly steps listed above.




14

The seat cushion and back cushion of this product are vacuum-packaged for efficient shipping, which may result in a thinner appearance and fabric wrinkles upon arrival. To ensure optimal use, please follow below steps before using this item.

**01**


Due to package compression for better shipment, the fabric may have wrinkles; these wrinkles will gradually disappear.

**02**

Please be patient and wait for the cushions to return to its fluffy state, which may take 48 to 72 hours.



Wait for 48-72 hours



Design Exquisite Furniture For Your Home

PRODUCT WARRANTY

- ☒ 1-year limited on cover against splitting, peeling, and/or tearing.
- ☒ 1-year limited on internal and external frame structure.
- ☒ 1-year limited on cushioning material, seat springs and mechanism.

Contact us:

We make all efforts to guarantee that the products you receive are in excellent condition. If there are any parts missing or damaged, the Customer Service Team will be happy to provide free replacements for you. We have professional warehouses where the current inventory of parts is enough so that they will arrive in your hands as fast as possible.

Assistance with assembly or product details is available; don't hesitate to get in touch with us to get priority service.