



SMARTHOME | REIMAGINED

HEATING WATER SMARTER

Experience Eccotemp's **SMARTHOME** point-of-Use water heaters with voice commands by Google & Alexa. [Page 2](#)

PORTABILITY MEETS FLEXIBILITY

Portability meets flexibility . Eccotemp portable instantaneous water heaters offer endless uses off grid. [Page 2](#)












NEW



SH12

FEATURES

-  **SMARTHOME** Ready
-  Download our App to view stats, timer and more
-  Voice commands by Alexa and Google
-  Smart control board
-  Wireless remote included
-  "A" Rated energy efficiency
-  6.35 cm (2.5") horizontal kit included*
-  Water and gas fittings are 1.27 cm (1/2") BSPPP[G]
-  CE certified

SPECIFICATIONS

Installation	Indoor Only
BTU	81,000 (23.7 KW)
Flow Rate	Rated 15 LPM
Min Flow Activation	2.27 LPM
Mbar	30, 37, and 50
Voltage	220/230
Gas Type	Liquid Propane Gas
Venting	6.35 cm (2.5") Horizontal Kit*
Regulator & Hose	Not Included
Temperature Control	App and Remote
Warranty	5 Years–Heat Exchanger 2 Years–Parts
Product Dimensions	61.5 x 35 x 14 cm – 12.5 kg
Package Dimensions	67 x 41 x 33 cm – 16.5 kg

The Eccotemp SmartHome 15 LPM Instantaneous Water Heater uses the latest technology to offer a new level of personalized comfort for your home or office. This innovative model features smart button technology, voice commands, advanced diagnostics, live usage statistics, temperature presets, and manual mode technology.

The SH12 pairs with Amazon Alexa and Google Home to allow smart voice commands such as: "Alexa, turn my water heater up to 43 degrees" or "Hey Google, turn my water heater off." Use the Eccotemp mobile app to track energy consumption, adjust temperatures or even detect product and network errors. Want to know the actual energy cost when using the Eccotemp SH12 Water Heater? Our mobile app allows you to see real consumption statistics with an associated cost of use.

PACKAGE CONTENTS

- SH12 Instantaneous Water Heater
- Wireless Remote Control
- Horizontal Vent Kit*
- Hardware Pack










*Venting included may be suitable for all installations.

NEW



EL10-E

FEATURES

-  Portable, great for recreational use
 -  All weather raincap attached
 -  Manual push & set adjustment knobs
 -  Water fittings are 1.27 cm (1/2") G with 1.27 cm (1/2") NPT adapters
 -  4 x AA Cell battery ignition
 -  Activation - 20 PSI / Maintain - 25 PSI
 -  CSA gas regulator and hose included
 -  LED display with temperature, On/Off and pressure indicator
 -  Ecco Spray shower set, hose with On/Off controls and quick connect included
- CE** CE certified

SPECIFICATIONS

Installation	Outdoor Only
BTU	75,000 (22 KW)
Flow Rate	Rated 11 LPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	4x AA Batteries
Gas Type	Liquid Propane Only
Mbar	30, 37, 50
Regulator & Hose	Standard / Included
Temperature Control	Manual 26° - 49°C
Warranty	2 Years
Product Dimensions	59.69 x 34.92 x 18.41 cm - 9.88 kg
Package Dimensions	71.50 x 39.97 x 25.01 cm - 12.51 kg

The Eccotemp Luxé EL10-E Portable Instantaneous Water Heater is our luxury line of portable water heaters. Its tri-coat pearl white powder coat paint makes it both tough and sleek, unlike anything on the market. Our unique steel designed carrying handle adds an element of durability and quality which no other competitor has.

The Luxé EL10-E comes with a clear & bright LED screen powered by 4x AA batteries. It displays on/off status, temperature, and a pressure indicator light; taking all the guesswork out of knowing whether your water heater has enough water pressure to operate. Precision adjustable water and gas inset knobs allow you to set the ideal outgoing water temperature to ensure maximum comfort. Lightweight, easy-to-carry and compact, this water heater can be used for camping, hunting, off-grid living, equestrian, poolside, backyard showers, pet bathing, washing vehicles, in your greenhouse, food trucks and tiny homes!

PACKAGE CONTENTS










- EL10-E Portable Instantaneous Water Heater
- Variable Spray Shower Headset
- CE certified Gas Regulator and Hose
- Mounting Hardware
- Garden Hose Quick Connect and Adapter

NEW



EL7-E

FEATURES

-  4 x AA Cell battery ignition
-  Activation point of 25 PSI
-  Up to 18 hours of use on a 9 kg tank
-  Shower Head with On/Off controls Included
-  Water fittings are 1.27 cm (1/2") G. they also come with a 1.27 cm (1/2") G To 1.27 cm NPT Adapter making plumbing easy
-  Includes CE gas regulator for use with standard 9 kg grill propane tank
-  Included adapter attaches to any standard garden hose nozzle
-  Adjustable, Manual water temperature control temps from 26° - 49°C
-  CE certified

SPECIFICATIONS

Installation	Outdoor Only
BTU	50,000 (14.65 KW)
Flow Rate	Rated 7 LPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	4 "AA" Cell Batteries
Gas Type	Liquid Propane Only
Mbar	30, 37, 50
Regulator & Hose	Standard / Included
Temperature Control	Manual 26° - 49°C
Warranty	2 Years
Product Dimensions	49.5 x 31.75 x 18 cm - 6.7 kg
Package Dimensions	73.75 x 38.5 x 22.75 cm - 9.4 kg

The Eccotemp Luxé EL7-E Portable Instantaneous Water Heater is our luxury line of portable water heaters. Its tri-coat pearl white powder coat paint makes it both tough and sleek, unlike anything on the market. Our unique steel designed carrying handle adds an element of durability and quality which no other competitor has.

The Luxé EL7-E comes with a clear & bright LED screen powered by 4x AA batteries. It displays on/off status, temperature, and a pressure indicator light; taking all the guesswork out of knowing whether your water heater has enough water pressure to operate. Precision adjustable water and gas inset knobs allow you to set the ideal outgoing water temperature to ensure maximum comfort. Lightweight, easy-to-carry and compact, this water heater can be used for camping, hunting, off-grid living, equestrian, poolside, backyard showers, pet bathing, washing vehicles, in your greenhouse, food trucks and tiny homes!

PACKAGE CONTENTS










- EL7-E Portable Instantaneous Water Heater
- Variable Spray Shower Headset
- CE certified Gas Regulator and Hose
- Mounting Hardware
- Garden Hose Quick Connect and Adapter

NEW



EL5-E

FEATURES

-  4 "AA" Battery ignition - no electricity needed
-  Activation point Of 25 PSI
-  up to 18 hours of use on a 9 kg Tank
-  Shower Head with On/Off controls included
-  Water fittings are 1.27 cm (1/2") G. they also come with A 1.27 cm (1/2") G To 1.27 cm (1/2") NPT Adapter making plumbing easy
-  Includes CE Gas Regulator for use with standard 9 kg Grill Propane Tank
-  Included adapter attaches to any standard garden hose nozzle
-  Adjustable, Manual water temperature control temps from 26° - 49°C
-  CE certified

SPECIFICATIONS

Installation	Outdoor Only
BTU	37,500 (10.9 KW)
Flow Rate	Rated 5 LPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	4 "AA" Cell Batteries
Gas Type	Liquid Propane Only
Mbar	30, 37, 50
Regulator & Hose	Standard / Included
Temperature Control	Manual 26° - 49°C
Warranty	2 Years
Product Dimensions	43 x 31 x 14 cm - 5 kg
Package Dimensions	71.75 x 36.75 x 19 cm - 7.6 kg


The Eccotemp Luxé EL5-E Portable Instantaneous Water Heater is our luxury line of portable water heaters. Its tri-coat pearl white powder coat paint makes it both tough and sleek, unlike anything on the market. Our unique steel designed carrying handle adds an element of durability and quality which no other competitor has.

The Luxé EL5-E comes with a clear & bright LED screen powered by 4x AA batteries. It displays on/off status, temperature, and a pressure indicator light; taking all the guesswork out of knowing whether your water heater has enough water pressure to operate. Precision adjustable Water and Gas knobs allow you to set the ideal outgoing water temperature to ensure maximum comfort. Lightweight, easy-to-carry and compact, this water heater can be used for camping, hunting, off-grid living, equestrian, poolside, backyard showers, pet bathing, washing vehicles, in your greenhouse, food trucks and tiny homes.

PACKAGE CONTENTS

- EL5-E Portable Instantaneous Water Heater
- Variable Spray Shower Headset
- CE certified Gas Regulator and Hose
- Mounting Hardware
- Garden Hose Quick Connect and Adapter

FEATURES



CE-L10



2 "D" Battery ignition - no electricity needed



Up To 18 Hours Of Use On A 9 kg Tank



Water fittings are 1.27 cm (1/2") G. they also come with A 1.27 cm (1/2") G To 1.27 cm (1/2") NPT Adapter making plumbing easy



Includes CE gas regulator for use with standard 9 kg grill propane tank



Included adapter attaches to any standard garden hose nozzle



Adjustable, Manual water temperature control temps from 26° - 49°C



Also works great on modified water systems with items such as a 12-Volt Pump



CE certified

SPECIFICATIONS

Installation	Outdoor Only
BTU	75,000 (22 KW)
Flow Rate	Rated 10 LPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	2 "D" Cell Batteries
Gas Type	Liquid Propane Only
Mbar	30, 37, 50
Regulator & Hose	Standard / Included
Temperature Control	Manual 26° - 49°C
Warranty	1 Year
Product Dimensions	65 x 37 x 19.75 cm - 9.8 kg
Package Dimensions	90 x 40 x 24.5 cm - 12.7 kg

The Eccotemp CE-L10 Portable Propane Instantaneous Water Heater is the original and best-selling portable water heater on the market today. You get instant, endless hot water wherever you are. The CE-L10 is perfect for campSites, cabins or simply around the house.

The CE-L10 makes daily tasks like washing your car or boat, taking a hot shower, or even washing your pets or horses much easier with an easy to carry, lightweight, and compact design. This model includes an electronic ignition powered by 2 "D" cell batteries making it great for off grid or any location where electricity is not readily available.

Make the CE-L10 even more convenient and pair it with the EccoFlo 12v water pump (purchased separately), allowing you to have hot water in the most remote locations!










PACKAGE CONTENTS

CE-L10 Portable Instantaneous Water Heater
Gas Regulator and Hose
1.27 - 1.27 cm NPT Garden Hose Adapter
Hardware Pack
NPT Quick Connector Adapter Set
Roll of Pipe Tape

FEATURES



CE-L5

-  2 "D" Battery ignition - no electricity needed
-  Activation point Of 25 PSI
-  Up to 18 hours of use on a 9 kg tank
-  Shower Head with On/Off controls included
-  Water fittings are 1.27 cm (1/2") G. they also come with A 1.27 cm (1/2") G To 1.27 cm (1/2") NPT Adapter making plumbing easy
-  Includes CE Gas Regulator for use with standard 9 kg Grill Propane Tank
-  Included adapter attaches to any standard garden hose nozzle
-  Adjustable, Manual water temperature control temps from 26° - 49°C
-  CE certified

SPECIFICATIONS

Installation	Outdoor Only
BTU	37,500 (10.9 KW)
Flow Rate	Rated 5 LPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	2 "D" Cell Batteries
Gas Type	Liquid Propane Only
Mbar	30, 37, 50
Regulator & Hose	Standard / Included
Temperature Control	Manual 26° - 49°C
Warranty	1 Year
Product Dimensions	45.75 x 29 x 13.5 cm - 4.9 kg
Package Dimensions	60 x 35 x 19 cm - 7 kg

The Eccotemp CE-L5 Portable Instantaneous Water Heater is the number "1" trusted and sold CE approved portable instantaneous water heater in the world. Designed for easy effortless use; simply attach a garden hose and a 9 kg propane tank and you are guaranteed to enjoy the luxury of hot water anywhere.

Lightweight, easy to carry, and compact makes it perfect for outdoor showers, camping, hunting, tiny homes, RVs, poolside, washing pets, equestrian, cleaning vehicles, food trucks, greenhouses or anywhere else that you need instant, reliable, endless hot water. For low water flow/pressure situations, Eccotemp recommends the Eccotemp EccoFlo 12-volt pump (purchased separately) & Strainer to give you that extra boost of waterpower.








PACKAGE CONTENTS

- CE-L5 Portable Instantaneous Water Heater
- CE certified Gas Regulator and Hose
- 1.3 cm - 1.9 cm NPT Garden Hose Adapter
- Hardware Pack
- NPT Quick Connect adapter Set
- Roll of Pipe Tape

NEW



FEATURES

-  Non-Toxic, Biodegradable concentrate
-  Certified To NSF/ANSI 60
-  Standard 1.9 cm (0.7") NPT Connections
-  Compact Size
-  Significantly improves efficiency
-  Extends the useful life of the equipment
-  Works with all Eccotemp water heaters

EZ-Flush

SPECIFICATIONS

Installation	Indoor/Outdoor
Voltage	220/230
Fittings	Standard 1.9 cm NPT
Warranty	1 Year limited
Dimensions	37.8 x 32.7 x 28.4 cm - 2.3 kgs
Recommended Uses	Ice Machines, Humidifiers, Water Heaters, Boilers, Heat Exchangers, Chillers, Vacuum Pumps, Condensers, Evaporators, Tanks, Potable Waterlines, Water Operated Equipment

The Eccotemp EZ-Flush System Descaler kit quickly dissolves scale, rust, lime and other water formed deposits, restoring efficiency to your water heater and other water-based appliances. It uses a non-toxic concentrate certified to NSF/ANSI 60 for use as a cleaner in potable water systems.

Designed for Instantaneous Water Heaters, the EZ-Flush provides 1.9 cm NPT hot and cold service connections, and is compatible with most water-operated equipment. The EZ-Flush kit can significantly improve efficiency, conserve energy, extend the life of the equipment, and save you time, money and energy!










Water scale deposits are a significant cause of heat transfer loss, and can cause an increase in energy costs. In fact, even a thin layer of scale (0.08 cm) can cause a 30% increase in the cost to operate that piece of equipment. Keeping the heating passages free of mineral deposits significantly improves efficiency, conserves energy, extends the life of the equipment, and saves you time & money.

PACKAGE CONTENTS

- EZ-FLUSH System Descaler Kit
- Built-in Pump
- 1 QT. Liquid Descaler Solution
- (2) 1.5 m Rubber Hoses

FEATURES



-  Rated At 11 Lpm
-  Requires 12v to operate
-  Runs dry safely without damage
-  Compact size for easy storage
-  Endless run time
-  Easy and ready to install
-  Works with Eccotemp water heaters
-  Professional grade
-  CE certified

ECP12V

SPECIFICATIONS

Installation	Indoor/Outdoor
Voltage	12V
Inlet/Outlet Ports	1.27 cm NPT
Pressure	50 PSI
Max Liquid Temperature	60°C
Warranty	2 Years
Dimensions	21.5 x 15.5 x 13.5 cm - 2 kg
Recommended Uses	Water Heaters, Rv, Marine, Automotive, Agricultural Spraying Waterlines, Water Operated Equipment, Beverage Processing, Filtration And Solar Water Systems

The Eccotemp EccoFlo is a portable compact water pump allowing pressurized water wherever you need it. Whether you're needing to pull water from a creek to your Eccotemp Portable Instantaneous Water Heater or you need to transfer liquids from one area to another, the EccoFlo is the perfect tool for the job.

The EccoFlo is compatible with any of our portable instantaneous water heaters and can be used in any scenario where you need to pump or pressurize liquids. With a self-priming feature, this allows the pump to safely run dry without any damage. Powered using only 12V, this water pump can be used virtually anywhere.








PACKAGE CONTENTS

- Eccoflo 12V Pump
- Sediment Strainer
- 6.35 cm Threaded Adapters
- 3.81 cm 90 ° Barbed Adapter
- 3.81 cm Barbed Adapter
- Red & Black (+/-) Alligator Clips

NEW



FEATURES

-  Non-Toxic
-  Biodegradable
-  Concentrated formula
-  Safe to handle
-  Works with Eccotemp water heaters
-  Professional grade
-  certified To NSF/ANSI 60

EZL32OZ

SPECIFICATIONS

Installation	Indoor/Outdoor
Voltage	220/230
Fittings	Standard 1.9 cm NPT
Warranty	1 Year limited
Dimensions	37.8 x 32.7 x 28.4 cm - 2.3 kgs
Recommended Uses	Ice Machines, Humidifiers, Water Heaters, Boilers, Heat Exchangers, Chillers, Vacuum Pumps, Condensers, Evaporators, Tanks, Potable Waterlines, Water Operated Equipment

The Eccotemp System Descaler is made to quickly dissolve water scale, lime, rust, and other water formed deposits, restoring efficiency to most all appliances. The Eccotemp System Descaler is a non-toxic concentrate which is certified to NSF/ANSI 60 for use as a cleaner in potable water systems.

IMPROVE EQUIPMENT EFFICIENCY: Water scale deposits are a significant cause of heat transfer loss, along with the subsequent increase in energy costs. In fact, even a thin layer of scale (1/32") can cause a 30% increase in the cost to operate that piece of equipment. Keeping the heating passages free of mineral deposits significantly improves efficiency, conserves energy, extends the useful life of the equipment, and saves you time & money.

PACKAGE CONTENTS











- SH12 Instantaneous Water Heater
- Wireless Remote Control
- Horizontal Vent Kit*
- Hardware Pack

NEW



ES1.5

FEATURES

-  Three Spray Modes
-  Magnetic Mounting Bracket
-  Soft touch all weather coating
-  On/Off Switch
-  Premium rubber hose included
-  2 Quick connects included
-  Quick connects to 1.58 cm hose
-  Easy & ready to install
-  Compact size
-  Works with Eccotemp portable water heaters

SPECIFICATIONS

Color	White
Available Quantities	1 Piece, 25 Piece Master Carton
Miximum Flow	Rated 11 LPM
Minimum Flow	Rated 1.8 LPM
Portable	Yes
Spray Modes	3
Connects	1.58 cm Garden Hose
Mounting	Magnetic or screw Mounting
Max Water Pressure	60 PSI
Min Water Pressure	3 PSI
Warranty	1 Year Shower Head 30 Days Accessories
Product Dimensions	12.7 x 8.59 x 4.14 cm - 0.49 kg
Package Dimensions	27.94 x 17.78 x 8.26 cm - 0.64 kg

Introducing the ultimate showerhead for outdoor enthusiasts – the portable Ecco Spray Showerhead and Hose Set with magnetic mount and extra quick connect. Designed for those who love venturing into the great outdoors, our new showerhead combines convenience and comfort to be your perfect wilderness companion.

Engineered for adaptability, it pairs effortlessly with all Eccotemp Portable Instantaneous Water Heaters and can also be connected to a 5/8-inch garden hose. Choose from three distinct spray modes for a personalized shower experience in the great outdoors. Enjoy optimal water conservation with the integrated on/off switch. Take control of your water flow and never waste a drop.

PACKAGE CONTENTS

- 1 x Ecco Spray Shower Head with On/Off button
- 1 x White Rubber Shower Hose
- 2 x Quick connects
- 1 x Magnetic Mounting Bracket
- 1 x Hardware Pack
- 1 x Product Instructions

NEW

Download the Eccotemp **SMART** App



Timer



Statistics



Scheduler



Eco-Mode



Error Codes



Temperature



Download:





“Hey Google, Turn on my Tankless Water Heater”



ECCOTEMP™

HEATING WATER SMARTER



(866) 356-1992 | support@eccotemp.com | eu.eccotemp.com

Herengracht 280, 1016 BX Amsterdam, The Netherlands



DESIGNED IN SUMMERVILLE, SC

