









Product Installation Instruction

Product: CZ9054W-1-US

--Contact Us:


Please read the instructions thoroughly before installation, confirm that all parts are included and visually inspect the unit for any defects. If you have any questions please contact us support@bravat.com before proceeding with installation.

--Packing List:




--Installation Steps:

1. Installation of base plate




Install the expansion nuts into the toilet mounting holes first, and then securely install the base plate, fixing brackets and screws in sequence as shown.

2. Install the electronic toilet seat



- Remove Fixed Card.
- Press the push button and slide the seat into the fixing plate.
- Adjust the seat for best fit. Loosen the screws for adjustment when needed.

3. Installation of water inlet pipe and T-valve



- Connect T-valve to angle valve (Remove the existing T-valve.);
- Connect toilet water supply pipe to T-valve as shown above;
- Connect bidet water supply pipe to T-valve as shown above.


Notice:

When installing, do not twist or damage the water inlet hose, otherwise it may cause water leakage;
Do not use other brands of water inlet hose or other parts, otherwise it may cause danger;
It is not recommended to use the old water inlet hose or other parts of our brand, otherwise it may cause danger.

--Check Before Use:

1. Turn the water supply on. The angle valve should be fully open.
 2. Check for leaks. Make sure there is no leakage.
- If there is leaking from any connection, re-install the part.

Confirmed water flow




Open angle valve




2.Connect power

1. Insert the bidet plug into the outlet (120V~).
 2. Confirm the power connection.
- Press the Power/Stop button to turn on the bidet seat.



3.Test run

Put your hands on the sensing area, press the Control panel button of the remote control Rear Wash/ Front Wash, and check whether the nozzle is working normally.



※ Be careful to block the cleaning water flow of the nozzle with a water cup, so as not to spray the water on the body or clothes.