


Installation & Assembly



20 : 00

estimated assembly



2 or more

people required

Ok, let's
get started!



- Put on mood music!
- To prevent damage to product, use the clean side of package carton or rug as working surface
- In the event of missing or damaged parts, delivery problems etc., please reach out to our team.
We will be happy to fix the problem!


care guide

- Clean regularly with a soft and dry cloth.
- To protect finish, avoid use of abrasive cleaners.
- Wipe up spills immediately. Please!


ⓘ While assembling the product, tighten the bolts up to 50%. Once all parts are in place, only then fully tighten the bolts.




product parts



A
Upper Shelf
X1



B
Middle Shelf
x1



C
Bottom Shelf
x1




D1
Back Leg
x1



D2
Back Leg
x1



E
Front Legs
x2



F
Back Panel
x2

what's included




(G) -Bolt
(6X50)
x12



(H) -Lock Washer
(6X12)
x12



(I) -Washer
(6X16)
x12



(J) -Ball Allen Key
(4mm)
x1

- | | |
|----|----------------|
| YS | Yellow Sticker |
| GS | Green Sticker |
| OS | Orange Sticker |

Note: The back panels feature natural flexibility inherent to the material, allowing easy placement & smooth assembly.

assembly instructions


Friendly Tip: Take a deep breath going in. This may be a tricky part, but nothing too overwhelming. Just follow these steps to the T and the outcome will be worth it!



- ⓘ While assembling the product, tighten the bolts up to 50%. Once all parts are in place, only then fully tighten the bolts.


step 1:

Place the upper shelf (A1) vertically and align the slots on its back side with the slots on the back leg (D1). Ensure the stickers on the shelf match the leg. Use the image below as a reference.




step 2:

Fix the leg in place by inserting the bolt (G), washer (H) and lock washer (I) into the slots. Tighten them using the (J) Allen key.




step 3:

Next, insert the back panel (F) into the grooves on the inner side of the back leg (D1). Ensure proper alignment.




step 4:

Now, take the middle shelf (B) and align its grooves on the back with the back panel (F) and slots with the back leg (D1). Then insert the back panel into the groove. Ensure the sticker on the leg matches the middle shelf.




step 5:

Fix the middle shelf by inserting the bolt (G), washer (H) and lock washer (I) into the slots. Tighten them using the (J) Allen key.




step 6:

Insert the back panel (F) into the bottom groove on the back leg (D1) & at the bottom groove on the middle shelf (B), ensuring proper alignment.




step 7:

Now, place the bottom shelf (C) and align its grooves on the back with the back panel (F) and slots with the back legs (D1). Then insert the back panel into the groove. Ensure the sticker on the leg matches the middle shelf.




step 8:

Fix the bottom shelf by inserting the bolt (G), washer (H) and lock washer (I) into the slots. Tighten them using the (J) Allen key.




step 9:

Next, take the back leg (D2) and align it with the shelf slots on the other back side and then insert the back panels (F) into the leg grooves. Use the image below as reference.




step 10:

Fix the leg (D2) by inserting bolts (G), washers (H) and lock washers (I) into the slots. Tighten them using the (J) Allen key.




step 11:

Now, take the front leg (E) and align it with the shelf slots on the front side.




step 12:

Fix the front leg (E) by inserting bolts (G), washers (H) and lock washers (I) into the slots. Tighten them using the (J) Allen key.




step 13:

Repeat steps 11 & 12 with the remaining front leg (E).



step 14:

Turn the bookcase upright. If required, adjust the levellers according to the floor.



and your shelf is ready for installation

installation instructions



- ⓘ While assembling the product, tighten the bolts up to 50%. Once all parts are in place, only then fully tighten the bolts.

Hardware Included



a X 04
4 X 16mm



b X 04
4 X 30mm





c X 02



d X 04



e X 02



Back



Wall Mounting Instructions

1. Using screws provided and a screwdriver, secure mounting plate(s) to the back of product.
2. Noting the location of the product's mounting plate(s), mark and drill holes on the wall for mounting plate(s). Drill pilot holes into marked positions and into a wall stud. NOTE: if wall studs are not available, drill holes slightly smaller than the drywall anchors and insert each anchor until its flange is flush with the wall.
3. Using a screwdriver, secure mounting bracket(s) to the wall stud or drywall anchors with screws provided.
4. Position product in final location, and secure to the wall by lacing one end of plastic tie(s) through both the and product mounting plates, and through the other end, pulling tightly to remove slack. Do not over tighten.

Voila! Your bookcase is now assembled and secure!