


Assembly Instructions



*Don't fully tighten all the bolts till the very end!

PRE-ASSEMBLY PREPARATION:

- Please read through the instructions before beginning assembly.
- Clear out the space for assembly and lay out all of the parts based on the Parts List, extra room will allow you to easily determine if all the pieces are present.
- Keep small parts and pieces away from children until fully assembled.


Customer Support



For immediate assistance with shipping damages, missing components, or packaging issues, please contact our support team within 48 hours of delivery.






Assembly Instructions

Parts List (END TABLE):


NO-	part	Diagram	Qty pcs
A	Table Top		1
B	Table Leg		4
C	Table Shelf		1
D	Screws		12
E	Washers		12
F	Hex Wrench		1




Part no.	Part	QTY	Image	Part no.	Part	QTY	Image
A1	Left Arm	1		J	Screws M6*40mm	8	
A2	Right Arm	1		K	Screws M6*35mm	18	
B	Back	1		L	Screws M6*16 mm	8	
C	Front panel	1		M	Nuts	14	
D	Seat	1		N	Washers	22	

E	Base	1		O	Seat Cushion	1	
F	Short support bar	2		P	Back Cushion	1	
G	Support bar	1		Q	Allen Wrench	1	
H	Swivel plate	1		R	Wrench	1	
I	U-shape fitting	1					


Step 1: Attach arms A1&A2 to back panel B with 4pcs bolts K and 4pcs washers N ,using Allen wrench Q .Note:Don't fully tighten the bolts.




Step 2: Attach front panel C to arms A1&A2 with 4pcs K and 4pcs washer N , using Allen wrench Q .Note:Don't fully tighten the bolts .




Step 3 : Attach seat panel D to back panel and front panel with 4pcs bolts J and 4pcs washers N ,using Allen wrench Q .Note:Don't fully tighten the bolts .




Step 4: Attach 2pcs short support bar F & support G with 2pcs bolts K, 2pcs washers N and 2pcs nuts M, using Allen wrench Q and wrench R. Note: Don't fully tighten all the bolts.




Step 5: Attach support bar to base E with 8pcs bolts L and 8pcs washers N,using Allen wrench Q .Note:Don't fully tighten the bolts .




Step 6: Attach swivel plate H to support bar with 4pcs bolts K and 4pcs nuts M, using Allen wrench Q and wrench R .Note:Don't fully tighten all the bolts.



Step 7: Attach u-shape fitting I to swivel plate with 4pcs bolts K and 4pcs nuts M ,using Allen wrench Q and wrench R .Note:Don't fully tighten all the bolts.



Step 8: Attach swing arm to Arms A1&A2 with 4pcs bolts J and 4pcs nuts M, using Allen wrench Q and wrench R .Note:Please fully tighten all the bolts.



Step 9: Put the seat cushion O and back cushion P onto the seat .Assembly is now complete and the product is ready for use.

