



# Pinoir® | K-2035-1

22" oval wall-mount bathroom sink

## Features

- Single faucet hole
- Oval basin
- Overflow drain
- Combination consists of basin and shroud



## Available Colors/Finishes

*Color tiles intended for reference only.*

- |                                                                                     |    |        |
|-------------------------------------------------------------------------------------|----|--------|
|  | 0  | White  |
|  | 47 | Almond |



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-30-2026 00:00 - US-CA

THE BOLD LOOK  
OF **KOHLER**®

## Codes/Standards

ADA, OBC compliant when installed to the specific requirements of these regulations.



ASME A112.19.2/CSA B45.1  
ADA  
ICC/ANSI A117.1  
OBC

## Warranty

See website for detailed warranty information.

KOHLER® Vitreous China Bathroom Sink Lifetime Limited Warranty

## Technical Information

|                       |                |
|-----------------------|----------------|
| Number of Deck Holes: | 1              |
| Faucet Hole(s) Size:  | 1-3/8" (35 mm) |
| With Overflow:        | Yes            |
| Drain Hole Diameter:  | 1-3/4" (44 mm) |
| Basin Configuration:  | Single Bowl    |
| Basin Length:         | 18" (457 mm)   |
| Basin Width:          | 12" (305 mm)   |
| Basin Depth:          | 6" (153 mm)    |

## Material

- Vitreous china

## Included Combo Skus

- K-2028-1 22" oval wall-mount bathroom sink
- K-2057 Bathroom sink shroud

## Recommended Products/Accessories


K-23726 Drain treatment

K-7605-P Pair 3/8" NPT angle supplies with stop, cross handle and annealed vertical tube

K-8998 Adjustable P-trap with tubing outlet, 1-1/4" x 1-1/4"

K-23725 Cast iron cleaner





## Installation

- Wall-mount

## Installation Notes

*Install this product according to the installation instructions.*

Product dimensions are nominal and may vary per ASME

A112.19.2 tolerances.

ADA, OBC compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-30-2026 00:00 - US-CA

THE BOLD LOOK  
OF **KOHLER**